



Alpha Aluminum Auction Buyer's Guide

1300 Cunningham Avenue Winston-Salem, North Carolina 27107

<u>Auction</u>

Day 1 -Wednesday, May 8, 2019, 10:00 AM EDT Live and Online

Day 2 - Thursday, May 9, 2019, 10:00 AM CDT Online Only

<u>Inspection</u>

Tuesday, May 7th – 9:00 AM - 4:00 PM EDT or By Appointment

DAY 1 – LIVE AND ONLINE DAY 2 - ONLINE ONLY

IMPORTANT INFORMATION

BUYER'S PREMIUM: Onsite buyers will be charged 15% buyer's premium. Online buyers will be charged 18% buyer's premium.

PAYMENT INFORMATION: Everything is being sold for cash on an "AS IS", "WHERE IS" basis without warranties expressed or implied. All payments must be made by **wire transfer**, **cash**, **cashier's checks**, **or company checks. Company checks are only acceptable if accompanied by a bank letter of guarantee.**

ALL INVOICES MUST BE PAID IN FULL AT THE SALES CONCLUSION. Any merchandise not paid for by this time will be considered abandoned and may be resold by the auctioneer, any loss incurred in the resale to be borne by the original buyer.

SALES TAX: All sales subject to state and local sales tax where applicable, 6.75% for Seller. If tax exempt, buyer will be required to complete the tax exempt form for the state that the auction is being held.

REMOVAL: All items must be removed by **Friday**, **May 24**, **2019** by **4:00PM EDT** at which time our representative will leave the premises. All items remaining after this time **WILL BE** considered abandoned.

CHECKOUT/REMOVAL HOURS: Friday, May 10th thru Friday, May 24th from 8:00AM – 4:00PM EDT M-F with paid in full invoice.

NO MERCHANDISE MAY BE REMOVED WHILE THE SALE IS IN PROGRESS! ALL BIDDERS MUST COMPLY WITH OUR CUSTOMARY "TERMS OF SALE" COPIES, WHICH ARE ATTACHED TO THIS CATALOG, AS WELL AS THROUGHOUT THE PREMISES.

PPL GROUP LLC 105 Revere Drive, Suite C Northbrook, IL 60062 224-927-5320 www.pplgroupllc.com • www.pplauction.com

PPL AUCTION - General Terms of Sale

NOTICE: ALL BIDDERS AND OTHER PERSONS ATTENDING AUCTION SALES AGREE THAT THEY HAVE READ AND HAVE FULL KNOWLEDGE OF THESE TERMS AND AGREE TO BE BOUND THEREBY.

- 1. REGISTRATION: TO REGISTER LOGIN TO WWW.BIDSPOTTER.COM AND SEARCH FOR THE AUCTION YOU WISH TO PARTICIPATE IN (CONTROL + F). ONCE YOU LOCATE THE AUCTION, CLICK THE "SIGN UP" BUTTON. IF YOU HAVE REGISTERED WITH BIDSPOTTER IN THE PAST, ENTER YOUR USERNAME AND PASSWORD. IF YOU HAVE NEVER USED BIDSPOTTER, CLICK ON THE 'REGISTER' BUTTON. ENTER THE REQUIRED CONTACT INFORMATION AND SELECT A USERNAME AND PASSWORD AND SUBMIT FORM. YOU WILL RECEIVE AN EMAIL CONFIRMATION OF YOUR REGISTRATION FOR THE AUCTION WITH YOUR BIDDER PADDLE NUMBER. YOU WILL ALSO RECEIVE AN APPROVAL EMAIL FROM THE AUCTION HOUSE ONCE APPROVED. ON THE DATE OF THE AUCTION, LOGIN TO BIDSPOTTER WITH YOUR USERNAME AND PASSWORD. YOU WILL BE ABLE TO VIEW A PHOTO OF EACH LOT WHILE LISTENING TO THE LIVE AUDIO (IF AVAILABLE). BIDDERS ARE RECOMMENDED TO REGISTER 48 HOURS PRIOR TO THE SALE TO AVOID ANY ISSUES THAT MAY OCCUR.
- 2. PAYMENT: INVOICES MUST BE PAID IN FULL AFTER SALE UNLESS OTHERWISE SPECIFIED. A BUYER'S PREMIUM OF 18% FOR ON-LINE BIDDERS WILL BE APPLIED TO YOUR INVOICE IN ADDITION TO THE SALES PRICE. THE BUYERS PREMIUM MAY CHANGE WITH EACH INDIVIDUAL AUCTION. ALWAYS REFER TO THE INDIVIDUAL TERMS WITH EACH OF OUR AUCTIONS. BUSINESS AND PERSONAL CHECKS WILL NOT BE ACCEPTED WITHOUT A LETTER OF GUARANTEE FROM YOUR BANK. NO MERCHANDISE WILL BE RELEASED UNTIL INVOICE IS FULLY PAID.
- 3. TAXES: PRICES MAY NOT INCLUDE ANY FEDERAL, STATE, OR LOCAL TAXES, WHICH ARE IN ADDITION TO THE PURCHASE PRICE AND MUST BE PAID BY PURCHASER. MACHINERY AND EQUIPMENT USED IN THE MANUFACTURING OR ASSEMBLY OF TANGIBLE PERSONAL PROPERTY FOR WHOLESALE OR RETAIL SALE ARE EXEMPT FROM TAX IN THE STATE OF ILLINOIS. OTHERWISE PURCHASER MUST FURNISH A TAX EXEMPTION CERTIFICATE, ANY SALES, USE, EXCISE, OR OTHER SIMILAR TAX, WHERE APPLICABLE, SHALL ALSO BE THE RESPONSIBILITY OF PURCHASER AND MAY, AT THE ELECTION OF PPL, BE ADDED TO THE QUOTED PURCHASE PRICE AND INVOICED BY PPL TO PURCHASER. THE FAILURE OF PPL TO INVOICE SUCH TAXES DOES NOT EXCUSE THE PURCHASER FROM RESPONSIBILITY FOR PAYING SAME. WHEN A SALE IS IN A STATE OTHER THAN THE STATE OF ILLINOIS, THERE WILL BE SPECIFIC INFORMATION RELATIVE TO THE SALES TAX RATES AND ANY EXEMPTION TO THE SPECIFIC AUCTION SALE AND WILL BE POSTED WITH EACH INDIVIDUAL AUCTION SALE ON OUR WEB SITE.
- 4. **REMOVAL:** EACH AUCTION WILL HAVE SPECIFIC INFORMATION RELATIVE TO THE TIMES OF REMOVAL. ALL ITEMS MUST BE OFF THE PREMISES BY A SPECIFIC TIME AND DATE. ALL ITEMS REMAINING AFTER THE SPECIFIED TIME WILL BE CONSIDERED ABANDONED
- S. LIABILITY: LIABILITY: PURCHASES MAY BE REMOVED ONLY ON PRESENTATION OF PAID BILL. REMOVAL SHALL BE AT THE EXPENSE, RISK AND LIABILITY OF THE PURCHASER. AUCTIONEER SHALL NOT BE RESPONSIBLE FOR GOODS NOT REMOVED WITHIN THE TIME ALLOWED, BUT SHALL HAVE THE OPTION TO REMOVE AND STORE AT THE EXPENSE AND RISK OF THE PURCHASER ANY ARTICLE PURCHASED, BUT NOT PAID FOR AND REMOVED WITHIN THE TIME AFORESAID. A CERTIFICATE OF INSURANCE IS REQUIRED FOR ALL RIGGERS AND SHOULD BE PRESENTED TO PPL GROUP LLC AT THE AUCTION SITE. IF YOU INTEND TO DO YOUR OWN RIGGING AND USE A POWERED VEHICLE IN THE PROCESS, YOU MUST HAVE A CERTIFICATE OF INSURANCE. CONTACT PPL GROUP LLC FOR INSURANCE REQUIREMENTS FOR SPECIFIC AUCTION. IF YOU CAN MOVE YOUR PURCHASES BY HAND OR WITH A NON-POWERED ITEM, SUCH AS A CART, YOU DO NOT NEED TO PRESENT US WITH A CERTIFICATE OF INSURANCE. PPL GROUP LLC IS NOT A RIGGING COMPANY AND THEREFORE WILL NOT BE ABLE TO HELP WITH ANY RIGGING.
- 6. MANNER OF PAYMENT: ALL CHECKS FOR DEPOSIT AND BALANCES DUE SHALL BE PAYABLE TO THE ORDER OF PPL GROUP LLC. ALL BILLS MUST BE PAID TO REPRESENTATIVES OF THE AUCTIONEER AT THE FACILITY UNLESS OTHERWISE ANNOUNCED. THE FULL PURCHASE PRICE ON ALL LOTS SOLD TO THE SAME BUYER MUST BE PAID WITHIN THE TIME FIXED AND BEFORE REMOVAL OF ANY OF THE GOODS.
- 7. **ISSUANCE OF TITLE**: TITLES RELATIVE TO TITLED ASSETS PURCHASED WILL BE MAILED TO THE PURCHASER'S ADDRESS ON FILE AFTER PAYMENT HAS BEEN RECEIVED AND CLEARED.

- 8. CONDITION OF ARTICLES SOLD: NEITHER THE AUCTIONEER NOR THE SELLER SHALL BE RESPONSIBLE FOR THE CORRECT DESCRIPTION, GENUINENESS, AUTHENTICITY OF, OR DEFECT IN ANY LOT, AND MAKES NO WARRANTY IN CONNECTION THEREWITH. NO SALE SHALL BE SET ASIDE NOR ALLOWANCE MADE ON ACCOUNT OF ANY INCORRECTNESS, ERROR IN CATALOGING, OR ANY IMPERFECTION NOT NOTED. NO DEDUCTION ALLOWED ON DAMAGED ARTICLES, ALL ARTICLES BEING EXPOSED FOR PUBLIC EXHIBITION, AND SOLD "AS IS" AND WITHOUT RECOURSE. ARTICLES ARE NOT WARRANTED AS MERCHANTABLE OR FIT FOR ANY PARTICULAR PURPOSE, AND NO CLAIM MAY BE MADE BY PURCHASER RELATING TO THE CONDITION OR USE OF ARTICLES PURCHASED OR FOR PROXIMATE OR CONSEQUENTIAL DAMAGES ARISING THEREFROM.
- 9. SAFETY DEVICES: ARTICLES PURCHASED MAY NOT INCORPORATE APPROVED ACTIVATING MECHANISMS, OPERATING SAFETY DEVICES OR SAFETY GUARDS, AS REQUIRED BY OSHA OR OTHERWISE. IT IS PURCHASER'S RESPONSIBILITY THAT ARTICLES PURCHASED BE SO EQUIPPED AND SAFEGUARDED TO MEET OSHA AND ANY OTHER REQUIREMENTS BEFORE PLACING SUCH ARTICLES INTO OPERATION.
- **INDEMNIFICATION:** PURCHASER SHALL DEFEND AND INDEMNIFY AND HOLD AUCTIONEER AND SELLER HARMLESS FROM AND AGAINST ALL CLAIMS AND LIABILITIES RELATING TO THE CONDITION OF, REMOVAL OF, OR USE OF THE ARTICLES PURCHASED OR FAILURE OF USER TO FOLLOW INSTRUCTIONS, WARNINGS OR RECOMMENDATIONS OF THE MANUFACTURER, OR TO COMPLY WITH FEDERAL, STATE, AND LOCAL LAWS APPLICABLE TO SUCH ARTICLES, INCLUDING OSHA REQUIREMENTS, AND ENVIRONMENTAL PROTECTION AGENCY REQUIREMENTS, OR FOR PROXIMATE OR CONSEQUENTIAL DAMAGES, COSTS OR LEGAL EXPENSES ARISING THEREFROM.
- 11. CLAIMS: NO CLAIMS WILL BE ALLOWED AFTER REMOVAL OF GOODS FROM PREMISES OR LEFT ON PREMISES PAST ALLOWED TIME LIMIT.
- 12. RESPONSIBILITY FOR NON-DELIVERY: NEITHER THE AUCTIONEER NOR THE SELLER, IN ANY EVENT, SHALL BE LIABLE FOR NON-DELIVERY OR FOR ANY OTHER MATTER OR THING, TO ANY PURCHASER OF ANY LOT, OTHER THAN FOR THE RETURN TO THE PURCHASER OF THE DEPOSIT OR SUM PAID ON SAID LOT, SHOULD THE PURCHASER BE ENTITLED THERETO.
- 13. COMPLIANCE WITH TERMS OF SALE: IN DEFAULT OF PAYMENT OF BILLS IN FULL WITHIN THE TIME THEREIN SPECIFIED, THE AUCTIONEER IN ADDITION TO ALL OTHER REMEDIES ALLOWED BY LAW MAY RETAIN ALL MONIES RECEIVED AS DEPOSIT OR OTHERWISE, AS LIQUIDATED DAMAGES. LOTS NOT PAID FOR AND REMOVED WITHIN THE TIME ALLOWED HEREIN MAY BE RESOLD AT PUBLIC OR PRIVATE SALE WITHOUT FURTHER NOTICE, AND ANY DEFICIENCY, TOGETHER WITH ALL EXPENSES AND CHARGES OF RESALE INCLUDING LEGAL FEES, WILL BE CHARGED TO THE DEFAULTING PURCHASER.
- 14. RISK TO PERSON AND PROPERTY: PERSONS ATTENDING DURING EXHIBITION, SALE OR REMOVAL OF GOODS ASSUME ALL RISKS OF DAMAGE OF OR LOSS TO PERSON AND PROPERTY AND SPECIFICALLY RELEASE THE AUCTIONEER AND SELLER FROM LIABILITY THEREFORE. NEITHER THE AUCTIONEER NOR HIS PRINCIPAL SHALL BE LIABLE BY REASON OF ANY DEFECT IN OR CONDITION OF THE PREMISES ON WHICH THE SALE IS HELD.
- 15. ADDITION TO OR WITHDRAWAL FROM SALE: THE AUCTIONEER RESERVES THE RIGHT TO WITHDRAW FROM SALE ANY OF THE PROPERTY LISTED OR TO SELL AT THIS SALE PROPERTY NOT LISTED, AND ALSO RESERVES THE RIGHT TO GROUP ONE OR MORE LOTS INTO ONE OR MORE SELLING LOTS OR TO SUBDIVIDE INTO TWO OR MORE SELLING LOTS. WHENEVER THE BEST INTEREST OF THE SELLER WILL BE SERVED, THE AUCTIONEER RESERVES THE RIGHT TO SELL ALL THE PROPERTY LISTED, IN BULK.
- 16. SALE BY ESTIMATED WEIGHT, COUNT OR MEASURE: WHEN ITEMS ARE SOLD BY ESTIMATED WEIGHT, COUNT OR MEASURE, THE PURCHASER WILL BE BILLED FOR AND REQUIRED TO PAY FOR THE ESTIMATED WEIGHT, COUNT OR MEASURE. IF, UPON DELIVERY, ANY SHORTAGE EXISTS, THE PURCHASER WILL RECEIVE A REFUND AT THE RATE OF PURCHASE. IF THERE BE AN EXCESS, THE PURCHASER WILL BE REQUIRED TO TAKE AND PAY FOR SUCH EXCESS, AT THE RATE OF PURCHASE. (SEE PARAGRAPH 4 FOR TIME AND GUARANTEE LIMITATION.)
- 17. DISPUTE BETWEEN BIDDERS: IF ANY DISPUTE ARISES BETWEEN TWO OR MORE BIDDERS, THE AUCTIONEER MAY DECIDE THE SAME OR PUT THE LOT UP FOR SALE AGAIN AT ONCE, AND RESELL TO THE HIGHEST BIDDER. THE AUCTIONEER'S DECISION SHALL BE FINAL AND ABSOLUTE.
- **18. RESERVE:** THE AUCTIONEER RESERVES THE RIGHT TO REJECT ANY AND ALL BIDS. ON LOTS UPON WHICH THERE IS A RESERVE, THE AUCTIONEER OR HIS ASSIGNED AGENTS, SHALL HAVE THE RIGHT TO BID ON BEHALF OF THE SELLER.

19.	RECORDS: THE RECO	RD OF SALE KEPT I	BY THE AUCTION	NEER AND BOOKK	EEPER WILL BE TAKE	N AS FINAL IN THE
EVENT C	OF ANY DISPUTE.					

20. INDEPENDENT CONTRACTOR: THE AUCTIONEER IS ACTING AS AN INDEPENDENT CONTRACTOR ONLY AND IS NOT RESPONSIBLE FOR THE ACTS OF ITS PRINCIPALS OR SELLERS.

21. ADDITIONAL TERMS AND CONDITIONS: THE AUCTIONEER MAY ADD OTHER TERMS AND CONDITIONS OF SALE, SUCH ADDITIONAL TERMS AND CONDITIONS TO BE ANNOUNCED PRIOR TO THE AUCTION AND ALSO POSTED WITH THE SPECIFIC AUCTION.

This catalogue on the following pages is meant merely as a guide. The auctioneer does not warrant the genuineness, accuracy or count of any items described herein.

Alpha Aluminum LLC

Day 1

Wednesday, May 8, 2019

Live and Online Auction

Lots 1 - 488

Lot Number	Description
1	LOT: (1) Dewalt & (1) Craftsman Cordless Drills
2	LOT: (1) Dewalt & (1) Krafteck Palm Sanders
3	Bosch Electric Shear
4	Bosch Electric Shear
5	LOT: (3) Electric Drills
6	LOT: (2) Milwaukee 3/8 in. Reversing Drills
7	Dewalt Heavy Duty Reciprocating Saw
8	Milwaukee Reciprocating Saw
9	Milwaukee Deep Cut Band Saw
10	Milwaukee Heavy Duty Grinder
11	LOT: (2) Belt Sanders
12	Warn 1/2 Ton Electric Winch
13	Ingersoll Rand 1 in. Pneumatic Impact Wrench
14	LOT: (1) 3/4 in. Pneumatic Impact Wrench, (1) 1/2 in. Pneumatic Impact Wrench
15	LOT: (2) 1/2 in. Pneumatic Impact Wrenches
16	LOT: (1) 1/2 in. Pneumatic Impact Wrench, (1) 3/8 in. Pneumatic Impact Wrench, (1) Pneumatic Die Grinder
17	LOT: Assorted Sockets in (1) Box
18	LOT: Assorted Sockets in (1) Box
19	LOT: Assorted Sockets in (2) Boxes
20	LOT: (4) Assorted Dead Blow Hammers
21	LOT: (3) Assorted Bolt Cutters
22	LOT: (9) Assorted Large Combination Wrenches
23	LOT: Assorted Combination Wrenches in (2) Boxes
24	LOT: Assorted Combination Wrenches in (2) Boxes
25	Torque Multiplier
26	LOT: Assorted Tools in (2) Boxes
27	LOT: (8) Brass Hammers in (2) Boxes

28	LOT: Assorted T-Handle Allen Wrenches in (1) Box
29	48 in. Aluminum Pipe Wrench
30	LOT: (1) 36 in. Aluminum Pipe Wrench, (1) 24 in. Aluminum Pipe Wrench
31	LOT: (1) 36 in. Aluminum Pipe Wrench, (1) 24 in. Pipe Wrench, (1) 18 in. Brass Pipe Wrench
32	SKF Bearing Puller Set #TMBP7
33	SKF Split Collet Puller #TMSC6
34	8 Ton Hydraulic Bearing Puller Set
35	LOT: Assorted Bearing Pullers
36	Large Bearing Puller
37	Dake Arbor Press Model 3A
38	LOT: (3) Steel Work Benches
39	Lyon 10-Drawer Tool Cabinet
40	Handi-Kleen Pneumatic Parts Washer
41	LOT: Assorted Pump Repair Parts on Work Bench
42	Dake Elec-Draulic 50 Ton Press Model 50-101, Rated 6000 PSI
43	Max-Pro Power Pak Pump Unit Model MTPP01
44	LOT: Proto 5-Drawer Tool Cabinet, (3) Carts, (1) Oxy/Acetylene Cart, (1) Coil Cart
45	LOT: (1) Section 42 in. x 84 in. x 96 in. 2-Tier Pallet Rack & (1) Cabinet with Contents
46	LOT: (2) Hydraulic Die Carts
47	LOT: (3) Assorted Vacuums
48	Yale 1 Ton Chain Hoist, Radio Controlled (no control)
48A	Yale 1/4 Ton Electric Chain Hoist
49	Oster Pipe Master Model 655
50	Ridgid Pipe Threader Model 300A
51	Ridgid Tri-Stand
52	LOT: (2) Ridgid Pipe Cutters, Assorted Tubing Benders
53	Greenlee Pipe Bender Model 1800
54	Greenlee Pipe Bender Model 1800

55	Jet 20 in. Floor Drill Press Model JDP-20MF, 18 in. x 16 in. T-Slot Table, 6 in. Vise
56	Jet Mill/Drill Model JMD-18, 9 in. x 36 in. T-Slot Work Table, 5 in. Vise, Stand
57	Portable Electric Pressure Washer
58	Honda 13 HP Gas Powered Pressure Washer (needs repair)
59	6 in. Double End Floor Stand Grinder
60	3 HP Shop Vac (new in box)
61	60 in. x 72 in. Precision Steel Surface Plate on Heavy Duty Stand
62	LOT: (2) 11 Ton Hydraulic Jacks
63	LOT: (4) Assorted Hydraulic Jacks
64	LOT: (5) Assorted Hydraulic Jacks
65	LOT: (6) Assorted Hydraulic Jacks
66	Enerpac Hydraulic Power Pack Model PED3005B
67	Enerpac Air/Hydraulic Power Pack Model P25
68	LOT: (3) Assorted Hydraulic Cylinders
69	LOT: (3) Assorted Hydraulic Cylinders
70	LOT: Assorted Drill Bits in (2) Boxes, (1) Drawer Index
71	LOT: (5) Assorted Pneumatic Tools
72	LOT: Assorted Taps & Dies
73	Tap & Die Set
74	34 in. x 96 in. Steel Work Bench
75	34 in. x 96 in. Steel Work Bench
76	LOT: (2) Assorted Flammable Storage Cabinets
77	LOT: (3) 5-Drawer Tool Cabinets
78	LOT: (3) 5-Drawer Tool Cabinets
79	LOT: (1) Russell 13-Drawer Tool Cabinet, (1) Craftsman 4-Drawer Tool Cabinet, (1) Cabinet
80	Strong Hold 24 in. x 72 in. x 78 in. Heavy Duty 2-Door Cabinet
81	LOT: (6) Crow Bars, (1) Bearing Heater, (1) HFT 50/100 Belt Tool Set, Helicoil Sets, (2) Ingersoll Rand Air Motors (new)
82	Hydraulic Ram Set

83	LOT: (2) Stronghold 24 in. x 48 in. x 78 in. Heavy Duty Cabinets, (1) Lyon 11-Drawer Tool Cabinet
84	LOT: (2) Assorted Plate Grabs
85	1-1/2 Ton Come-Along
86	4-1/2 Ton Come-Along
87	LOT: (2) 1-1/2 Ton Come-Alongs
88	LOT: (3) 3/4 Ton Come-Alongs
89	LOT: (1) 1/2 Ton Chain Fall, (1) 1/4 Ton Chain Fall
90	LOT: (2) 3-Drawer Tool Cabinets, Shim Sets, Bearing Fitting Tool Sets, (3) Desks, (2) File Cabinets, Refrigerator, Pneumatic Grease Gun, Fan Belts, Safety Equipment, Chairs, Air Hose Reel
91	LOT: (1) 4-Step Rolling Stairway, (1) Steel Cart
92	LOT: (1) Table with Coffee Maker, Assorted Belts, Refrigerator, (3) Desks, (2) Cabinets, Grease Pump, (7) Chairs
93	LeBlond Regal 19 in. x 156 in. Engine Lathe, 40 - 1600 RPM Spindle, 3-1/8 in. Spindle Hole, Inch/mm Threading, (3) Steady Rests, Tailstock, 12 in. 3-Jaw Chuck, 15 in. 4-Jaw Chuck, 5C Hand Style Collet Closer with Collets
94	Cincinnati 21 in. x 144 in. Engine Lathe Model Tray Top, S/N 1WSL5F-5, 24 - 960 RPM Spindle, Inch Threading, Quick Change Tool Post, Tailstock, 12 in. 3-Jaw Chuck, 15 in. 4-Jaw Chuck, Steady Rests, Face Plates
95	Cincinnati 17 in. x 96 in. Engine Lathe Model Hydrashift, 25 - 980 RPM Spindle, Taper Attachment, 4-Way Tool Post, Tailstock, Inch Threading, 3-Jaw & 4-Jaw Chucks
96	LOT: Vidmar 30 in. x 90 in. Work Bench with Maple Top, Tool Cabinet Bottom, 4 in. Vise, with Contents
97	LOT: Vidmar 30 in. x 60 in. Work Bench with Maple Top, Tool Cabinet Bottom, 4 in. Vise, with Contents
98	LOT: Vidmar 30 in. x 120 in. Work Bench with Maple Top, Tool Cabinet Bottom, 4 in. Vise, 12 Gallon Flammable Storage Cabinet, with Contents
99	Tool Post Grinder, with Cart
100	Cincinnati 21 in. Box Column Drill Press Model 21, 75 - 1530 RPM Spindle, Adjustable T-Slot Rotary Table
101	DoAll 30 in. Vertical Band Saw Model V-36, 24 in. x 24 in. Table, with 18 in. x 20 in. Sub-Table, Blade Welder & Grinder
101A	DoAll Supply Cabinet
102	Dake Johnson Horizontal Band Saw, with Roller Feed Table (#186737)
103	Boyar Schultz 6 in. x 18 in. Hydraulic Surface Grinder Model 2A618, Ceramax 6 in. x 18 in. Permanent Magnetic Chuck, Over-the- Wheel Dresser, One Shot Lube System, Built-in Hydraulic Power Supply
104	Delta 20 in. Variable Speed Drill Press Model 20, S/N 94L75001, with T-Slot Work Table, Machine Vise, 1.5 HP Main Motor
105	LOT: Cincinnati Horizontal Universal Milling Machine Model Cinova 80, 14 in. x 62 in. Work Table, 34 in. Longitudinal Travel, 12 in. Cross Travel, 18.5 in. Vertical Travel, 48 - 1150 RPM Spindle, Universal Vertical Milling Attachment with 100 - 1530 RPM Spindle Speeds, Overarm Support, 8.5 in. Vise, with Tooling
106	Alliant 3 HP Vertical Milling Machine Model RT2, S/N 80713265, 9 in. x 48 in. Power Feed Work Table, Servo Knee & Saddle Feeds, Anilam wizard 550 2-Axis DRO, Coolant
107	Roper Whitney 14 ga. x 8 ft. Manual Apron Brake Model S-814
108	Roper Whitney 16 ga. x 52 in. Kick Shear Model 152K
109	LOT: Hansford Mechanical Keyseater Model JH10, 2 HP Motor, Adjustable Arbor Support, with Tooling Cabinet & Tooling (#5-1539)

110	Custom Designed & Fabricated 4 in. Wide Belt Sander
111	Custom Designed & Fabricated 20 in. Abrasive/Cold Circular Saw Model MH-2636S, 20 HP Main Motor, Full Enclosure, Roller Type Thrufeed
112	Hammond 12 in. Double End Grinder
113	Famco No. 4 Bench Top Arbor Press on Heavy Duty Stand
114	Industrial Crane 1 Ton x 10 ft. Floor Mounted 360 Degree Jib Crane, with CM Lodestar 1 Ton Chain Hoist, Pendant Control (#H-33644)
114A	Yale 1 Ton Electric Chain Hoist
114B	Yale 1 Ton Electric Chain Hoist
114C	LOT: (1) Yale 2 Ton Chain Fall, (1) Duff 2 Ton Chain Fall
115	LOT: (3) Assorted Index Fixtures
116	Procunier Tapper Attachment Model 4
117	LOT: Assorted Tools & Fixtures on Top Shelf of Lot #118
118	Vidmar 30 in. x 120 in. Work Station with Maple Top, Tool Cabinet Bottom
119	Kurt 6 in. Machine Vise
120	6 in. Machine Vise on Swivel Plate
121	6 in. Machine Indexing Vise on Swivel Plate
122	8 in. Quick Release Vise
123	LOT: (3) Machine Vise Swivel Plates
124	LOT: (22) Assorted Band Saw Blades (new)
125	LOT: Assorted Oxy/Acetylene Equipment
126	15 in. Rotary Turntable
127	LOT: 12 in. 6-Jaw Chuck, 12 in. Face Plate
128	Dumore Tool Post Grinder
129	Dumore Tool Post Grinder
130	Scleroscope Hardness Tester
131	LOT: Assorted Inspection Equipment including Height Gauge, Micrometer, Depth Gauge, Level, Tachometers
132	Milwaukee 9 in. Heavy Duty Grinder
133	Milwaukee Heavy Duty Right Angle Drill
134	LOT: Assorted Tap & Die Sets

135	LOT: Assorted Tap & Die Sets
136	LOT: (5) Assorted Large Diameter Taps
137	LOT: Assorted Sockets
138	LOT: Assorted Broach Sets
139	LOT: Assorted Broach Sets
140	32 in. x 120 in. Work Station, Steel Construction, with 5 in. Vise
141	32 in. x 120 in. Work Station, Steel Construction, with 5 in. Vise
141A	LOT: (2) Tool Cabinets with Contents
142	LOT: (1) 48 in. Pipe Wrench, (1) 48 in. Bolt Cutter, (1) Sledge Hammer (new)
143	Pipe Turning Roll
144	LOT: (4) Assorted Steel Carts with Contents
145	LOT: Portable A-Frame Steel Rack with Contents
146	Torit Dust Collector Model 81
147	Empire 26 in. x 36 in. Reach-in Blast Cabinet Model 4, with Hopper, Dust Collector (#C-2146)
148	LOT: (2) Assorted Double End Grinders
149	LOT: Contents of (3) Vidmar Tool Cabinets
150	LOT: (3) Vidmar Tool Cabinets - (2) 13-Drawer, (1) 8-Drawer
151	LOT: (2) 30 in. x 30 in. Steel Tables
152	1/2 Ton Hydraulic Die Cart
153	LOT: Assorted Brass & Bronze on (1) Pallet
154	LOT: Assorted Drill Bits & Taps with (2) Shelves
155	LOT: Assorted Steel on Work Bench, Floor & Pallet
156	36 in. x 96 in. Steel Work Table with 6 in. Vise
157	LOT: (3) 2-Door Cabinets
158	LOT: (2) 6-Drawer Tool Cabinets, 9-Drawer Tool Cabinet & 4-Drawer Tool Cabinet, with Contents
159	Custom Designed & Fabricated Horizontal Hydraulic Horn Press, with Inerpac Hydraulic Ram, Adjustable Frame, Chain Type Hold Downs
160	LOT: (2) Air Hose Reels
161	Manual Aerosol Can Press

162	LOT: Contents of Office
163	LOT: Cabinet with Contents of Large Quantity of Drill Bits, Taps
164	LOT: Vidmar 12-Drawer Tool Cabinet with Large Quantity of Drill Bits
165	LOT: Craftsman 5-Drawer Tool Cabinet, with Tools
166	Carolina 7 in. x 12 in. Horizontal Band Saw
167	LOT: (3) Oxy/Acetylene Carts
168	L-Tec 40 Amp Plasma Cutting System
169	Phoenix Dry Rod Stabilizing Oven Model 16C
170	LOT: (2) Oxy/Acetylene Carts
171	Blowers Inc. Fume Extractor
172	Blowers Inc. Fume Extractor
173	Miller Gold Star 300 Amp DC Arc Welding Power Source Model 300SS, S/N JE769880, with Leads, Guns, Cart
174	Miller 300 Amp DC Welding Power Source Model Syncrowave 300, S/N JC630260, with Leads, Guns, Cart
175	Miller 300 Amp AC/DC Arc Welding Power Source Model Dialarc HF, S/N JA458480, with ProCool II Chiller, Leads, Guns, Cart
176	Linde 450 Amp DC Welding Power Source Model 450, S/N D87D-70491, with Linde MIG-35 Wire Feeder, Leads, Guns, Cart
177	Floor Fan
178	Custom Double End Belt Sander
179	LOT: (2) 8 in. Double End Grinders
180	Jet 20 in. Floor Stand Drill Press Model JDP-20MF
181	Blast-It-All 48 in. x 36 in. x 42 in. Reach-in Sand Blast Cabinet Model 4836-9, S/N 87123076, with 900 CFM Reclaim Dust Collector
182	LOT: (1) 42 in. x 72 in. Heavy Duty Welding Table with 5 in. Vise, (2) Steel Horses
183	Milwaukee Deep Cut Band Saw
184	Milwaukee Heavy Duty Sawzall
185	LOT: (1) Milwaukee 1/2 in. Drill, (2) Drills, (1) Milwaukee 4-1/2 in. Grinder
186	LOT: Assorted Ground Clamps & Electrode Holders in (1) Box
187	LOT: Assorted Oxy/Acetylene Equipment
188	LOT: Assorted C-Clamps on (1) Pallet
189	LOT: Assorted Clamps

190	LOT: (2) 3/4 Ton Come-Alongs
191	LOT: Assorted Welding Screens
192	LOT: Lista 6-Drawer Tool Cabinet with Contents of Welding Supplies, Rod, Tools, etc.
193	LOT: (2) Cabinets with Welding Supplies
194	7-Step Rolling Stairway
195	12 Station Fluid Storage & Dispensing System
196	Dake 150 Ton Air Operated Hydraulic Press with Custom Enclosure
197	Gorbel 360 Degree Floor Mounted Jib Crane, with 1 Ton Chain Fall
198	6000 lb. Crane Scale
199	Milwaukee Magnetic Drill
200	LOT: Assorted Tools on Bench
201	LOT: Assorted Tools on Bench including Bearing Puller, Wrenches
202	32 in. x 120 in. Work Bench, Steel Construction, with (1) 3-1/2 in. Vise & (1) 4-1/2 in. Vise
203	5 in. Heavy Duty Vise on Stand
204	20 in. x 40 in. Electric Parts Washer
205	LOT: Assorted Parts & Tools on (1) Pallet
206	Vidmar Work Station with Maple Top, Tool Cabinet Bottom
207	LOT: (3) Vidmar Tool Cabinets
208	Portable Work Bench
209	Lakeland Manufacturing Tube Bender Set Model 420
210	LOT: (1) Pallet Jack, (1) Barrel Truck, (1) Vacuum
211	LOT: (1) Air Hose Reel, (2) Mounted Fans
212	LOT: (1) Stronghold 72 in. x 72 in. Heavy Duty 2-Door Cabinet, (1) Cabinet, Lockers
213	LOT: Large Quantity of Assorted Metals in All Shapes & Sizes including Tool Steels, Hot & Cold Rolled Shapes & Plate, Aluminum, Stainless, Brass, and (2) Cantilever Racks with (15) Uprights & (45) Arms
214	LOT: Parker Air/Hydraulic Hose Crimper Model 82C-80, Enerpac Model Turbo II Power Pack
215	LOT: (2) Sets Cubby Hole Shelving with Hydraulic Fittings
216	LOT: Vidmar 5-Drawer Tool Cabinet with Large Quantity of Fittings
217	LOT: (4) Valves (new)

218	LOT: GNA Alutech 70,000 lb. Gas/Oil Fired Reverberatory Furnace (2002), with Allen Bradley PanelView 1000 Operator Interface, Honeywell Digital Temperature Control, 22 ft. Wide x 17 ft. Long Outside Dimensions (#RF-4), and Amster Morton 25,000 lb. Gas/Oil Fired Holding Furnace (1965), with Allen Bradley PanelView 550 Operator Interface, 13 ft. Wide x 20 ft. Long Outside Dimensions (#RF-2)
219	LOT: Hunter 80,000 lb. Gas/Oil Fired Reverberatory Furnace (1970), with Allen Bradley PanelView 550 Operator Interface, 24 ft. Wide x 16 ft. Long Outside Dimensions (#RF-3), and Hunter 40,000 lb. Gas/Oil Fired Holding Furnace (1970), with Allen Bradley PanelView 550 Operator Interface, Chromalox Digital Temperature Control, 15 ft. Wide x 17 ft. Long Outside Dimensions (#RF-3)
220	Pyrotek 1472 Degree F Degasser Model SNIF SP-60/4HBF, S/N FR0012S147000 (2001), with Refractory Refining Furnace, PLC Control
221	Pyrotek 1472 Degree F Twin-Nozzle Degasser Model SNIF SP-60/4HBF, S/N FR001/2976039 (2001), with Refractory Refining Furnace
222	Pyrotek 1472 Degree F Twin-Nozzle Degasser Model SP-60/4 HBF-2197701, S/N FR0012527090S (2015) (new on original skid, with accessories)
223	LOT: Spinning Nozzle Repair Station, with Platform, Racks & Nozzles
224	BULK LOT (includes Lots #224A, #224B, #224C, #224D): Hunter 65 in. x 0.250 in. 2-Roll Horizontal Continuous Aluminum Casting Line (1970), with Dell Optiplex 960 PC, Allen Bradley VersaView 1500M LCD Flat Screen Monitor, including 5-Roll Pinch Roll Straightener, 1 /4 in. Capacity Mechanical Shear, 4-Roll Leveler, 60 in. O.D. x 60 in. Wide Recoiler with Hydraulic Mandrel Expansion, Independent Hydraulics, West Bend 15,000 lb. x 48 in. Wide Coil Car (#C3)
224A	LOT: Hunter 65 in. x 0.250 in. 2-Roll Horizontal Continuous Aluminum Casting Line (1970), with Dell Optiplex 960 PC, Allen Bradley VersaView 1500M LCD Flat Screen Monitor
224B	LOT: 5-Roll Pinch Roll Straightener, 1/4 in. Capacity Mechanical Shear, 4-Roll Leveler
224C	LOT: 60 in. O.D. x 60 in. Wide Recoiler with Hydraulic Mandrel Expansion, Independent Hydraulics
224D	West Bend 15,000 lb. x 48 in. Wide Coil Car
225	BULK LOT (includes Lots #225A, #225B, #225C, #225D): Hunter 56 in. x 0.250 in. 2-Roll Horizontal Continuous Aluminum Casting Line, with Dell Optiplex 960 PC, Allen Bradley VersaView 1500M LCD Flat Screen Monitor, including 5-Roll Pinch Roll Straightener, 1/4 in. Capacity Mechanical Shear, 4-Roll Leveler, 60 in. O.D. x 60 in. Wide Recoiler with Hydraulic Mandrel Expansion, Independent Hydraulics, West Bend 15,000 lb. x 48 in. Wide Coil Car (#C2)
225A	LOT: Hunter 56 in. x 0.250 in. 2-Roll Horizontal Continuous Aluminum Casting Line, with Dell Optiplex 960 PC, Allen Bradley VersaView 1500M LCD Flat Screen Monitor
225B	LOT: 5-Roll Pinch Roll Straightener, 1/4 in. Capacity Mechanical Shear, 4-Roll Leveler
225C	LOT: 60 in. O.D. x 60 in. Wide Recoiler with Hydraulic Mandrel Expansion, Independent Hydraulics
225D	West Bend 15,000 lb. x 48 in. Wide Coil Car
226	LOT: (2) Caster Cores on Towable Carts
227	LOT: (2) Caster Cores
228	LOT: (2) Caster Cores, (4) Chocks
229	LOT: (2) Caster Cores, (4) Chocks
229A	LOT: (2) 1850 x 750 x 1000 Caster Shells (new)
229B	LOT: (2) 2050 x 750 x 1000 Caster Shells (new)
230	LOT: Contents of Room including (3) Sections Pallet Rack, Ceramics for Furnaces, Casters

in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Hydraulic Loading Arm, Allen Bradley VersaView 1500 LCD Flat Screen Monitor, Schneider Model MOS-31-13-250 Filter System, with Filter Press & 13-Roll Infeed Stand (#M21) LOT: Blaw Knox 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0.0-1800 FPM Line Speed, Blaw Knox 44 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Hydraulic Loading Arm, Allen Bradley VersaView 1500 LCD Flat Screen Monitor 237B Schneider Model MOS-314-13-250 Filter System, with Filter Press & 13-Roll Infeed Stand BULK LOT (includes Lots #238A & #238B): Blaw Knox 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in. Max. Entry Thickness, 0.013 in. Max. Exit Thickness, 0 1800 FPM Line Speed, Reliance 60 HP In-Line DC Variable Speed Drives, Hydraulic Pay-off Reel, (2) Reliance 60 HP In-Line DC Variable Speed Drives, Hydraulic Loading Arm, Allen Bradley VersaView 1500 LCD Flat Screen Monitor, Schneider Model MOS-314-13-250 Filter System, with Filter Press & 13-Roll Infeed Stand (#M22) LOT: Blaw Knox 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in. Max. Exit Thickness, 0.013 in. Max. Exit Thickness, 0.013 in. Max. Exit Drive Motor with Gear Reducer, Blaw Mox 41 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 60 HP In-Line DC	231	LOT: Hunter .250 in. x 66 in. Wide 4-High Breakdown Rolling Mill, with Allen Bradley VersaView 1500M LCD Flat Screen Monitor, Allen Bradley PanelView 550 Monitor Interface, 0.250 in. Max. Entry Thickness, .006 in. Min. Exit Thickness, 33 in 66 in. Width Range, 20 in. I.D 55 in. O.D. Range, 15 in. Work Roll Diameter, 38 in. Back-up Roll Diameter, 0 - 2400 FPM Line Speed, (7) Eurotherm 590 Link DC Drives (installed 1994) for Coil Car, Pay-off, Entry Bridle, Strip Gauge, Mill Housing, Exit Breaker Roll, Rotary Edge Trimmer, Mandrel 72 in. x 55 in. O.D. Rewind, Coil Car, Mill Coolant, Hydraulics, Exhaust System, 1250 HP DC Main Mill Motor, (2) 200 HP DC Drive Motors on Payoff & (2) 200 HP DC Drive Motors Rewind, and Hunter 72 in. Wide x 60 in. O.D. Double Wrapper Model 199-700A, S/N RM761, with Reliance 200 HP DC Variable Speed Drive, In-Ground Hydraulic Coil Car, Drum Rack, Hydraulically Actuated Loading Arm (#19)
236 Depth Mill Stand Motor Armature in Steel Shipping Crate (for Mill #19) 236 Mill Stand Motor Armature in Steel Shipping Crate (for Mill #19) 236 LOT: Siemens 1000 HP, 575 Volt, 40 Hz, 3-Phase, with Drive Cabinets (new), with Transformer, Cooling Unit 236 LOT: Siemens 1000 HP, 575 Volt, 40 Hz, 3-Phase, with Drive Cabinets (new), with Transformer, Cooling Unit 237 LOT: Siemens 1000 HP, 575 Volt, 40 Hz, 3-Phase, with Drive Cabinets (new), with Transformer, Cooling Unit 238 BULK LOT (includes Lot #237A & #237B): Blaw Knox 0.051 in, x 56 in, Wide 4-High Foil Rolling Mill, with 54,75 in, Max. Entry & Exit Width, 0.051 in, Max. Entry Thickness, 0.013 in, Max. Entry Thickness, 0.018 (are, Allen Bradley PanelView 1000 Operator interface, 44 in, 0.0 x 66 in, Wide Exit Side Coil Revinder, 2) Reliance 75 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rall Mounted Cider, Allen Bradley PanelView 1000 Operator interface, 44 in, 0.0 x 66 in, Wide Exit Side Coil Revinder, 2) Reliance 75 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rall Mounted Cider, Allen Bradley PanelView 1000 Operator interface, 44 in, 0.0 x 66 in, Wide Hydraulic Pay-off Red, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rall Mounted Cider, Allen Bradley PanelView 1000 Operator interface, 44 in, 0.0 x 66 in, Wide Hydraulic Pay-off Red, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rall Mounted Cider, Allen Bradley PanelView 1000 CD Plat Storen Monitor (2) Reliance 75 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rall Mounted Cider, Allen Bradley PanelView 1000 CD Plat Storen Monitor (2) Reliance 75 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rall Mounted Cider, Allen Bradley Versaview 1500 CD Plat Storen Monitor (2) Reliance 50 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rall Mounted Cider, Allen Bradley Versaview 1500 CD Plat Storen Monitor, Schneider Model MOS-314-13-250 Filter System, with Filter Press & 13-Roll Infeed Stand (#MZ	232	LOT: Set of Back-up Rolls for Mill #19 - (2) Rolls, (4) Chocks
235 1250 HP Mill Motor Armature in Steel Shipping Crate (for Mill #19) 236 Mill Stand Motor Armature in Steel Shipping Crate (for Mill #19) 236A LOT: Siemens 1000 HP, 575 Volt, 40 Hz, 3-Phase, with Drive Cabinets (new), with Transformer, Cooling Unit 236B LOT: Siemens 1000 HP, 575 Volt, 40 Hz, 3-Phase, with Drive Cabinets (new), with Transformer, Cooling Unit 236B LOT: Siemens 1000 HP, 575 Volt, 40 Hz, 3-Phase, with Drive Cabinets (new), with Transformer, Cooling Unit 237	233	LOT: (6) Work Rolls for Mill #19, (4) Chocks, A-Frame Roll Stand
236 LOT: Siemens 1000 HP, 575 Volt, 40 Hz, 3-Phase, with Drive Cabinets (new), with Transformer, Cooling Unit 236B LOT: Siemens 1000 HP, 575 Volt, 40 Hz, 3-Phase, with Drive Cabinets (new), with Transformer, Cooling Unit 236B LOT: Siemens 1000 HP, 575 Volt, 40 Hz, 3-Phase, with Drive Cabinets (new), with Transformer, Cooling Unit 236B BULK LOT (includes Lot #237A & #237B): Blaw Knox 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in. Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0 - 1800 FPM Line Speed, Blaw Knox 44 in. 0.0. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted (Inc. A) Land Bradley PanelView 1000 Operator Interface, 44 in. 0.0 x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Deprator Interface, 44 in. 0.0 x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. 0.0 x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. 0.0 x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Hydraulic Loading Arm, Allen Bradley VersaView 1500 LD Flat Screen Monitor 237B Schneider Model MOS-314-13-250 Filter System, with Filter Press & 13-Roll Infeed Stand 238 BULK LOT (includes Lots #238A & #238B): Blaw Knox 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley VersaView 1500 Operator Interface, 44 in. 0.0 x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 60 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley VersaView 1	234	OPEN
LOT: Siemens 1000 HP, 575 Volt, 40 Hz, 3-Phase, with Drive Cabinets (new), with Transformer, Cooling Unit LOT: Siemens 1000 HP, 575 Volt, 40 Hz, 3-Phase, with Drive Cabinets (new), with Transformer, Cooling Unit BULK LOT (includes Lot #237A & #237B): Blaw Knox 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in. Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0.1800 FPM Line Speed, Blaw Knox 44 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 75 HP In-Line DC Variable Speed Blaw Knox 44 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 75 HP In-Line DC Variable Speed Blaw Knox 44 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley VersaView 1500 LCD Flat Screen Monitor 237B Schneider Model MOS-314-13-250 Filter System, with Filter Press & 13-Roll Infeed Stand BULK LOT (includes Lots #238A & #238B): Blaw Knox 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 60 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley VersaView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 60 HP	235	1250 HP Mill Motor Armature in Steel Shipping Crate (for Mill #19)
LOT: Siemens 1000 HP, 575 Volt, 40 Hz, 3-Phase, with Drive Cabinets (new), with Transformer, Cooling Unit BULK LOT (includes Lot #237A & #237B): Blaw Knox 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in. Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0. 1800 FPM Line Speed, Blaw Knox 44 in. O. D. x 60 in. Wide Hydraulic Pay-off Red, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O. D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 75 HP In-Line Oc Variable Speed Drives, Hydraulic Loading Arm, Allen Bradley Versaview 1500 LCD Flat Screen Monitor, Schneider Model MOS-31. 3-250 Filter System, with Filter Press & 13-Roll Infeed Stand (#M21) LOT: Blaw Knox 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0.1 800 FPM Line Speed, Blaw Knox 44 in. O. D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O. D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley VersaView 1500 LCD Flat Screen Monitor 237B Schneider Model MOS-314-13-250 Filter System, with Filter Press & 13-Roll Infeed Stand BULK LOT (includes Lots #238A & #238B): Blaw Knox 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in. Max. Entry Thickness, 0.0013 in. Max. Entry Hickness, 0.0013 in. Max. Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 60 HP In-Line DC Variable Speed Drives, Hydraulic Loading Arm, Allen Bradley VersaView	236	Mill Stand Motor Armature in Steel Shipping Crate (for Mill #19)
BULK LOT (includes Lot #237A & #237B): Blaw Knox 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in. Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0 - 1800 FPM Line Speed, Blaw Knox 44 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Hydraulic Loading Arm, Allen Bradley VersaView 1500 LCD Flat Screen Monitor, Schneider Model MOS-31. 13-250 Filter System, with Filter Press & 13-Roll Infeed Stand (#M21) LOT: Blaw Knox 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0 - 1800 FPM Line Speed, Blaw Knox 44 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Hydraulic Dadding Arm, Allen Bradley VersaView 1500 LCD Flat Screen Monitor 237B Schneider Model MOS-314-13-250 Filter System, with Filter Press & 13-Roll Infeed Stand BULK LOT (includes Lots #238A & #238B): Blaw Knox 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in. Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0 - 1800 FPM Line Speed, Reliance 600 LCD Flat Screen Monitor, Schneider Model MOS-314-13-250 Filter System, with Filter Press & 13-Roll Infeed Stand (#M22) LOT: Blaw Knox 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in. Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0.0013 in. Max. Exit Thickness, 0.0013 in. Max. Entry Stide In-Ground Rail Mounted Coil Car, Allen Bradley VersaView 1500 LCD Flat Screen Monitor, Schneider Model MOS-314-13-250 Filter System, with Filter Press & 13-Roll Infeed Stand	236A	LOT: Siemens 1000 HP, 575 Volt, 40 Hz, 3-Phase, with Drive Cabinets (new), with Transformer, Cooling Unit
Width, 26 in. Min. Exit Width, 0.051 in. Max. Entry Thickness, 0.013 in. Max. Exit Thickness, 0 - 1800 FPM Line Speed, Blaw Knox 44 in. 0.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. 0.D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Hydraulic Loading Arm, Allen Bradley VersaView 1500 LCD Flat Screen Monitor, Schneider Model MOS-31-12-50 Filter System, with Filter Press & 13-Roll Infeed Stand (#M21) LOT: Blaw Knox 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0 - 1800 FPM Line Speed, Blaw Knox 44 in. 0.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. 0.D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Hydraulic Loading Arm, Allen Bradley VersaView 1500 LCD Flat Screen Monitor 237B Schneider Model MOS-314-13-250 Filter System, with Filter Press & 13-Roll Infeed Stand BULK LOT (includes Lots #238A & #238B): Blaw Knox 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in. Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0 - 1800 FPM Line Speed, Reliance 600 HP Drive Motor with Gear Reducer, Blaw Knox 44 in. 0.D. x 60 in. Wide Stiff Side Coil Rewinder, (2) Reliance 60 HP In-Line DC Variable Speed Drives, Hydraulic Loading Arm, Allen Bradley VersaView 1500 LCD Flat Screen Monitor, Schneider Model MOS-314-13-250 Filter System, with Filter Press & 13-Roll Infeed Stand (#M22) LOT: Blaw Knox 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Oper	236B	LOT: Siemens 1000 HP, 575 Volt, 40 Hz, 3-Phase, with Drive Cabinets (new), with Transformer, Cooling Unit
Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0 1800 FPM Line Speed, Blaw Knox 44 in. 0.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. 0.D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Hydraulic Loading Arm, Allen Bradley VersaView 1500 LCD Flat Screen Monitor 2378 Schneider Model MOS-314-13-250 Filter System, with Filter Press & 13-Roll Infeed Stand BULK LOT (includes Lots #238A & #238B): Blaw Knox 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in. Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0 - 1800 FPM Line Speed, Reliance 600 HP Drive Motor with Gear Reducer, Blaw Knox 44 in. 0.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 60 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. 0.D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 60 HP In-Line DC Variable Speed Drives, Hydraulic Loading Arm, Allen Bradley PanelView 1500 LOT: Blaw Knox 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in Max. Exit Thickness, 0.0013 in. Max. Exit Thickness, 0. 1800 FPM Line Speed, Reliance 600 HP Drive Motor with Gear Reducer, Blaw Knox 44 in. 0.D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 60 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. 0.D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 60 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley VersaView 1500 LCD Flat Screen Monitor 238B Schneider Model MOS-314-13-250 Filter System, with Filter Press & 13-Roll Infeed Stand BULK LOT (includes Lots #239A & #239B): Blaw Knox 0.051 in.	237	Width, 26 in. Min. Exit Width, 0.051 in. Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0 - 1800 FPM Line Speed, Blaw Knox 44 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 75 HP In-Line DC Variable Speed Drives, Hydraulic Loading Arm, Allen Bradley VersaView 1500 LCD Flat Screen Monitor, Schneider Model MOS-314-
BULK LOT (includes Lots #238A & #238B): Blaw Knox 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in. Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0 - 1800 FPM Line Speed, Reliance 60 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 60 HP In-Line DC Variable Speed Drives, Hydraulic Loading Arm, Allen Bradley Versaview 1500 LCD Flat Screen Monitor, Schneider Model MOS-314-13-250 Filter System, with Filter Press & 13-Roll Infeed Stand (#M22) LOT: Blaw Knox 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in Max. Exit Thickness, 0 - 1800 FPM Line Speed, Reliance 600 HP Drive Motor with Gear Reducer, Blav Knox 44 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 60 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 60 HP In-Line DC Variable Speed Drives, Hydraulic Loading Arm, Allen Bradley VersaView 1500 LCD Flat Screen Monitor 238B Schneider Model MOS-314-13-250 Filter System, with Filter Press & 13-Roll Infeed Stand BULK LOT (includes Lots #239A & #239B): Blaw Knox 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in. Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0 - 1800 FPM Line Speed, Reliance 500 HP DC Drive Motor with Gear Reducer, Blaw Knox 44 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 25 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 25 HP In-Line DC Variable Speed Drives, Hydraulic Loading Arm, Allen Bradley VersaView	237A	
Width, 26 in. Min. Exit Width, 0.051 in. Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0 - 1800 FPM Line Speed, Reliance 600 HP Drive Motor with Gear Reducer, Blaw Knox 44 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 60 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 60 HP In-Line DC Variable Speed Drives, Hydraulic Loading Arm, Allen Bradley VersaView 1500 LCD Flat Screen Monitor, Schneider Model MOS-314-13-250 Filter System, with Filter Press & 13-Roll Infeed Stand (#M22) LOT: Blaw Knox 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0 - 1800 FPM Line Speed, Reliance 600 HP Drive Motor with Gear Reducer, Blav Knox 44 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 60 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 60 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley VersaView 1500 LCD Flat Screen Monitor BULK LOT (includes Lots #239A & #239B): Blaw Knox 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in. Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0 - 1800 FPM Line Speed, Reliance 500 HP DC Drive Motor with Gear Reducer, Blaw Knox 44 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 25 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 25 HP In-Line DC Variable Speed Drives, Hydraulic Loading Arm, Allen Bradley VersaView	237B	Schneider Model MOS-314-13-250 Filter System, with Filter Press & 13-Roll Infeed Stand
 Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0 - 1800 FPM Line Speed, Reliance 600 HP Drive Motor with Gear Reducer, Blaw Knox 44 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 60 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 60 HP In-Line DC Variable Speed Drives, Hydraulic Loading Arm, Allen Bradley VersaView 1500 LCD Flat Screen Monitor Schneider Model MOS-314-13-250 Filter System, with Filter Press & 13-Roll Infeed Stand BULK LOT (includes Lots #239A & #239B): Blaw Knox 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in. Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0 - 1800 FPM Line Speed, Reliance 500 HP DC Drive Motor with Gear Reducer, Blaw Knox 44 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 25 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 25 HP In-Line DC Variable Speed Drives, Hydraulic Loading Arm, Allen Bradley VersaView 	238	Width, 26 in. Min. Exit Width, 0.051 in. Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0 - 1800 FPM Line Speed, Reliance 600 HP Drive Motor with Gear Reducer, Blaw Knox 44 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 60 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 60 HP In-Line DC Variable Speed Drives, Hydraulic Loading Arm, Allen Bradley VersaView 1500
BULK LOT (includes Lots #239A & #239B): Blaw Knox 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in. Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0 - 1800 FPM Line Speed, Reliance 500 HP DC Drive Motor with Gear Reducer, Blaw Knox 44 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 25 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 25 HP In-Line DC Variable Speed Drives, Hydraulic Loading Arm, Allen Bradley VersaView	238A	Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 60
Width, 26 in. Min. Exit Width, 0.051 in. Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0 - 1800 FPM Line Speed, Reliance 500 HP DC Drive Motor with Gear Reducer, Blaw Knox 44 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 25 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 25 HP In-Line DC Variable Speed Drives, Hydraulic Loading Arm, Allen Bradley VersaView	238B	Schneider Model MOS-314-13-250 Filter System, with Filter Press & 13-Roll Infeed Stand
	239	Width, 26 in. Min. Exit Width, 0.051 in. Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0 - 1800 FPM Line Speed, Reliance 500 HP DC Drive Motor with Gear Reducer, Blaw Knox 44 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 25 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance 25 HP In-Line DC Variable Speed Drives, Hydraulic Loading Arm, Allen Bradley VersaView
Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0 - 1800 FPM Line Speed, Reliance 500 HP DC Drive Motor with Gear Reducer, 239A Blaw Knox 44 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 25 HP In-Line DC Variable Speed Drives, Entry Side In-Ground	239A	Blaw Knox 44 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 25 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Exit Side Coil Rewinder, (2) Reliance
239B Schneider Model MOS-314-13-250 Filter System, with Filter Press & 13-Roll Infeed Stand	239B	Schneider Model MOS-314-13-250 Filter System, with Filter Press & 13-Roll Infeed Stand

240	BULK LOT (includes Lots #240A & #240B): Hunter 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in. Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0 - 1800 FPM Line Speed, Reliance 500 HP DC Drive Motor with Gear Reducer, Blaw Knox 44 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 25 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Exit Side Coil Rewinder, In-Ground Hydraulic Coil Car, (2) Drum Racks with Hydraulic Loading Arm, Allen Bradley VersaView 1500 LCD Flat Screen Monitor, Schneider Model MOS-314-13-250 Filter System, with Filter Press & 13-Roll Infeed Stand (#M24)
240A	LOT: Hunter 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in. Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0 - 1800 FPM Line Speed, Reliance 500 HP DC Drive Motor with Gear Reducer, Blaw Knox 44 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 25 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Exit Side Coil Rewinder, In-Ground Hydraulic Coil Car, (2) Drum Racks with Hydraulic Loading Arm, Allen Bradley VersaView 1500 LCD Flat Screen Monitor
240B	Schneider Model MOS-314-13-250 Filter System, with Filter Press & 13-Roll Infeed Stand
241	BULK LOT (includes Lots #241A & #241B): Hunter 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in. Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0 - 1800 FPM Line Speed, Reliance 300 HP DC Drive Motor with Gear Reducer, Blaw Knox 44 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 25 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Exit Side Coil Rewinder, In-Ground Hydraulic Coil Car, (2) Drum Racks with Hydraulic Loading Arm, Allen Bradley VersaView 1500 LCD Flat Screen Monitor, Schneider Model MOS-314-13-250 Filter System, with Filter Press & 13-Roll Infeed Stand (#M25)
241A	LOT: Hunter 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in. Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0 - 1800 FPM Line Speed, Reliance 300 HP DC Drive Motor with Gear Reducer, Blaw Knox 44 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 25 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Exit Side Coil Rewinder, In-Ground Hydraulic Coil Car, (2) Drum Racks with Hydraulic Loading Arm, Allen Bradley VersaView 1500 LCD Flat Screen Monitor
241B	Schneider Model MOS-314-13-250 Filter System, with Filter Press & 13-Roll Infeed Stand
242	BULK LOT (includes Lots #242A & #242B): Hunter 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in. Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0 - 1800 FPM Line Speed, Reliance 300 HP DC Drive Motor with Gear Reducer, Blaw Knox 44 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 25 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Exit Side Coil Rewinder, In-Ground Hydraulic Coil Car, (2) Drum Racks with Hydraulic Loading Arm, Allen Bradley VersaView 1500 LCD Flat Screen Monitor, Schneider Model MOS-314-13-250 Filter System, with Filter Press & 13-Roll Infeed Stand (#M26)
242A	LOT: Hunter 0.051 in. x 54 in. Wide 4-High Foil Rolling Mill, with 54.75 in. Max. Entry & Exit Width, 26 in. Min. Exit Width, 0.051 in. Max. Entry Thickness, 0.0013 in. Max. Exit Thickness, 0 - 1800 FPM Line Speed, Reliance 300 HP DC Drive Motor with Gear Reducer, Blaw Knox 44 in. O.D. x 60 in. Wide Hydraulic Pay-off Reel, (2) Reliance 25 HP In-Line DC Variable Speed Drives, Entry Side In-Ground Rail Mounted Coil Car, Allen Bradley PanelView 1000 Operator Interface, 44 in. O.D. x 60 in. Wide Exit Side Coil Rewinder, In-Ground Hydraulic Coil Car, (2) Drum Racks with Hydraulic Loading Arm, Allen Bradley VersaView 1500 LCD Flat Screen Monitor
242B	Schneider Model MOS-314-13-250 Filter System, with Filter Press & 13-Roll Infeed Stand
243	LOT: Set of Back-up Rolls for Mill #21 - (2) Rolls, (4) Chocks
244	LOT: Set of Back-up Rolls for Mill #26 - (2) Rolls, (4) Chocks
245	LOT: (2) Scrap Back-up Rolls, (6) Scrap Work Rolls
246	LOT: (2) Blaw Knox Back-up Rolls
247	LOT: (2) Hunter Back-up Rolls
248	LOT: (2) Hunter Back-up Rolls
249	(1) Hunter Back-up Roll
250	LOT: (8) Work Rolls, (1) A-Frame Roll Stand
251	LOT: (9) Work Rolls, (1) A-Frame Roll Stand
252	LOT: (9) Work Rolls, (1) A-Frame Roll Stand
253	LOT: (7) Work Rolls, (1) A-Frame Roll Stand
254	LOT: (9) Work Rolls, (1) A-Frame Roll Stand

255	LOT: (9) Work Rolls, (1) A-Frame Roll Stand
256	LOT: (8) Work Rolls, (1) A-Frame Roll Stand
257	LOT: (4) Work Rolls in Crate (new)
258	Heavy Duty Roll Cart
258A	Heavy Duty Roll Cart
258B	LOT: (2) Heavy Duty Roll Carts
259	Light Duty Roll Cart
260	Cincinnati 38 in. x 192 in. Roll Grinder, S/N 56G-403447, Motorized Work Head with 20 HP Motor, Wheel Head with 25/30 HP DC Drive Motor, 32 in. O.D. x 4 in. Wide Grinding Wheel, Over-the-Wheel Hydraulic Dresser, .500 in. Camber, Work Rests, Tailstock, Coolant Filtration System (#RG-1) (caster core not included)
261	Naxos-Union 29-1/2 in. x 158 in. Roll Grinder Model W750-4000, S/N 35994, with 20,000 lb. Max. Weight Capacity, 24 in. x 4 in. F-Type Grinding Wheel, 50 HP Main Motor, 11 HP Work Head Motor, Paper Filtration Coolant System, Over-the-Wheel Hydraulic Dresser, (2) Foot Stocks, Tailstock (#RG5)
262	Naxos-Union 19-1/2 in. x 138 in. Roll Grinder Model W500/3500, S/N 35566, Work Head with 33 HP DC Variable Speed Drive, Manually Actuated Tailstock, Wheel Head with 10 HP Main Motor, 20 in. Dia. x 3 in. Wide Grinding Wheel, Over-the-Wheel Dresser, Plunge Cycle, Paper Filter Coolant Filtration System (#RG-3)
263	Naxos-Union 19-1/2 in. x 138 in. Roll Grinder Model W500/3500, S/N 35869, Work Head with 33 HP DC Variable Speed Drive, Manually Actuated Tailstock, Grinding Head with 10 HP Motor, 20 in. Dia. x 3 in. Wide Grinding Wheel, Over-the-Wheel Dresser, Plunge Cycle, Paper Filter Coolant Filtration System (#RG-4)
264	LOT: (4) Grinding Wheels (new) on (1) Pallet
265	LOT: (4) Grinding Wheels (new) on (1) Pallet
266	LOT: (7) Grinding Wheels (new) in Rack
267	LOT: (13) Grinding Wheels (new) in Rack
268	LOT: Pro-Mic Roll Measurement System, 8 in. to 40 in. Capacity, with Portable Steel Cabinet
269	LOT: Grinding Wheel Balance with Stainless Shop Cabinet, with Accessories
270	LOT: (1) 9-Drawer Tool Cabinet, (1) 8-Door Steel Cabinet, with Grinder Tools & Supplies, Assorted Tool Boxes, Cabinets (on east wall)
271	Sauk Valley 12-Station Fluid Storage & Dispensing System, Pneumatic Pump
272	Timken Bearing 600ARVK2661AC6 Ring Inner (new)
273	Timken Bearing 647RXS2661A Outer (new)
274	Timken Bearing 530ARVKS2485AC6 Inner (new)
275	Timken Bearing 573RXS2483B Outer (new)
276	Timken Bearing 530ARVKS2485AC6 Inner (new)
277	Timken Bearing 573RXS2483B Outer (new)
278	Timken Bearing 23160KEMBW507C08 One Assembly (new)
279	Timken Bearing 23160KEMBW507C08 One Assembly (new)

280	Timken Bearing 23160KEMBW507C08 One Assembly (new)
281	Timken Bearing 23160KEMBW507C08 One Assembly (new)
282	LOT: (2) Timken Bearings 8576DW-90156 (new)
283	SKF Bearing 23160 CACK/W33 (new)
284	LOT: (1) Torrington Bearing 70TTHD032, (1) Timken Bearing 118TDIE539
285	Timken Bearing Set 390RVS910B1315, including (1) Inner Roll, (1) Outer Roll (reconditioned)
286	Timken Bearing Set 390RVS910B1315, including (1) Inner Roll, (1) Outer Roll (reconditioned)
287	Timken Bearing Set 573RXS2483A, including (1) Inner Roll, (1) Outer Roll (reconditioned)
288	Timken Bearing Set 573RXS2483A, including (1) Inner Roll, (1) Outer Roll (reconditioned)
289	Timken Bearing Set - (1) 432RXS2103 Outer, (1) 390ARVKS2103BC8 Inner (reconditioned)
290	Timken Bearing Set - (1) 432RXS2103 Outer, (1) 390ARVKS2103BC8 Inner (reconditioned)
291	Timken Bearing Set - (1) 432RXS2103 Outer, (1) 390ARVKS2103BC8 Inner (reconditioned)
292	Timken Bearing Set - (1) 432RXS2103 Outer, (1) 390ARVKS2103BC8 Inner (reconditioned)
293	LOT: (2) Large Bearings (used)
294	LOT: (4) Large Bearings (used)
295	LOT: (4) Large Bearings (used)
296	LOT: (4) Large Bearings (used)
297	LOT: (4) Large Bearings (used)
298	LOT: (8) Large Bearings (used)
299	LOT: (7) Large Bearings (used)
300	LOT: (3) Hydraulic Nuts, (2) Air/Hydraulic Pumps, (3) Carts (located by Mill #19)
301	REM 60 in. Wide Slitter/Rewinder Model 3750.41, S/N M23-0506 (2001), .008 in001 in. Thickness Range, 10,000 lb. Weight Capacity, 60 in. O.D., with REM Model 4520-42 Uncoiler (S/N M23-05.06), 3-Roll Tensioning Stand, Vertical Tension Stand, REM Model 37500-41 Take-up Reel (S/N M23-05.06), Allen Bradley PanelView 1000 Programmable Control (#S-52) (coils not included)
302	Cameron 56 in. Wide Slitter/Rewinder Model 650, S/N K6295, with Allen Bradley PanelView 1000 Touchpad Control, with LED Display, 56 in. Max. Entry Width, 12 in. Min. Width, .004 in0007 in. Thickness Range, Bar with (2) Circular Knives, 36 in. Dia. Take-up Reel, Eurotherm SCR Drives, 50 HP Main DC Drive Motor, with Falk Model 1070FC2A Gear Reduction Drive Motor - 7.517 Ratio, 1750 RPM Input, (2) Vickers 25 HP Stand-Alone Hydraulic Power Supplies (#S-5)
303	Southworth 60 in. x 80 in. Scissor Lift (mandrels not included)
304	Mettler Toledo 48 in. x 60 in. Digital Platform Scale Model IND560
305	Kampf 60 in. Wide Foil Separator, S/N 2716, with 60 in. Max. Entry Web Width, 25 in. Min. Exit Web Width, 0.0007 in. Max. Thickness, 0.00025 in. Min. Thickness, with Kampf Model 8555 Traveling 72 in. O.D. x 60 in. Wide Unwind Stand (S/N 8555, New 1981), 25 HP DC Motor, Allen Bradley PanelView 900 Touchpad Control, with LED Display, (2) 30 HP (est.) DC Drive Motors, SCR Drive (#S-51)
306	American 48 in. x 100 in. Scissor Lift Model 3JA, 6000 lb. Capacity

Schmutz Sain. Wide Foil Separator, S/N PZ3-1056, with Touchpad Control, LED Display, Schmutz Model 4580 48 in. 4 SD In. Wide DU Unwind Sand, 0.002 in. 100025 in. Thickness Range, with Reliance Fletch 25 AP DC Chrew Motors, Sonobond Model FCS010B Dual-Head Ultrasonic Seam Welder, with Sonobond 3500 Watt Power Supply, Eurotherm SCR Drive (#5136) Mettler Toledo 30 in. x 30 in. Digital Platform Scale Model IND246 Hother S Sin. Wide Foil Separator, S/N SS3, with Lectern Style Control Panel with (3) Touchpad Controls 8. LED Displays, 15 in. Min. Eat! Width, 0.002 in0.00025 in. Thickness Range, Gear Reducer, (2) 15 HP DC Drive Motors, Eurotherm SCR Drive, Sonobond Model Cc5010B Dual-Head Ultrasonic Seam Welder with Sonobond 3500 Watt Power Supply (#5-23) Southworth 60 in. x 80 in. Scissor Lift Wettler Toledo 30 in. x 30 in. Digital Platform Scale Model IND246 Hanter S Sin. Wide Foil Separator, with Lectern Syle Control Panel with (3) Touchpad Controls & LED Displays, 15 in. Min. Eait Width, 0.002 in0.00025 in. Thickness Range, Gear Reducer, (2) 15 HP DC Drive Motors, Eurotherm SCR Drive, Sonobond Model PCS010B 2000 Platford Sin0.00025 in. Thickness Range, Gear Reducer, (2) 15 HP DC Drive Motors, Eurotherm SCR Drive, Sonobond Model PCS010B 2000 Platford Provided Sin0.00025 in. Thickness Range, Gear Reducer, (2) 15 HP DC Drive Motors, Eurotherm SCR Drive, Sonobond Model PCS010B 2000 Platford Provided Sin0.00025 in. Thickness Range, Gear Reducer, (2) 15 HP DC Drive Motors, Eurotherm SCR Drive, Sonobond Model PCS010B 2000 Platford Vision Provided Sin0.00025 in. Thickness Range, Gear Reducer, (2) 15 HP DC Drive Motors, Eurotherm SCR Drive, Sonobond Model PCS010B 2000 Platford Vision Provided Sin0.00025 in. Thickness Range, Gear Reducer, (2) 15 HP DC Provided Sin0.00025 in. Thickness Range, Gear Reducer, (2) 15 HP DC Provided Sin0.00025 in. Thickness Range, Gear Reducer, (2) 15 HP DC Provided Sin0.00025 in. Thickness Range, Gear Reducer, 2000 Platford Sin0.00025 in. Display Reducer, 200		
Hunter 55 in, Wide Foil Separator, S/N 553, with Lectern Style Control Panel with (3) Touchpad Controls & LED Displays, 15 in, Min. Exit Width, 0.002 in 0.00025 in. Thickness Range, Gear Reducer, (2) 15 HP DC Drive Motors, Eurotherm SCR Drive, Sonobond Model FCS0108 Daul-Head Ultrasonic Seam Welder with Sonobond 3500 Watt Power Supply (#5-23) Mettler Toledo 30 in. x 30 in. Digital Platform Scale Model IND246 Hunter 55 in, Wide Foil Separator, with Lettern Style Control Panel with (3) Touchpad Controls & LED Displays, 15 in, Min. Exit Width, 0.002 in. 0.00025 in. Thickness Hange, Cear Reducer, (2) 15 HP DC Drive Motors, Eurotherm SCR Drive, Sonobond Model FCS0108 Dual Fead Ultrasonic Scan Welder with Sonobond 3500 Watt Fower Supply (#5-23) Maren 30 in. x 36 in. x 60 in. Horizontal Hydraulic Baler, with Overhead Feed System, Interioc Stand-Alone Hydraulic Power Supply (#5-23) Maren 30 in. x 36 in. x 60 in. Horizontal Hydraulic Baler, with Overhead Feed System, Interioc Stand-Alone Hydraulic Power Supply (#5-23) Maren 30 in. x 36 in. x 60 in. Horizontal Hydraulic Baler, with Overhead Feed System, Interioc Stand-Alone Hydraulic Power Supply (#5-23) Maren 30 in. x 36 in. x 60 in. Horizontal Hydraulic Baler, with Overhead Feed System, Interioc Stand-Alone Hydraulic Power Supply (#5-23) Maren 30 in. x 36 in. x 60 in. Horizontal Hydraulic Baler, with Overhead Feed System, Interioc Stand-Alone Hydraulic Power Supply (#5-24) Maren 30 in. x 36 in. x 60 in. Horizontal Hydraulic Baler, with Overhead Feed System, Interioc Stand-Alone Hydraulic Power Supply (#5-24) Maren 30 in. x 36 in. x 60 in. Horizontal Hydraulic Baler, with Overhead Feed System, Interioc Stand-Alone Hydraulic Power Supply (#5-24) Maren 30 in. x 36 in. x 60 in. Horizontal Hydraulic Baler, with Overhead Feed System, Interioc Stand-Alone Hydraulic Power Supply (#5-24) Maren 30 in. x 36 in. x 60 in. Horizontal Hydraulic Baler, with Overhead Feed System, Interioc Stand-Alone Hydraulic Power Supply (#5-24) Maren 30 in. x 36 in. x 60 in. Horizonta	307	Unwind Stand, 0.002 in 0.00025 in. Thickness Range, with Reliance Electric 25 HP DC Drive Motor, Sonobond Model FC5010B Dual-
Hunter 55 in. Wide Foll Separator, S/N 553, with Lectern Style Control Panel with (3) Touchpad Controls & LED Displays, 15 in. Min. Exit Width, 2002 in 0.00025 in. Thickness Range, Gear Reducer, (2) 15 HP DC Drive Motors, Eurotherm SCR Drive, Sonobond Model PC50106 bual-Head Utrison ic Seam Welder with Sonobond 3500 Watt Power Supply (#5-23) Mettler Toledo 30 in. x 30 in. Digital Platform Scale Model IND246 Hunter 55 in. Wide Foil Separator, with Lectern Style Control Panel with (3) Touchpad Controls & LED Displays, 15 in. Min. Exit Width, 0020 - 0.00025 in. Thickness Range, Gear Reducer, (2) 15 HP DC Drive Motors, Eurotherm SCR Drive, Sonobond Model PC50108 Dual-Head Ultrasonic Seam Welder with Sonobond 3500 Watt Power Supply (#5-21) Maren 30 in. x 36 in. x 60 in. Horizontal Hydraulic Baler, with Overhead Feed System, Interloc Stand-Alone Hydraulic Power Supply Absolent Oil/Smoke Filtration System, S/N 20070614 (2007), with Cyclone Pre-Inlet Plenum Spray System, Sheldon Model 9833RTS10 200 PH Single Exhaust Blower (5/N 07-6816), with Esso Control Cabinet, Toshiba PLC Sunbeam 1100 Degree F Gas/Oil Fired Car Bottom Annealing Furnace, S/N F-85-64 (1964), with Allen Bradley Panel/ivex 120 Degree Transfer, Single Panel/ivex 120 Degree Fas/Oil Fired Car Bottom Annealing Furnace, with Allen Bradley Panel/ivex 120 ft. Long Chain Driven Coll Cars (#A0-15) Bender 1200 Degree Gas/Oil Fired Car Bottom Annealing Furnace, with Allen Bradley Panel/ivex 120 ft. Long Chain Driven Coll Cars (#A0-15) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Boils Together Construction, Central Computer Oven Control (#A0-2) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Boils Together Construction, Central Computer Oven Control (#A0-3) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal C	308	American 48 in. x 100 in. Scissor Lift Model 3JA, 6000 lb. Capacity
Exist Width, 0.002 in 0.00025 in. Thickness Range, Gear Reducer, (2) 15 HP DC Drive Motors, Eurotherm SCR Drive, Sonobond Model Economics Bou-Head Utrasonic Seam Welder with Sonobond 3500 Watt Power Supply (#5-23) Mettler Toledo 30 in. x 30 in. Digital Platform Scale Model IND246 Hunter 55 in. Wide Foil Separator, with Lectern Style Control Panel with (3) Touchpad Controls & LED Displays, 15 in. Min. Exit Width, 0.002 in 0.00025 in. Thickness Range, Gear Reducer, (2) 15 HP DC Drive Motors, Eurotherm SCR Drive, Sonobond Model FC50108 Dual-Head Utrasonic Seam Welder with Sonobond 3500 Watt Power Supply (#5-21) Maren 30 in. x 36 in. x 60 in. Horizontal Hydraulic Baler, with Overhead Feed System, Interloc Stand-Alone Hydraulic Power Supply (#5-21) Maren 30 in. x 36 in. x 60 in. Horizontal Hydraulic Baler, with Overhead Feed System, Interloc Stand-Alone Hydraulic Power Supply (#5-20) Maren 30 in. x 36 in. x 60 in. Horizontal Hydraulic Baler, with Overhead Feed System, Interloc Stand-Alone Hydraulic Power Supply (#5-20) Maren 30 in. x 36 in. x 60 in. Horizontal Hydraulic Baler, with Overhead Feed System, Interloc Stand-Alone Hydraulic Power Supply (#5-20) Maren 30 in. x 36 in. x 60 in. Horizontal Hydraulic Baler, with Overhead Feed System, Interloc Stand-Alone Hydraulic Power Supply (#5-20) Maren 30 in. x 36 in. x 60 in. Horizontal Hydraulic Baler, with Overhead Feed System, Interloc Stand-Alone Hydraulic Power Supply (#5-20) Maren 30 in. x 36 in. x 60 in. Horizontal Hydraulic Baler, with Overhead Feed System, Interloc Stand-Alone Hydraulic Power Supply (#5-20) Sonobeam 100 Degree Gas/Oil Fired Car Botton Annealing Furnace, With Allen Bradley Panel View 20 in. Long Chain Driven Coli Cars (#40-01) Sunbeam 1200 Degree Gas/Oil Fired Car Botton Annealing Furnace, with Allen Bradley Panel View 50 Control, 13 ft. Wide x 12 ft. High Internal Chamber, 25,000 b. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Owen Control (#40-01) Despatch F	309	Mettler Toledo 30 in. x 30 in. Digital Platform Scale Model IND246
Mettler Toledo 30 in. x 30 in. Digital Platform Scale Model IND246 **Uniter SS in. Wide Foil Separator, with Lectern Style Control Panel with (3) Touchpad Controls & LED Displays, 15 in. Min. Exit Width, 0.002 in 0.00225 in. Thickness Range, Gear Reducer, (2) 15 HP DC Drive Motors, Eurotherm SCR Drive, Sonobond Model FCS010B 0.001-Head Ultrasonic Seam Welder with Sonobond 3500 Watt Power Supply (#5-21) 314 Southworth 60 in. x 80 in. Scissor Lift 315 Maren 30 in. x 36 in. x 60 in. Horizontal Hydraulic Baler, with Overhead Feed System, Interioc Stand-Alone Hydraulic Power Supply 316 Absolent Oil/Smoke Filtration System, S/N 20070614 (2007), with Cyclone Pre-Inlet Plenum Spray System, Sheldon Model 9833RTS10 317 Sunbeam 1100 Degree F Gas/Oil Fired Car Bottom Annealing Furnace, S/N F-85-64 (1964), with Allen Bradley PanelView 1200 318 Sunbeam 1100 Degree F Gas/Oil Fired Car Bottom Annealing Furnace, with Allen Bradley PanelView 500 Control, 13 ft. Wide x 10 ft. Deps x 7 ft. High Internal Chamber, 8,000 lb. Capacity, (2) 12 ft. Wide x 20 ft. Long Chain Driven Coil Cars (MAC-15) 319 Departor Interface, 11 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 8,000 lb. Capacity, Boll-Together Construction (#AC) 320 Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AC) 321 Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AC) 322 Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AC) 323 Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb	310	Exit Width, 0.002 in 0.00025 in. Thickness Range, Gear Reducer, (2) 15 HP DC Drive Motors, Eurotherm SCR Drive, Sonobond Model
Hunter 55 in. Wide Foil Separator, with Lectern Style Control Panel with (3) Touchpad Controls & LED Displays, 15 in. Min. Exit Width, 0.002 in 0.00025 in. Thickness Range, Gear Reducer, (2) 15 HP Do Drive Motors, Eurotherm SCR Drive, Sonobond Model FC5010B Dual-Head Ultrasonic Seam Welder with Sonobond 3500 Watt Power Supply (#5-21) 314 Southworth 60 in. x 80 in. Scissor Lift 315 Maren 30 in. x 36 in. x 60 in. Horizontal Hydraulic Baler, with Overhead Feed System, Interioc Stand-Alone Hydraulic Power Supply (#5-21) 316 Absolent Oil/Smoke Filtration System, S/N 20070614 (2007), with Cyclone Pre-Inlet Plenum Spray System, Sheldon Model 9833RTS10 200 HP Single Exhaust Blower (5/N 07-0816), with Essco Control Cabinet, Toshiba PLC 317 Supbaam 1100 Degree Fas/Oil Fired Car Botton Annealing Furnace, Fas, H-8-5-6 (1964), with Allen Bradley Panelview 1200 Operator Interface, 11 ft. Wide x 21 ft. Deep x 7 ft. High Internal Chamber, 84,000 lb. Capacity, (2) 12 ft. Wide x 20 ft. Long Chain Driven Coil Cars (#AO-1) 318 Supbaam 1200 Degree Gas/Oil Fired Car Bottom Annealing Furnace, with Allen Bradley Panelview 550 Control, 13 ft. Wide x 12 ft. High x 20 ft. Long Internal Chamber, 240,000 lb. Capacity, (2) 12 ft. Wide x 20 ft. Long Chain Driven Coil Cars (#AO-1) 319 Despatch Sto Degree Gas Fired Annealing Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO-2) 320 Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO-2) 321 Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO-2) 322 Despatch Furnace, with 8 ft. Wide x	311	Southworth 60 in. x 80 in. Scissor Lift
313 0.002 in 0.00025 in. Thickness Range, Gear Reducer, (2) 15 HP DC Drive Motors, Eurotherm SCR Drive, Sonobond Model FCS0108 Dual-Head Ultrasonic Seam Welder with Sonobond 3500 Watt Power Supply (#S-21) 314 Southworth 60 in. x 80 in. Scisor Lift 315 Maren 30 in. x 36 in. x 60 in. Horizontal Hydraulic Baler, with Overhead Feed System, Interloc Stand-Alone Hydraulic Power Supply 316 Absolent Oil/Smoke Filtration System, S/N 20070614 (2007), with Cyclone Pre-Inlet Plenum Spray System, Sheldon Model 9833RTS10 317 200 HP Single Exhaust Blower (S/N 07-0816), with Essoc Control Cabinet, Toshiba PLC 318 Sunbeam 1100 Degree F Gas/Oil Fired Car Bottom Annealing Furnace, S/N F-85-64 (1964), with Allen Bradley PanelView 1200 319 Despatch Bradie Carlo (11 ft. Wide x 21 ft. Deep x 7 ft. High Internal Chamber, 84,000 lb. Capacity, (2) 12 ft. Wide x 20 ft. Long Chain Driven Coil Cars (#AO-15) 319 Sunbeam 1200 Degree Gas/Oil Fired Car Bottom Annealing Furnace, with Allen Bradley PanelView 550 Control, 13 ft. Wide x 12 ft. High x 20 ft. Long Internal Chamber, 240,000 lb. Capacity, (2) 12 ft. Wide x 20 ft. Long Chain Driven Coil Cars (#AO19) 319 Despatch S50 Degree Gas Fired Annealing Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO2) 320 Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO3) 321 Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO3) 322 Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bol	312	Mettler Toledo 30 in. x 30 in. Digital Platform Scale Model IND246
Maren 30 in. x 36 in. x 60 in. Horizontal Hydraulic Baler, with Overhead Feed System, Interioc Stand-Alone Hydraulic Power Supply Absolent Oil/Smoke Filtration System, S/N 20070614 (2007), with Cyclone Pre-Inlet Plenum Spray System, Sheldon Model 9833RTS10 200 HP Single Exhaust Blower (S/N 07-0816), with Essco Control Cabinet, Toshiba PLC Sunbaam 1100 Degree F Gas/Oil Fired Car Bottom Annealing Furnace, S/N -8-56 (1964), with Allen Bradley PanelView 1200 Operator Interface, 11 ft, Wide x 21 ft. Deep x 7 ft. High Internal Chamber, 84,000 lb. Capacity, (2) 12 ft. Wide x 20 ft. Long Chain Driven Coil Cars (#A0-15) 318 Sunbeam 1200 Degree Gas/Oil Fired Car Bottom Annealing Furnace, with Allen Bradley PanelView 550 Control, 13 ft. Wide x 12 ft. High x 20 ft. Long Internal Chamber, 240,000 lb. Capacity, (2) 12 ft. Wide x 20 ft. Long Chain Driven Coil Cars (#A0-19) 319 Despatch 850 Degree Gas Fired Annealing Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#A02) 320 Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#A02) 321 Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#A03) 322 Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#A03) 323 Sunbeam Furnace Model F-165-63, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#A06) 325 Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#A	313	0.002 in 0.00025 in. Thickness Range, Gear Reducer, (2) 15 HP DC Drive Motors, Eurotherm SCR Drive, Sonobond Model FC5010B
Absolent Oil/Smoke Filtration System, SN 20070614 (2007), with Cyclone Pre-Inlet Plenum Spray System, Sheldon Model 9833RT510 200 HP Single Exhaust Blower (S/N 07-0816), with Essco Control Cabinet, Toshiba PLC Sunbeam 1100 Degree F Gas/Oil Fired Car Bottom Annealing Furnace, S/N F-85-64 (1964), with Allen Bradley PanelView 1200 Optom Coil Cars (IMAO-15) 318 Sunbeam 1200 Degree Gas/Oil Fired Car Bottom Annealing Furnace, S/N F-85-64 (1964), with Allen Bradley PanelView 20 ft. Long Chain Driven Coil Cars (IMAO-15) 319 Despatch S50 Degree Gas/Oil Fired Car Bottom Annealing Furnace, with Allen Bradley PanelView 550 Control, 13 ft. Wide x 12 ft. High x 20 ft. Long Internal Chamber, 240,000 lb. Capacity, (2) 12 ft. Wide x 20 ft. Long Chain Driven Coil Cars (IMAO-15) 319 Despatch S50 Degree Gas Fired Annealing Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (IMAO2) 320 Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (IMAO2) 321 Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (IMAO3) 322 Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (IMAO3) 323 Sunbeam Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (IMAO3) 324 Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (IMAO3) 325 Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (IMAO3)	314	Southworth 60 in. x 80 in. Scissor Lift
200 HP Single Exhaust Blower (S/N 07-0816), with Essco Control Cabinet, Toshiba PLC 3unbeam 1100 Degree F Gas/Oil Fired Car Bottom Annealing Furnace, S/N F-85-64 (1964), with Allen Bradley PanelView 1200 Operator Interface, 11 ft. Wide x 21 ft. Deep x 7 ft. High Internal Chamber, 84,000 lb. Capacity, (2) 12 ft. Wide x 20 ft. Long Chain Driven Coil Cars (#A0-15) 318	315	Maren 30 in. x 36 in. x 60 in. Horizontal Hydraulic Baler, with Overhead Feed System, Interloc Stand-Alone Hydraulic Power Supply
Operator Interface, 11 ft. Wide x 21 ft. Deep x 7 ft. High Internal Chamber, 84,000 lb. Capacity, (2) 12 ft. Wide x 20 ft. Long Chain Driven Coil Cars (#AO15) Sunbeam 1200 Degree Gas/Oil Fired Car Bottom Annealing Furnace, with Allen Bradley PanelView 550 Control, 13 ft. Wide x 12 ft. High x 20 ft. Long Internal Chamber, 240,000 lb. Capacity, (2) 12 ft. Wide x 20 ft. Long Chain Driven Coil Cars (#AO19) Despatch S50 Degree Gas Fired Annealing Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Bolt-Together Construction (#AO1) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO2) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO3) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO4) Sunbeam Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO5) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO6) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO6) Sunbeam Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Do	316	
High x 20 ft. Long Internal Chamber, 240,000 lb. Capacity, [2) 12 ft. Wide x 20 ft. Long Chain Driven Coil Cars (#AO19) Despatch 850 Degree Gas Fired Annealing Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Bolt-Together Construction (#AO1) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO2) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO3) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO4) 323 Sunbeam Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO6) 324 Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO6) 325 Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO7) 326 Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO8) 327 Sunbeam Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control (#AO-14	317	Operator Interface, 11 ft. Wide x 21 ft. Deep x 7 ft. High Internal Chamber, 84,000 lb. Capacity, (2) 12 ft. Wide x 20 ft. Long Chain
Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO2) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO3) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO4) Sunbeam Furnace Model F-165-63, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity (#AO5) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO6) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO7) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO8) Sunbeam Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control (#AO-18) Sunbeam Furnace, with 8 ft. Wide x 1 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control (#AO-14) Sunbeam Furnace Model F-15-66, with 6 ft. Wide x 7 ft. Deep x 7 ft. High Internal Chamber, 11,500 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control with LED Display (#AO-16) Sunbeam Furnace Model F-15-66, with 6 ft. Wide x 7 ft. Deep x 7 ft. High	318	Sunbeam 1200 Degree Gas/Oil Fired Car Bottom Annealing Furnace, with Allen Bradley PanelView 550 Control, 13 ft. Wide x 12 ft. High x 20 ft. Long Internal Chamber, 240,000 lb. Capacity, (2) 12 ft. Wide x 20 ft. Long Chain Driven Coil Cars (#AO19)
Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO2) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO3) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO4) Sunbeam Furnace Model F-165-63, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO5) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO7) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO7) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO8) Sunbeam Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control (#AO-18) Sunbeam Furnace, with 8 ft. Wide x 5 ft. Deep x 66 in. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control (#AO-14) Sunbeam Furnace Model F-15-66, with 6 ft. Wide x 7 ft. Deep x 7 ft. High Internal Chamber, 11,500 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control with LED Display (#AO-16) Sunbeam Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber,	319	
Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO3) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO4) Sunbeam Furnace Model F-165-63, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO6) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO7) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO7) Sunbeam Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO8) Sunbeam Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control (#AO-18) Sunbeam Furnace, with 4 ft. Wide x 5 ft. Deep x 66 in. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control with LED Display (#AO-16) Sunbeam Furnace, with 8 ft. Wide x 1 ft. Deep x 7 ft. Deep x 7 ft. High Internal Chamber, 11,500 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control with LED Display (#AO-17) Sunbeam Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 11,500 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control with LED Display (#AO-17) Sunbeam Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelV	320	
Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO4) Sunbeam Furnace Model F-165-63, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity (#AO5) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO6) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO7) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO8) Sunbeam Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control (#AO-18) Sunbeam Furnace, with 4 ft. Wide x 5 ft. Deep x 66 in. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control (#AO-14) Sunbeam 1000 Degree Gas Fired Annealing Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 11,500 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control with LED Display (#AO-16) Sunbeam Furnace Model F-15-66, with 6 ft. Wide x 7 ft. Deep x 7 ft. High Internal Chamber, 11,500 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control with LED Display (#AO-17) Sunbeam Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control with LED Display (#AO-17) Sunbeam Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control (with LED Display (#AO-17) Sunbeam Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Allen B	321	
Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO6) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO7) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO8) Sunbeam Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control (#AO-18) Sunbeam Furnace, with 4 ft. Wide x 5 ft. Deep x 66 in. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control (#AO-14) Sunbeam 1000 Degree Gas Fired Annealing Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 11,500 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control with LED Display (#AO-16) Sunbeam Furnace Model F-15-66, with 6 ft. Wide x 7 ft. Deep x 7 ft. High Internal Chamber, 11,500 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control with LED Display (#AO-17) Sunbeam Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control with LED Display (#AO-17) Marley 1000 Ton Double Flow Cooling Tower, 3800 Gallons per Minute, with (3) 75 HP Centrifugal Pumps (#3) LOT: Mfr. Unknown 800 Ton Double Flow Cooling Tower with (2) 75 HP Centrifugal Pumps (#2), and Mfr. Unknown 600 Ton Double	322	Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO4)
Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO6) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO7) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO8) Sunbeam Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control (#AO-18) Sunbeam Furnace, with 4 ft. Wide x 5 ft. Deep x 66 in. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control (#AO-14) Sunbeam 1000 Degree Gas Fired Annealing Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 11,500 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control with LED Display (#AO-16) Sunbeam Furnace Model F-15-66, with 6 ft. Wide x 7 ft. Deep x 7 ft. High Internal Chamber, 11,500 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control with LED Display (#AO-17) Sunbeam Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control with LED Display (#AO-17) Marley 1000 Ton Double Flow Cooling Tower, 3800 Gallons per Minute, with (3) 75 HP Centrifugal Pumps (#3) LOT: Mfr. Unknown 800 Ton Double Flow Cooling Tower with (2) 75 HP Centrifugal Pumps (#2), and Mfr. Unknown 600 Ton Double	323	Sunbeam Furnace Model F-165-63, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity (#AO5)
Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO7) Despatch Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Motorized Door Opener, Air Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO8) Sunbeam Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control (#AO-18) Sunbeam Furnace, with 4 ft. Wide x 5 ft. Deep x 66 in. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control (#AO-14) Sunbeam 1000 Degree Gas Fired Annealing Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 11,500 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control with LED Display (#AO-16) Sunbeam Furnace Model F-15-66, with 6 ft. Wide x 7 ft. Deep x 7 ft. High Internal Chamber, 11,500 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control with LED Display (#AO-17) Sunbeam Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control (outside) Marley 1000 Ton Double Flow Cooling Tower, 3800 Gallons per Minute, with (3) 75 HP Centrifugal Pumps (#3) LOT: Mfr. Unknown 800 Ton Double Flow Cooling Tower with (2) 75 HP Centrifugal Pumps (#2), and Mfr. Unknown 600 Ton Double	324	
Actuated Door Clamping Mechanism, Bolt-Together Construction, Central Computer Oven Control (#AO8) Sunbeam Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control (#AO-18) Sunbeam Furnace, with 4 ft. Wide x 5 ft. Deep x 66 in. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control (#AO-14) Sunbeam 1000 Degree Gas Fired Annealing Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 11,500 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control with LED Display (#AO-16) Sunbeam Furnace Model F-15-66, with 6 ft. Wide x 7 ft. Deep x 7 ft. High Internal Chamber, 11,500 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control with LED Display (#AO-17) Sunbeam Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control (outside) Marley 1000 Ton Double Flow Cooling Tower, 3800 Gallons per Minute, with (3) 75 HP Centrifugal Pumps (#3) LOT: Mfr. Unknown 800 Ton Double Flow Cooling Tower with (2) 75 HP Centrifugal Pumps (#2), and Mfr. Unknown 600 Ton Double	325	
Touchpad Control (#AO-18) Sunbeam Furnace, with 4 ft. Wide x 5 ft. Deep x 66 in. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control (#AO-14) Sunbeam 1000 Degree Gas Fired Annealing Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 11,500 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control with LED Display (#AO-16) Sunbeam Furnace Model F-15-66, with 6 ft. Wide x 7 ft. Deep x 7 ft. High Internal Chamber, 11,500 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control with LED Display (#AO-17) Sunbeam Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control (outside) Marley 1000 Ton Double Flow Cooling Tower, 3800 Gallons per Minute, with (3) 75 HP Centrifugal Pumps (#3) LOT: Mfr. Unknown 800 Ton Double Flow Cooling Tower with (2) 75 HP Centrifugal Pumps (#2), and Mfr. Unknown 600 Ton Double	326	
Touchpad Control (#AO-14) 329 Sunbeam 1000 Degree Gas Fired Annealing Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 11,500 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control with LED Display (#AO-16) 330 Sunbeam Furnace Model F-15-66, with 6 ft. Wide x 7 ft. Deep x 7 ft. High Internal Chamber, 11,500 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control with LED Display (#AO-17) 331 Sunbeam Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control (outside) 332 Marley 1000 Ton Double Flow Cooling Tower, 3800 Gallons per Minute, with (3) 75 HP Centrifugal Pumps (#3) LOT: Mfr. Unknown 800 Ton Double Flow Cooling Tower with (2) 75 HP Centrifugal Pumps (#2), and Mfr. Unknown 600 Ton Double	327	
Allen Bradley PanelView 550 Touchpad Control with LED Display (#AO-16) Sunbeam Furnace Model F-15-66, with 6 ft. Wide x 7 ft. Deep x 7 ft. High Internal Chamber, 11,500 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control with LED Display (#AO-17) Sunbeam Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control (outside) Marley 1000 Ton Double Flow Cooling Tower, 3800 Gallons per Minute, with (3) 75 HP Centrifugal Pumps (#3) LOT: Mfr. Unknown 800 Ton Double Flow Cooling Tower with (2) 75 HP Centrifugal Pumps (#2), and Mfr. Unknown 600 Ton Double	328	
PanelView 550 Touchpad Control with LED Display (#AO-17) Sunbeam Furnace, with 8 ft. Wide x 11 ft. Deep x 7 ft. High Internal Chamber, 25,000 lb. Capacity, Allen Bradley PanelView 550 Touchpad Control (outside) Marley 1000 Ton Double Flow Cooling Tower, 3800 Gallons per Minute, with (3) 75 HP Centrifugal Pumps (#3) LOT: Mfr. Unknown 800 Ton Double Flow Cooling Tower with (2) 75 HP Centrifugal Pumps (#2), and Mfr. Unknown 600 Ton Double	329	
Touchpad Control (outside) Marley 1000 Ton Double Flow Cooling Tower, 3800 Gallons per Minute, with (3) 75 HP Centrifugal Pumps (#3) LOT: Mfr. Unknown 800 Ton Double Flow Cooling Tower with (2) 75 HP Centrifugal Pumps (#2), and Mfr. Unknown 600 Ton Double	330	
LOT: Mfr. Unknown 800 Ton Double Flow Cooling Tower with (2) 75 HP Centrifugal Pumps (#2), and Mfr. Unknown 600 Ton Double	331	
	332	Marley 1000 Ton Double Flow Cooling Tower, 3800 Gallons per Minute, with (3) 75 HP Centrifugal Pumps (#3)
	333	

334	Trane Liquid Chiller with (4) Compressors
335	Trane Chiller with (2) Compressors, Digital Controller
336	Sullair 200 HP Rotary Air Compressors Model LS-25-2001-LW/C, S/N 003-125954, with Touchpad Control
337	Sullair 200 HP Rotary Air Compressors Model LS-25-2001-LW/C, S/N 003-125955, with Touchpad Control
338	OPEN
339	Sullair 150 HP Rotary Air Compressor Model 25-150L, S/N 46024 BGI
340	Sullair 150 HP Rotary Air Compressor Model 25B-150L-WCAG, S/N 003-70709 (#128211) (#3)
341	Sullair 1600 SCFM Refrigerated Air Dryer Model SRS-1600, S/N 390823P0001
342	Camair 1000 SCFM Refrigerated Air Dryer Model CA1000, S/N 05ED01934, with 5 HP Compressor Motor
343	Sullair 700 CFM Refrigerated Air Dryer Model PSIL-300AC, S/N 003-01442
343A	Sullair 2-Filter Water Trap
344	Vertical Air Receiver Tank
345	Vertical Air Receiver Tank
346	Vertical Air Receiver Tank
347	Vertical Air Receiver Tank
348	Vertical Air Receiver Tank
349	Nalco Cooling Tower Treatment System with Digital Controller, (3) 110 Gallon Chemical Containers, (2) 170 Gallon Poly Chemical Storage Containers
350	Portable Chemical Transfer Pump
351	LOT: Proto 8-Drawer Tool Cabinet, with Tools
352	5 in. Heavy Duty Swivel Pipe Vise on Stand
353	LOT: (2) Barrel Dollies
354	Stubby Pallet Jack
355	LOT: (1) Flammable Storage Cabinet, (1) Cabinet, (1) 10-Drawer Tool Cabinet, with Compressor Parts & Supplies
356	LOT: (3) Chain Falls
357	Fuel Oil Storage Tank Farm (installed 1991) consisting of (3) 10,000 Gallon 10 ft. Dia. Steel Oil Storage Tanks, (3) 30,000 Gallon 12 ft. Dia. Steel Oil Storage Tanks, (2) 20,000 Gallon 10 ft. Dia. Steel Oil Storage Tanks, (1) 4500 Gallon Steel Oil Storage Tank, Assorted Process Piping, Motors, Pumps, Meters, Allen Bradley PLC Control
358	Detroit 7-1/2 Ton x 42 ft. (est.) Span Single Girder Top Running Bridge Crane, S/N 3090, with 7-1/2 Ton Cable Hoist, Pendant Control, Spreader Bars
359	Detroit 7-1/2 Ton x 42 ft. (est.) Span Single Girder Top Running Bridge Crane, S/N 3091, with 7-1/2 Ton Cable Hoist, Pendant Control, Spreader Bars
360	Detroit 7-1/2 Ton x 42 ft. (est.) Span Single Girder Top Running Bridge Crane, S/N 3092, with 7-1/2 Ton Cable Hoist, Pendant Control, Spreader Bars

360A	150 ft. (est.) Runway & Rail, Electrics for 7-1/2 Ton Bridge Cranes
361	5 Ton x 50 ft. (est.) Double Girder Underhung Bridge Crane, with Yale Hoist
362	5 Ton x 50 ft. (est.) Double Girder Underhung Bridge Crane, with Yale Hoist
363	5 Ton x 50 ft. (est.) Double Girder Underhung Bridge Crane, with Yale Hoist
364	5 Ton x 50 ft. (est.) Double Girder Underhung Bridge Crane, with Yale Hoist
365	5 Ton x 50 ft. (est.) Single Girder Underhung Bridge Crane, with Yale Hoist
366	Gorbel 1/2 Ton, 360 Degree Free Standing Jib
367	Alemite Pneumatic Liquid Pump Model 7783-A-4
368	1/2 Ton x 25 ft. (est.) Underhung Bridge Crane, 30 ft. (est.) Runway (as is)
368A	2 Ton x 25 ft. Underhung Bridge Crane, Pendant, 60 ft. (est.) Runway (as is)
369	TC / American 3 Ton x 35 ft. (est.) Double Girder Underhung Bridge Crane (no hoist - as is)
370	Yale 3 Ton Cable Hoist, Pendant, Travel, 30 ft. (est.) Single Runway (as is)
371	Yale 3 Ton Cable Hoist, Pendant, Travel (as is)
372	CM Lodestar 3 Ton Chain Hoist, Pendant, Travel
373	Coffing 3 Ton x 18 ft. Top Running Free Standing Bridge Crane, Pendant, Runway, Supports
374	2 Ton Free Standing Jib Crane, 20 ft. Jib, Coffing 2 Ton Cable Hoist, Pendant, Travel
375	2 Ton Spreader Bar
376	500 lb. x 360 Degree Free Standing Jib Crane, CM 300 Chain Hoist, Caldwell 300 lb. Spreader Bar
377	Mfr. Unknown 10 Ton x 16 ft. (est.) Span Double Girder Top Running Bridge Crane, with Budgit 1/2 Ton Electric Chain Hoist, Pendant Control
378	Mfr. Unknown 7-1/2 Ton x 15 ft. Span Double Girder Top Running Bridge Crane, with 7-1/2 Ton Cable Hoist, Pendant Control, 100 ft. Free Standing Runway (#E03410)
379	1 Ton x 8 ft. Span Single Girder Underhung Bridge Crane, 18 ft. Free Standing Runway
380	OPEN
381	Caldwell 20 Ton x 12 ft. Spreader Beam
382	LOT: (2) Casting Roll Lift Fixtures
383	7-1/2 Ton C-Hook Coil Lifter
384	Caldwell 20 Ton x 12 ft. Spreader Beam
385	Caldwell 10 Ton Adjustable Spreader Beam
386	Freedom 7-1/2 Ton Spreader Beam
_	

Freedom 7-1/2 Ton Spreader Beam		
7 Freedom S Ton Spreader Beam 7 Cortical Single-Leg Cable Silings (located rear of core bin) 7 LOT: Assorted Single-Leg Cable Silings (located rear of core bin) 7 LOT: Assorted Single-Leg Cable Silings on (1) Pallet 7 LOT: Assorted Single-Leg Cable Silings on (1) Pallet 7 LOT: Assorted Single-Leg Cable Silings on (1) Pallet 7 LOT: Assorted Sings on (1) Pallet 7 LOT: Assorted Sings on (1) Pallet 7 LOT: Assorted Sings on (1) Pallet 8 LOT: Assorted Sings on (1) Pallet 9 LOT: Assorted Sings on (1) Pallet 9 LOT: Assorted Sings on (1) Pallet 9 LOT: (2) 1/2 Wall Mount Jib Cranes, 1/2 Ton Chain Fall 9 LOT: (2) 1/2 Wall Mount Jib Cranes, 1/2 Ton Chain Fall 9 LOT: (2) 1/2 Wall Mount Jib Cranes, 1/2 Ton Chain Fall 9 LOT: (2) 1/2 Leg Chain Silings 9 LOT: (2) 1/2 Leg Chain Silings 1 LOT: (2) 1/2 Leg Chain Silings 1 LOT: (2) 1/2 Leg Chain Silings 1 LOT: (2) Single-Leg Chain Silings 1 LOT: (3) Single-Leg Chain Silings 1 LOT: (3) Single-Leg Chain Silings 1 LOT: (2) Single-Leg Chain Silings 1 LOT: (3) Single-Leg Chain Silings 1 LOT: (2) Assorted Spreader Beams 1 LOT: (2) Assorted Spreader Beams 2 LOT: (3) Single-Leg Chain Silings (1) 2-Leg Chain Silings (1) LOT: (2) Assorted Swivel Hoist Rings (new) 2 LOT: (7) Assorted Swivel Hoist Rings (new)	387	Freedom 7-1/2 Ton Spreader Beam
390 Freedom 5 Ton Spreader Beam 391 Freedom 5 Ton Spreader Beam 392 Freedom 5 Ton Spreader Beam 393 Freedom 5 Ton Spreader Beam 394 Overhead Crane Work Roll Attachment 395 LOT: Assorted Single-Leg Cable Slings (located rear of core bin) 396 LOT: Assorted Single-Leg Cable Slings on (1) Pallet 397 LOT: Assorted Single-Leg Cable Slings on (1) Pallet 398 LOT: Assorted Multiple-Leg Cable Slings on (1) Pallet 399 LOT: Assorted Slings on (1) Pallet 400 Work Roll Fixture 401 3 Ton x 28 ft. (est.) Single Girder Underhung Overhead Crane, Pendant 402 LOT: (2) 1/2 Wall Mount Jib Cranes, 1/2 Ton Chain Fall 403 LOT: Nylon & Synthetic Slings (new) on (1) Pallet 404 LOT: (2) 1/2 Wall Mount Jib Cranes, 1/2 Ton Chain Fall 405 LOT: (2) 4-Leg Chain Slings 406 LOT: (3) 2-Leg Chain Slings 407 LOT: (6) Single-Leg Chain Slings 408 LOT: (2) 3-Leg Chain Slings 409 LOT: (3) 2-Leg Chain Slings 400 LOT: (3) Single-Leg Chain Slings 400 LOT: (3) Single-Leg Chain Slings 401 LOT: (2) Assorted Spreader Beams 410 LOT: (2) Assorted Spreader Beams 411 Morse Barrel Lifter, 1000 lb. Capacity 412 LOT: (7) Assorted Swivel Hoist Rings (new) 413 LOT: (19) Assorted Swivel Hoist Rings	388	Freedom 7-1/2 Ton Spreader Beam
Freedom S Ton Spreader Beam 392 Freedom S Ton Spreader Beam 393 Freedom S Ton Spreader Beam 394 Overhead Crane Work Roll Attachment 395 LOT: Assorted Single-Leg Cable Slings (located rear of core bin) 396 LOT: Assorted Single-Leg Cable Slings on (1) Pallet 397 LOT: Assorted Single-Leg Cable Slings on (1) Pallet 398 LOT: Assorted Multiple-Leg Cable Slings on (1) Pallet 409 LOT: Assorted Slings on (1) Pallet 400 Work Roll Fixture 401 3 Ton x 28 ft. (est.) Single Girder Underhung Overhead Crane, Pendant 402 LOT: (2) 1/2 Wall Mount Jib Cranes, 1/2 Ton Chain Fall 403 LOT: Nylon 8. Synthetic Slings (new) on (1) Pallet 404 LOT: (2) 4-Leg Chain Slings 405 LOT: (2) 4-Leg Chain Slings 406 LOT: (3) 2-Leg Chain Slings 407 LOT: (6) Single-Leg Chain Slings 408 LOT: (2) Single-Leg Chain Slings 409 LOT: (3) Single-Leg Chain Slings 400 LOT: (3) Single-Leg Chain Slings 401 LOT: (2) Assorted Spreader Beams 410 LOT: (7) Assorted Spreader Beams 411 Morse Barrel Lifter, 1000 lb. Capacity 412 LOT: (7) Assorted Swivel Hoist Rings (new) 413 LOT: (19) Assorted Swivel Hoist Rings	389	Freedom 5 Ton Spreader Beam
Freedom 5 Ton Spreader Beam 393 Freedom 5 Ton Spreader Beam 394 Overhead Crane Work Roll Attachment 395 LOT: Assorted Single-Leg Cable Slings (located rear of core bin) 396 LOT: Assorted Single-Leg Cable Slings on (1) Pallet 397 LOT: Assorted Single-Leg Cable Slings on (1) Pallet 398 LOT: Assorted Slingle-Leg Cable Slings on (1) Pallet 399 LOT: Assorted Slings on (1) Pallet 400 Work Roll Fixture 401 3 Ton x 28 ft. (est.) Single Girder Underhung Overhead Crane, Pendant 402 LOT: (2) 1/2 Wall Mount Jib Cranes, 1/2 Ton Chain Fall 403 LOT: Nylon & Synthetic Slings (new) on (1) Pallet 404 LOT: Nylon Slings in (1) Crate 405 LOT: (2) 4-Leg Chain Slings 406 LOT: (3) 2-Leg Chain Slings 407 LOT: (6) Single-Leg Chain Slings 408 LOT: (2) Single-Leg Chain Slings 409 LOT: (3) Single-Leg Chain Slings 400 LOT: (3) Single-Leg Chain Slings 401 LOT: (2) Assorted Spreader Beams 411 Morse Barrel Lifter, 1000 Ib. Capacity 412 LOT: (7) Assorted Swivel Holst Rings (new) 413 LOT: (19) Assorted Swivel Holst Rings	390	Freedom 5 Ton Spreader Beam
934 Overhead Crane Work Roll Attachment 395 LOT: Assorted Single-Leg Cable Slings (located rear of core bin) 396 LOT: Assorted Single-Leg Cable Slings on (1) Pallet 397 LOT: Assorted Single-Leg Cable Slings on (1) Pallet 398 LOT: Assorted Multiple-Leg Cable Slings on (1) Pallet 399 LOT: Assorted Slings on (1) Pallet 400 Work Roll Fixture 401 3 Ton x 28 ft. (est.) Single Girder Underhung Overhead Crane, Pendant 402 LOT: (2) 1/2 Wall Mount Jib Cranes, 1/2 Ton Chain Fall 403 LOT: Nylon & Synthetic Slings (new) on (1) Pallet 404 LOT: Nylon Slings in (1) Crate 405 LOT: (2) 4-Leg Chain Slings 406 LOT: (3) 2-Leg Chain Slings 407 LOT: (3) Single-Leg Chain Slings 408 LOT: (2) Single-Leg Chain Slings 409 LOT: (3) Single-Leg Chain Slings, (1) 2-Leg Chain Sling, (1) 3-Leg Chain Sling 410 LOT: (2) Assorted Spreader Beams 411 Morse Barrel Lifter, 1000 Ib. Capacity 412 LOT: (7) Assorted Swivel Hoist Rings (new) 413 LOT: (19) Assorted Swivel Hoist Rings	391	Freedom 5 Ton Spreader Beam
Overhead Crane Work Roll Attachment 395 LOT: Assorted Single-Leg Cable Slings (located rear of core bin) 396 LOT: Assorted Single-Leg Cable Slings on (1) Pallet 397 LOT: Assorted Single-Leg Cable Slings on (1) Pallet 398 LOT: Assorted Multiple-Leg Cable Slings on (1) Pallet 399 LOT: Assorted Slings on (1) Pallet 400 Work Roll Fixture 401 3 Ton x 28 ft. (est.) Single Girder Underhung Overhead Crane, Pendant 402 LOT: (2) 1/2 Wall Mount Jib Cranes, 1/2 Ton Chain Fall 403 LOT: Nylon & Synthetic Slings (new) on (1) Pallet 404 LOT: (2) 1/2 Wall Slings in (1) Crate 405 LOT: (2) 4-Leg Chain Slings 406 LOT: (3) 2-Leg Chain Slings 407 LOT: (6) Single-Leg Chain Slings 408 LOT: (3) Single-Leg Chain Slings 409 LOT: (3) Single-Leg Chain Slings 400 LOT: (2) Assorted Spreader Beams 411 Morse Barrel Lifter, 1000 lb. Capacity 412 LOT: (7) Assorted Swivel Hoist Rings (new) 413 LOT: (19) Assorted Swivel Hoist Rings (new)	392	Freedom 5 Ton Spreader Beam
LOT: Assorted Single-Leg Cable Slings (located rear of core bin) 396 LOT: Assorted Single-Leg Cable Slings on (1) Pallet 397 LOT: Assorted Single-Leg Cable Slings on (1) Pallet 398 LOT: Assorted Multiple-Leg Cable Slings on (1) Pallet 399 LOT: Assorted Slings on (1) Pallet 400 Work Roll Fixture 401 3 Ton x 28 ft. (est.) Single Girder Underhung Overhead Crane, Pendant 402 LOT: (2) 1/2 Wall Mount Jib Cranes, 1/2 Ton Chain Fall 403 LOT: Nylon & Synthetic Slings (new) on (1) Pallet 404 LOT: Nylon Slings in (1) Crate 405 LOT: (2) 4-Leg Chain Slings 406 LOT: (3) 2-Leg Chain Slings 407 LOT: (6) Single-Leg Chain Slings 408 LOT: (2) Single-Leg Chain Slings 409 LOT: (3) Single-Leg Chain Slings 409 LOT: (3) Single-Leg Chain Slings 410 LOT: (2) Assorted Spreader Beams 411 Morse Barrel Lifter, 1000 lb. Capacity 412 LOT: (7) Assorted Swivel Hoist Rings (new) 413 LOT: (19) Assorted Swivel Hoist Rings	393	Freedom 5 Ton Spreader Beam
LOT: Assorted Single-Leg Cable Slings on (1) Pallet JOT: Assorted Multiple-Leg Cable Slings on (1) Pallet LOT: Assorted Multiple-Leg Cable Slings on (1) Pallet LOT: Assorted Slings on (1) Pallet Work Roll Fixture 401 3 Ton x 28 ft. (est.) Single Girder Underhung Overhead Crane, Pendant LOT: (2) 1/2 Wall Mount Jib Cranes, 1/2 Ton Chain Fall LOT: Nylon & Synthetic Slings (new) on (1) Pallet LOT: Nylon Synthetic Slings (new) on (1) Pallet LOT: (2) 4-Leg Chain Slings LOT: (3) 2-Leg Chain Slings LOT: (3) 2-Leg Chain Slings LOT: (3) Single-Leg Chain Slings LOT: (3) Sasorted Spreader Beams Morse Barrel Lifter, 1000 lb. Capacity LOT: (7) Assorted Swivel Hoist Rings (new) LOT: (19) Assorted Swivel Hoist Rings (new)	394	Overhead Crane Work Roll Attachment
LOT: Assorted Single-Leg Cable Slings on (1) Pallet 398 LOT: Assorted Multiple-Leg Cable Slings on (1) Pallet 400 Work Roll Fixture 401 3 Ton x 28 ft. (est.) Single Girder Underhung Overhead Crane, Pendant 402 LOT: (2) 1/2 Wall Mount Jib Cranes, 1/2 Ton Chain Fall 403 LOT: Nylon & Synthetic Slings (new) on (1) Pallet 404 LOT: (3) 2-Leg Chain Slings 405 LOT: (3) 2-Leg Chain Slings 406 LOT: (3) 2-Leg Chain Slings 407 LOT: (6) Single-Leg Chain Slings 408 LOT: (2) Single-Leg Chain Slings 409 LOT: (3) Single-Leg Chain Slings 410 LOT: (2) Assorted Spreader Beams 411 Morse Barrel Lifter, 1000 lb. Capacity 412 LOT: (7) Assorted Swivel Hoist Rings (new) 413 LOT: (19) Assorted Swivel Hoist Rings	395	LOT: Assorted Single-Leg Cable Slings (located rear of core bin)
LOT: Assorted Multiple-Leg Cable Slings on (1) Pallet 400 Work Roll Fixture 401 3 Ton x 28 ft. (est.) Single Girder Underhung Overhead Crane, Pendant 402 LOT: (2) 1/2 Wall Mount Jib Cranes, 1/2 Ton Chain Fall 403 LOT: Nylon & Synthetic Slings (new) on (1) Pallet 404 LOT: Nylon Sings in (1) Crate 405 LOT: (2) 4-Leg Chain Slings 406 LOT: (3) 2-Leg Chain Slings 407 LOT: (6) Single-Leg Chain Slings 408 LOT: (2) Single-Leg Chain Slings 409 LOT: (3) Single-Leg Chain Slings, (1) 2-Leg Chain Sling, (1) 3-Leg Chain Sling 410 LOT: (2) Assorted Spreader Beams 411 Morse Barrel Lifter, 1000 lb. Capacity 412 LOT: (19) Assorted Swivel Hoist Rings (new) 413 LOT: (19) Assorted Swivel Hoist Rings	396	LOT: Assorted Single-Leg Cable Slings on (1) Pallet
LOT: Assorted Slings on (1) Pallet 400 Work Roll Fixture 401 3 Ton x 28 ft. (est.) Single Girder Underhung Overhead Crane, Pendant 402 LOT: (2) 1/2 Wall Mount Jib Cranes, 1/2 Ton Chain Fall 403 LOT: Nylon & Synthetic Slings (new) on (1) Pallet 404 LOT: Nylon Slings in (1) Crate 405 LOT: (2) 4-Leg Chain Slings 406 LOT: (3) 2-Leg Chain Slings 407 LOT: (6) Single-Leg Chain Slings 408 LOT: (2) Single-Leg Chain Slings 409 LOT: (3) Single-Leg Chain Slings, (1) 2-Leg Chain Sling, (1) 3-Leg Chain Sling 410 LOT: (2) Assorted Spreader Beams 411 Morse Barrel Lifter, 1000 lb. Capacity 412 LOT: (19) Assorted Swivel Hoist Rings (new)	397	LOT: Assorted Single-Leg Cable Slings on (1) Pallet
400 Work Roll Fixture 401 3 Ton x 28 ft. (est.) Single Girder Underhung Overhead Crane, Pendant 402 LOT: (2) 1/2 Wall Mount Jib Cranes, 1/2 Ton Chain Fall 403 LOT: Nylon & Synthetic Slings (new) on (1) Pallet 404 LOT: Nylon Slings in (1) Crate 405 LOT: (2) 4-Leg Chain Slings 406 LOT: (3) 2-Leg Chain Slings 407 LOT: (6) Single-Leg Chain Slings 408 LOT: (2) Single-Leg Chain Slings 409 LOT: (3) Single-Leg Chain Slings, (1) 2-Leg Chain Sling, (1) 3-Leg Chain Sling 410 LOT: (2) Assorted Spreader Beams 411 Morse Barrel Lifter, 1000 lb. Capacity 412 LOT: (7) Assorted Swivel Hoist Rings (new) 413 LOT: (19) Assorted Swivel Hoist Rings	398	LOT: Assorted Multiple-Leg Cable Slings on (1) Pallet
401 3 Ton x 28 ft. (est.) Single Girder Underhung Overhead Crane, Pendant 402 LOT: (2) 1/2 Wall Mount Jib Cranes, 1/2 Ton Chain Fall 403 LOT: Nylon & Synthetic Slings (new) on (1) Pallet 404 LOT: Nylon Slings in (1) Crate 405 LOT: (2) 4-Leg Chain Slings 406 LOT: (3) 2-Leg Chain Slings 407 LOT: (6) Single-Leg Chain Slings 408 LOT: (2) Single-Leg Chain Slings 409 LOT: (3) Single-Leg Chain Slings, (1) 2-Leg Chain Sling, (1) 3-Leg Chain Sling 410 LOT: (2) Assorted Spreader Beams 411 Morse Barrel Lifter, 1000 lb. Capacity 412 LOT: (7) Assorted Swivel Hoist Rings (new) 413 LOT: (19) Assorted Swivel Hoist Rings	399	LOT: Assorted Slings on (1) Pallet
402 LOT: (2) 1/2 Wall Mount Jib Cranes, 1/2 Ton Chain Fall 403 LOT: Nylon & Synthetic Slings (new) on (1) Pallet 404 LOT: Nylon Slings in (1) Crate 405 LOT: (2) 4-Leg Chain Slings 406 LOT: (3) 2-Leg Chain Slings 407 LOT: (6) Single-Leg Chain Slings 408 LOT: (2) Single-Leg Chain Slings 409 LOT: (3) Single-Leg Chain Slings, (1) 2-Leg Chain Sling, (1) 3-Leg Chain Sling 410 LOT: (2) Assorted Spreader Beams 411 Morse Barrel Lifter, 1000 lb. Capacity 412 LOT: (7) Assorted Swivel Hoist Rings (new) 413 LOT: (19) Assorted Swivel Hoist Rings	400	Work Roll Fixture
LOT: Nylon & Synthetic Slings (new) on (1) Pallet 404 LOT: Nylon Slings in (1) Crate 405 LOT: (2) 4-Leg Chain Slings 406 LOT: (3) 2-Leg Chain Slings 407 LOT: (6) Single-Leg Chain Slings 408 LOT: (2) Single-Leg Chain Slings 409 LOT: (3) Single-Leg Chain Slings 410 LOT: (2) Assorted Spreader Beams 411 Morse Barrel Lifter, 1000 lb. Capacity 412 LOT: (7) Assorted Swivel Hoist Rings (new) 413 LOT: (19) Assorted Swivel Hoist Rings	401	3 Ton x 28 ft. (est.) Single Girder Underhung Overhead Crane, Pendant
404 LOT: Nylon Slings in (1) Crate 405 LOT: (2) 4-Leg Chain Slings 406 LOT: (3) 2-Leg Chain Slings 407 LOT: (6) Single-Leg Chain Slings 408 LOT: (2) Single-Leg Chain Slings 409 LOT: (3) Single-Leg Chain Slings, (1) 2-Leg Chain Sling, (1) 3-Leg Chain Sling 410 LOT: (2) Assorted Spreader Beams 411 Morse Barrel Lifter, 1000 lb. Capacity 412 LOT: (7) Assorted Swivel Hoist Rings (new) 413 LOT: (19) Assorted Swivel Hoist Rings	402	LOT: (2) 1/2 Wall Mount Jib Cranes, 1/2 Ton Chain Fall
405 LOT: (2) 4-Leg Chain Slings 406 LOT: (3) 2-Leg Chain Slings 407 LOT: (6) Single-Leg Chain Slings 408 LOT: (2) Single-Leg Chain Slings 409 LOT: (3) Single-Leg Chain Slings, (1) 2-Leg Chain Sling, (1) 3-Leg Chain Sling 410 LOT: (2) Assorted Spreader Beams 411 Morse Barrel Lifter, 1000 lb. Capacity 412 LOT: (7) Assorted Swivel Hoist Rings (new) 413 LOT: (19) Assorted Swivel Hoist Rings	403	LOT: Nylon & Synthetic Slings (new) on (1) Pallet
406 LOT: (3) 2-Leg Chain Slings 407 LOT: (6) Single-Leg Chain Slings 408 LOT: (2) Single-Leg Chain Slings 409 LOT: (3) Single-Leg Chain Slings, (1) 2-Leg Chain Sling, (1) 3-Leg Chain Sling 410 LOT: (2) Assorted Spreader Beams 411 Morse Barrel Lifter, 1000 lb. Capacity 412 LOT: (7) Assorted Swivel Hoist Rings (new) 413 LOT: (19) Assorted Swivel Hoist Rings	404	LOT: Nylon Slings in (1) Crate
407 LOT: (6) Single-Leg Chain Slings 408 LOT: (2) Single-Leg Chain Slings 409 LOT: (3) Single-Leg Chain Slings, (1) 2-Leg Chain Sling, (1) 3-Leg Chain Sling 410 LOT: (2) Assorted Spreader Beams 411 Morse Barrel Lifter, 1000 lb. Capacity 412 LOT: (7) Assorted Swivel Hoist Rings (new) 413 LOT: (19) Assorted Swivel Hoist Rings	405	LOT: (2) 4-Leg Chain Slings
408 LOT: (2) Single-Leg Chain Slings 409 LOT: (3) Single-Leg Chain Slings, (1) 2-Leg Chain Sling, (1) 3-Leg Chain Sling 410 LOT: (2) Assorted Spreader Beams 411 Morse Barrel Lifter, 1000 lb. Capacity 412 LOT: (7) Assorted Swivel Hoist Rings (new) 413 LOT: (19) Assorted Swivel Hoist Rings	406	LOT: (3) 2-Leg Chain Slings
LOT: (3) Single-Leg Chain Slings, (1) 2-Leg Chain Sling, (1) 3-Leg Chain Sling LOT: (2) Assorted Spreader Beams Morse Barrel Lifter, 1000 lb. Capacity LOT: (7) Assorted Swivel Hoist Rings (new) LOT: (19) Assorted Swivel Hoist Rings	407	LOT: (6) Single-Leg Chain Slings
410 LOT: (2) Assorted Spreader Beams 411 Morse Barrel Lifter, 1000 lb. Capacity 412 LOT: (7) Assorted Swivel Hoist Rings (new) 413 LOT: (19) Assorted Swivel Hoist Rings	408	LOT: (2) Single-Leg Chain Slings
411 Morse Barrel Lifter, 1000 lb. Capacity 412 LOT: (7) Assorted Swivel Hoist Rings (new) 413 LOT: (19) Assorted Swivel Hoist Rings	409	LOT: (3) Single-Leg Chain Slings, (1) 2-Leg Chain Sling, (1) 3-Leg Chain Sling
412 LOT: (7) Assorted Swivel Hoist Rings (new) 413 LOT: (19) Assorted Swivel Hoist Rings	410	LOT: (2) Assorted Spreader Beams
413 LOT: (19) Assorted Swivel Hoist Rings	411	Morse Barrel Lifter, 1000 lb. Capacity
	412	LOT: (7) Assorted Swivel Hoist Rings (new)
414 LOT: Assorted Shackles on (1) Pallet	413	LOT: (19) Assorted Swivel Hoist Rings
	414	LOT: Assorted Shackles on (1) Pallet

416 LOT: Assorted Machine Parts 417 LOT: Assorted Machine Parts 418 LOT: Assorted Machine Parts 419 LOT: Assorted Machine Parts 420 LOT: Assorted Machine Parts	
418 LOT: Assorted Machine Parts 419 LOT: Assorted Machine Parts	
419 LOT: Assorted Machine Parts	
420 LOT: Assorted Machine Parts	
421 LOT: Assorted Machine Parts	
422 LOT: Assorted Hoist Parts, Job Box	
423 LOT: Assorted Parts & Shelving	
424 Stronghold 60 in. Wide Heavy Duty Cabinet	
425 Stronghold 60 in. Wide Heavy Duty Cabinet	
426 Presto 12 Volt Pallet Jack	
427 Pallet Jack	
428 LOT: (33) Sections Assorted Pallet Rack (delay removal)	
429 LOT: (2) 15 HP DC Motors	
430 LOT: (1) 75 HP DC Motor, (1) 25 HP DC Motor	
431 150 HP AC Motor	
432 125 HP AC Motor	
433 25 HP AC Motor	
434 60 HP AC Motor	
435 200 HP AC Motor	
436 250 HP AC Motor	
437 LOT: 150 HP AC Motor & 200 HP AC Motor	
438 LOT: (1) 75 HP AC Motor & (2) 15 HP AC Motors	
439 LOT: (3) Assorted AC Motors	
440 LOT: (1) 25 HP AC Motor & (1) 3 HP AC Motor with Goulds 3656 Pump	
441 LOT: (1) 30 HP AC Motor & (1) 10 HP AC Motor	
442 LOT: (3) Assorted AC Motors	

443	LOT: (8) Assorted AC Motors
444	LOT: (10) Assorted AC Motors
445	Gould 2x3 Pump Model 3196, with 3 HP Motor (new)
446	Mill Pre-Load Pump, Union 1/2 x 3/4 TD-30, with 15 HP Motor
447	Ingersoll Rand 3x2x8h Type H-HC Pump, with 25 HP Motor
448	Blackmer MLX4B Max Vane Pump
449	LOT: (2) Gear Reducers
450	Duff-Norton Actuator Model M2050-180B
451	Duff-Norton Actuator
452	Duff-Norton Actuator Model M2050-175B
453	Griffin Gear Model Western, 3.71 Ratio
454	Quantis Gear Model HB883CN140TC, 1750 RPM
455	Griffin Gear
456	LOT: (1) Kampk Hydraulic Pump, (1) Carini Gear Box
457	LOT: Assorted Blowers, Gear Boxes & Pumps on (1) Pallet
458	Deublin Pump Model 6400-031-627 625580Z023
459	LOT: Gas Regulators, Brass Bushing, Actuator, Steam Regulator
460	LOT: (2) Joyce Machine Screw Jacks
461	LOT: Thermocouple Assemblies in (2) Crates
462	Eclipse Thermojet Burner Model TJ0025, with Burner Bottom (new, for degasser)
463	Single Strand Rod Feeder, with XRF Control Panel Model XRF/1/100 (new in box, feeds degasser)
464	Alemite Thermo-Aire Heater Assembly (new in box)
465	Motion Industries Hydraulic Power Pack, 20 HP, 4000 PSI
466	LOT: (2) Bottom Graphite Components (new, for furnace stirrers)
467	Chester 2 Ton Hoist
468	Shaw Box 2 Ton Hoist
469	Heat Exchange Plate (new) on Pallet
470	Kadant Digital Blade Tool (new in box)

471	LOT: Machine Parts (new) on (3) Pallets
472	
472	LOT: Machine Parts on (12) Pallets
473	LOT: Machine Parts on (11) Pallets
474	LOT: Machine Parts & Plant Equipment (in marked area)
475	LOT: (2) Transformers, (1) Motor on Stand
476	Reliable LP/CO2 Systems Liquid Carbon Dioxide Fire Suppressant System, S/N 1484486F, with 28,000 lb. Liquid CO2 Storage Tank, Manifold, (8) Zone Controls (located behind Mill #21)
477	Linde/Chemtron Fire Systems Liquid Carbon Dioxide Fire Suppressant System, S/N 09190 (2009), with 16,000 lb. Liquid CO2 Storage Tank, Manifold, (7) Zone Controls
478	LOT: (40+) Carbon Dioxide Fire Extinguisher Cylinders, (15+) Carbon Dioxide Carts
479	Taylor Dunn Custom Designed 2400 lb. Electric Industrial Fire Vehicle Model B-210, S/N 150685 (2002), with Accessory 4-Wheel Trailers (#IPC1416)
480	Fire Brigade Trailer, with Fire Hose & Nozzles
481	Fire Brigade Clean-up Trailer
482	LOT: Fire Equipment (on west wall)
483	LOT: Fire Equipment (on east wall)
484	LOT: Contents of Fire Office
485	LOT: Fire Equipment in (3) Cabinets & Closet
486	LOT: (2) Honeywell Gas Detectors Model PhD6, (3) MultiRAE Plus Gas Detectors
487	LOT: Assorted Motorola Radios, Chargers, Base Station
488	LOT: (3) Streamlite Rechargeable Flashlights

Alpha Aluminum LLC

Day 2

Thursday, May 9, 2019

Online Only Auction

Bidding Platform – Bidspotter.com

Lots 1000 - 1373

Lot Number	Description
1000	Schroeder Fluid Transfer Pump Model MFS118Z25V14, with Filters (new in box)
1001	LOT: Waterloo 12-Drawer Tool Chest, Loaded with Tools
1002	LOT: 7-Drawer Tool Chest, Loaded with Tools
1003	CP 3/4 in. Pneumatic Wrench
1004	CP 3/4 in. Pneumatic Wrench
1005	LOT: (2) 1/2 in. Pneumatic Wrenches, (1) 3/8 in. Pneumatic Wrench
1006	LOT: (6) Assorted Pneumatic Tools in (1) Box
1007	LOT: (2) 1/2 in. Electric Drills
1008	LOT: Assorted 1/2 in. Sockets in (1) Box
1009	LOT: Assorted 3/8 in. Sockets in (1) Box
1010	LOT: Assorted 3/4 in. Sockets in (1) Box, Ratchet
1011	LOT: Assorted 3/4 in. Sockets in (1) Box, Ratchet
1012	LOT: Assorted Wrenches in (1) Box
1013	LOT: Assorted Pliers & Wrenches in (1) Box
1014	LOT: Assorted Pliers & Wrenches in (1) Box
1015	LOT: Assorted Screw Drivers in (1) Box
1016	LOT: Assorted Taps & Dies in (1) Box
1017	LOT: (1) 36 in. Pipe Wrench, (3) 24 in. Aluminum Pipe Wrenches, (2) 12 in. Aluminum Pipe Wrenches
1018	LOT: (8) Assorted Pipe Wrenches in (1) Bucket
1019	LOT: (8) Assorted Pipe Wrenches in (1) Bucket
1020	LOT: Assorted Hammers in (1) Bucket
1021	LOT: Assorted Hammers in (1) Bucket
1022	Hydraulic Pump with Cylinder
1023	4 ft. x 8 ft. Steel Work Table, with 6 in. Heavy Duty Vise
1024	4 ft. x 8 ft. Steel Work Table, with 4 in. Vise
1025	LOT: (4) Plastic Carts on Wheels
1026	LOT: (10) Assorted Tool Cabinets

1027	LOT: Kimball Midwest Stackable Drawer Cabinets, with Assorted Fasteners & Hardware
1028	LOT: Stackable Cubby Hole Cabinets, with Assorted Fasteners & Hardware
1029	LOT: Assorted Fasteners & Hardware
1030	LOT: (4) Vidmar 6-Drawer Cabinets, (1) Lyon 7-Drawer Cabinet, with Fasteners & Hardware
1031	LOT: Assorted Test Equipment on Work Benches, Shelf & Cabinet (located in electric shop room)
1032	LOT: (6) Vidmar Work Benches with Shelf & Power
1033	LOT: (6) Vidmar Work Benches with Shelf & Power
1034	LOT: (5) Vidmar Work Benches with Shelf & Power, (1) Desk
1035	LOT: 30 Gallon Flammable Storage Cabinet, 12 Gallon Flammable Storage Cabinet
1036	LOT: (4) Vidmar Cabinets, with Contents
1037	LOT: (4) Vidmar Cabinets, with Contents
1038	LOT: (2) Work Benches, (1) Drafting Table
1039	LOT: (4) 2-Door Cabinets, Turnstile Parts Cabinet
1040	LOT: (1) Sonobond Aluminum Welder, (1) Shortridge Air Data Multimeter
1041	LOT: (4) 2-Door Cabinets on Stand
1042	Stronghold 60 in. Wide Heavy Duty Cabinet
1043	Stronghold 60 in. Wide Heavy Duty Cabinet
1044	LOT: Assorted Electrical Parts & Supplies on (4) Pallets
1045	LOT: (6) Pneumatic Diaphragm Pumps on (1) Pallet
1046	LOT: (7) Pneumatic Diaphragm Pumps on (1) Pallet
1047	LOT: Assorted Pneumatic Parts & Cylinders on (2) Pallets
1048	LOT: Electrical Components by Allen Bradley, Honeywell, Siemens, etc. on (6) Pallets
1049	LOT: Electrical Components by Allen Bradley, Honeywell, Siemens, etc. on (6) Pallets
1050	Westinghouse Current Breaker DH-50
1050A	Toshiba H9 Adjustable Speed Drive
1050B	LOT: (4) Assorted Drives
1050C	LOT: (2) Allen Bradley 1336 Plus II, (1) Toshiba Transistor Inverter
1050D	LOT: (5) Parker DC Drives Model 590P-DRV-0090-500/001

1050E	LOT: Cable Controllers (new) on (1) Pallet
1050F	LOT: Assorted Circuit Boards & Contents of Room
1051	LOT: Assorted Bearings on (3) Pallets
1052	LOT: Assorted Bearings on (3) Pallets
1053	LOT: Vidmar 14-Drawer Cabinet with Bearings & Accessories
1054	LOT: Vidmar 14-Drawer Cabinet with Bearings & Accessories
1055	LOT: Assorted Bearing Pullers on Cart
1056	LOT: (1) 12 ft. , (1) 8 ft. & (1) 6 ft. Fiberglass Ladders
1057	LOT: (1) 12 ft. , (1) 8 ft. & (1) 6 ft. Fiberglass Ladders
1058	LOT: (1) 8 ft. , (1) 6 ft. & (1) 4 ft. Fiberglass Ladders
1059	LOT: (1) 8 ft. , (1) 6 ft. & (1) 4 ft. Fiberglass Ladders
1060	LOT: (1) 6 ft. Fiberglass Ladder, (4) Assorted Fiberglass Ladders
1061	Instron 500 kg Tensile Tester Model 4201, S/N 331, with 0.5 - 500 mm/min. Cross Head Speed, 26.1 in. Cross Travel, Digital Control Unit with X/Y Plotter/Recorder, Touchpad Controls, LED Display
1062	Bench Top Melting Furnace Model MF-3000, Digital Controls
1063	TMI Digital Micrometer Model 49-70, 0 - 0.050 Range
1064	Adam Bench Top Balance Model GBK-16A, S/N AE947273, 16 lb. x 0.0002 lb.
1065	LOT: Centrifuge Model 800-1, (3) Assorted Hot Plates
1066	Thermo Nicolet FTIR Spectrometer Model Avatar 360 FT-IR ESP
1067	Thermolyne Bench Top Muffle Furnace Model F62735
1068	Mullen Hydraulic Tester Model 10G, S/N 63
1069	LOT: (1) Mettler Balance Model 163, (1) Mettler Balance Model 160
1070	Koehler Instrument Auto Distillation Analyzer Series ADA-5000, with Automatic Determination of Initial & Final Point, Specimen Chamber, PC
1071	Koehler Kinematic Viscosity Bath Series KV3000, with Integrated Timing
1072	Thermo Nicolet FTIR Spectrometer Model IS10, including Uptake Plus 2, Masterflex L/S Digital Standard Drives, PC
1073	Metlab Grinding/Polishing Machine Model Metpol-2V
1074	Labconco Laboratory Chemical Fume Hood Model 7280300, 22 in. x 62 in. Internal Dimensions
1075	RJR Custom Designed & Fabricated Inspection Machine, with Toshiba CCD Magnification Lens with 2X, 2.5X, 3X, 15X Magnification, Custom Air Fixture, Panametrics-NDT 35DL Hand Held LED Display, Digital Readout, Sony Monitor with Moritex Model MHF-100L II Light Source, Dell Optiplex 960 TC Keyboard, HP Laserjet 2300D Printer, Palm Buttons, Dell 19 in. (est.) Flat Screen Monitor
1076	Fisher Accumet PH Meter Model 610A

1077	Olympus Inverted Metallurgical Microscope Model GX41f, S/N 3H41527, with PC
1078	Blue M Bench Top Convection Oven Model SW-17TA-1
1079	Thermo ARL Metal Analyzer, Optical Emission Spectrometer, Spark Tester
1080	Skil Bench Top Vertical Band Saw Model 3386
1081	Dayton 12 in. Plate Shear Model 13W871
1082	LOT: (3) Assorted Precision Sample Cutters
1083	LOT: (6) Assorted Gas Regulators
1084	Van Air Systems Heatless Regenerative Air Dryer
1085	LOT: Balance of Room including (2) Lab Counters, (1) Lab Cabinet, Assorted Lab Equipment, Ultrasonic Cleaner
1086	LOT: (1) 30 Gallon Flammable Cabinet, (1) 15 Gallon Flammable Cabinet, (1) 90 Liter Acid Cabinet
1087	LOT: (8) Cabinets, (4) Desks, Chairs, Computers, 3-Step Rolling Stairway, Office Partitions, Table & Chairs in Break Room
1088	LOT: (1) 36 in 42 in. Micrometer, (1) 30 in 36 in. Micrometer
1089	LOT: (1) 24 in 30 in. Micrometer, (1) 23 Special 25 Micrometer, (1) 24 in 30 in. Micrometer
1090	LOT: (1) 20 in 24 in. Micrometer, (1) 18 in - 24 in. Micrometer, (1) 16 in 20 in. Micrometer
1091	LOT: (1) 20 in 24 in. Micrometer, (2) 12 in - 16 in. Micrometers
1092	LOT: (1) 12 in 16 in. Micrometer, (1) 13 in 14 in. Micrometer, (1) 6 in 12 in. Micrometer
1093	LOT: (1) 9 in 12 in. Micrometer, (1) 6 in 12 in. Micrometer, (1) 12 in 16 in. Micrometer, (2) 2 in 6 in. Micrometers
1094	LOT: (1) 7 in 8 in. Micrometer, (1) 6 in 7 in. Micrometer, (16) Assorted Micrometers
1095	LOT: (2) Precision Square Bars
1096	LOT: (1) 18 in. Precision Level, (1) 12 in. Precision Level
1097	LOT: (3) 12 in. Precision Levels
1098	LOT: Assorted Dial Indicators & Stands
1099	LOT: Assorted Dial Indicators & Stands
1100	LOT: (3) Inside Micrometers, (2) Depth Gauges, (2) Calipers
1101	LOT: Assorted Inspection Gauges, (3) Sound Meters
1102	LOT: Starrett Portable Hardness Tester Model 3811A, (1) Scleroscope Hardness Tester, (1) Biax Scraper
1103	LOT: (2) Slag Skimmers, Fork Extensions, Furnace Tools
1104	LOT: Scale, Rolling Stairway, Metro Rack, Supervisor Desk, Pneumatic Flux Injector, Steel Work Table with Vise

1105	LOT: (2) Stronghold Heavy Duty Cabinets - (1) 60 in. Wide, (1) 48 in. Wide
1106	Stronghold 10-Door Cabinet/Locker
1107	LOT: (2) Portable AC Units
1108	LOT: (2) Portable Tool Racks with Tools, (2) Supervisor Desks, (2) Metro Racks, (2) Steel Horses, (1) Section Pallet Rack, (1) Steel Tool Rack with Tools, (1) 55 Gallon Barrel with Tools
1109	LOT: (3) Stronghold Heavy Duty 2-Door Cabinets - (2) 60 in. Wide, (1) 48 in. Wide & (2) Assorted Cabinets
1110	Stronghold 10-Door Cabinet/Locker
1111	Justrite Acid Storage Cabinet
1112	Delta Rockwell 12 in. Table Saw
1113	Delta Rockwell 20 in. Vertical Band Saw
1114	Max Manufacturing 20 in. Disc Sander
1115	Delta Rockwell 20 in. Pedestal Drill
1116	Torit Donaldson Dust Collector Model VS2400
1117	LOT: 6 in. Double End Bench Grinder on Stand, (1) Aluminum Dolly
1118	LOT: Lista 6-Drawer Tool Cabinet, with Contents
1119	LOT: (1) 50 in. x 140 in. Work Table with 5 in. Vise, (1) 30 in. x 72 in. Maple Top Bench, (1) Portable Steel Tub, Assorted Cabinets
1120	Lincoln Idealarc 300 Amp TIG Welder, Radiator, Foot Control
1121	Hobart 300 Amp Welder
1122	Ridgid Pipe Threader Model 535
1123	Johnson Horizontal Band Saw
1124	Northern 17 in. Pedestal Drill Press
1125	Large Custom Made Bearing/Coupler Puller
1126	LOT: (1) 6 ft. Step Ladder, (1) 10 ft. Step Ladder
1127	Pneumatic Vacuum
1128	Mettler Toledo Portable Digital Scale
1129	Gas Cylinder Rack
1130	LOT: (2) 55 Gallon Vacuums
1131	LOT: Assorted Racks & Cage
1132	LOT: (2) Pedestal Fans, (1) Air Mover

1133	LOT: (1) 55 Gallon Oil Containment Hood, (1) 300 Gallon Stainless Steel Tote
1134	LOT: (2) Double-Side Cantilever Racks with Assorted Pipe, (1) Portable Rack with Assorted Metal Plate & Sheet
1135	LOT: 5-Tier Cantilever Rack with (5) Uprights, with Assorted Pipe
1136	LOT: (6) Assorted Carts, (1) Steel Tote, (1) Steel Table, (2) Oily Rag Containers, (6) Plastic Garbage Cans
1137	LOT: (2) Barrel Trucks, (1) Dolly, (1) Banding Cart
1138	LOT: (1) Portable Work Bench, (3) Portable Cabinets with Plumbing, Pneumatic & Welding Contents, (2) Cabinets with Plumbing Contents, (2) Shelf Units with Electrical Contents
1139	LOT: Contents of Office
1140	LOT: (10) Steel I-Beam Construction Coil Racks
1141	60 in. x 60 in. Hydraulic Coil Up-Ender
1142	Hydraulic Coil Up-Ender (located in warehouse, as is)
1143	Mart Tornado Turntable Parts Washer, with Spray Detergent
1144	LOT: (3) Rolling Tool Boxes, (4) Steel Carts
1145	LOT: (5) Cabinets, (1) Tool Cabinet, (1) Double End Pedestal Grinder, Assorted Roll Tooling & Fixtures
1146	Stronghold 72 in. Wide Heavy Duty Cabinet
1147	LOT: (1) Stronghold 60 in. Wide Heavy Duty Cabinet, (1) 2-Door Cabinet
1148	LOT: (2) Stronghold 72 in. Wide Heavy Duty Cabinets
1149	LOT: (1) Flammable Storage Cabinet, (1) 11-Drawer Vidmar Tool Cabinet, (1) Desk, (1) Cabinet
1150	LOT: 8-Drawer Bottom Section Tool Cabinet, 4-Drawer Middle Section Tool Cabinet, 12-Drawer Top Section Tool Cabinet
1151	LOT: Assorted C-Clamps, Sledge Hammers, Assorted Tools on Work Bench, including Bench & Contents
1152	Portable AC Unit
1153	LOT: (1) Stronghold 6-Door Cabinet/Locker, (1) Stronghold 4-Door Cabinet/Locker
1154	LOT: (2) Bottom Tool Cabinets, (1) Pedestal Floor Fan, (1) Cart
1155	LOT: (2) Supervisor Desks, (1) Computer Station with PC, (1) Cabinet with Printer
1156	Toledo Platform Scale (as is)
1157	LOT: (2) Portable AC Units
1158	LOT: Approx. (172) 21 in 22 in. (est.) x 64 in. Steel Cores
1159	LOT: (2) Sections 1-1/4 in. x 22 in. x 64 in. Tubing
1160	LOT: (25) Steel I-Beam Construction Coil Racks in Assorted Lengths

1161	Steel Slag Skimmer
1162	LOT: Assorted 3 in. & 6 in. Steel Cores on (12) Pallets
1163	LOT: 6 in. Steel Cores in (9) Boxes
1164	LOT: 6 in. Steel Cores in (9) Boxes
1165	LOT: 6 in. Steel Cores in (8) Boxes
1166	LOT: Assorted 6 in. Steel Cores in (38) Racks, Pallets & Boxes
1167	LOT: Assorted 6 in. Steel Cores in (32) Racks, Pallets & Boxes
1168	LOT: Assorted 6 in. Steel Cores in (35) Racks, Pallets & Boxes
1169	LOT: Assorted Cardboard Cores on (3) Pallets
1170	LOT: (5) Scrap Receptacles
1171	LOT: (5) Scrap Receptacles
1172	LOT: (5) Scrap Receptacles
1173	LOT: (5) Scrap Receptacles
1174	LOT: (1) Scrap Receptacle, (2) Scrap Receptacle Compactors
1175	Mettler Toledo Platform Scale Model JAGXTREME, 6000 lb. Capacity
1176	LOT: (70) Stackable Steel Coil Racks
1177	LOT: (70) Stackable Steel Coil Racks
1178	LOT: (35) Stackable Steel Coil Racks
1179	LOT: (86) Stackable Steel Coil Racks
1180	LOT: (55) Stackable Steel Coil Racks
1181	LOT: (6) Coil Racks, I-Beam Construction, in Assorted Sizes
1182	LOT: (13) Sections Coil Rack in Assorted Sizes
1183	LOT: (9) Sections Coil Rack in Assorted Sizes
1184	Stronghold 60 in. Wide Heavy Duty Cabinet
1185	Lighted Inspection Booth
1186	LOT: (3) Portable AC Units
1187	LOT: (3) Portable AC Units
1188	LOT: (4) Portable AC Units

1189	Coppus Vano 250 Blower
1190	LOT: (7) Cabinets with Contents, (1) Supervisor Desk
1191	LOT: (9) Steel Carts & Tables, (2) Craftsman Tool Cabinets
1192	LOT: (10) Assorted Coil Racks & Core Spacers in Crate
1193	LOT: (24) 12 in. Cores with Rack (in north mill area)
1194	LOT: (60) Stackable Steel Coil Racks
1195	LOT: Aluminum Coil Shipping Rack (disassembled) on (10) Pallets
1196	LOT: Aluminum Coil Shipping Rack (disassembled) on (9) Pallets
1197	LOT: Aluminum Coil Shipping Rack (disassembled) on (8) Pallets
1198	LOT: Assorted Aluminum Extrusions on (6) Pallets
1199	LOT: Assorted Aluminum Extrusions on (6) Pallets
1200	LOT: Assorted Aluminum Extrusions on (6) Pallets
1201	LOT: (70) Aluminum Ship Coil Racks
1202	LOT: (27) Aluminum Ship Coil Racks (located in receiving)
1203	LOT: Master Alloy Ingots on (3) Pallets
1204	LOT: FE Additive on (1) Pallet
1205	LOT: MN Additive on (2) Pallets
1206	LOT: (1) Bag Silicon Additive
1207	LOT: (16) Coils Master Alloy Wire - Aluminum, Titanium, Boron 5:1
1208	LOT: (12) Barrels American Metal Chemical NS-411 Additive
1209	LOT: Approx. (190) 10 lb. Bags Pyrotek Promag SI on (1) Pallet
1210	LOT: Oil-Dri Supreme 55 on (3) Pallets
1211	LOT: ATC1-CELR PSF21 on (3) Pallets
1212	LOT: ATC1-CELR PSF27 on (4) Pallets
1213	LOT: EP Minerals EP-905 on (1) Pallet
1214	LOT: (18) Rolls of Filter Paper, Item #S375-41275 on (2) Pallets
1215	LOT: Lauric Acid 99% FGK Flakes on (1) Pallet
1216	LOT: Dura Block on (1) Pallet

1217	LOT: Ice Melt Salt on (4) Pallets
1218	LOT: Approx. (300+) Empty 55 Gallon Drums
1219	LOT: Oil-Dri Pure-Flo B80 on (7) Pallets
1220	LOT: Oil-Dri Pure-Flo B80 on (7) Pallets
1221	LOT: (2) Self Dumping Hoppers
1222	LOT: (2) Self Dumping Hoppers
1223	LOT: (2) Self Dumping Hoppers
1224	LOT: (2) Self Dumping Hoppers
1225	LOT: (2) Self Dumping Hoppers
1226	LOT: (2) Self Dumping Hoppers
1227	LOT: (2) Self Dumping Hoppers
1228	LOT: (2) Self Dumping Hoppers
1229	LOT: (2) Self Dumping Hoppers
1230	LOT: (2) Self Dumping Hoppers
1231	LOT: (2) Self Dumping Hoppers
1232	LOT: (2) Self Dumping Hoppers
1233	LOT: (2) Self Dumping Hoppers
1234	LOT: (3) Self Dumping Hoppers on Wheels
1235	LOT: (2) Self Dumping Hoppers on Wheels
1236	LOT: (2) Self Dumping Hoppers on Wheels
1237	LOT: (1) 8-Step, (1) 5-Step & (1) 4-Step Rolling Stairways
1238	LOT: (8) Supervisor Desks
1239	LOT: (4) Stanley Vidmar Cabinets, with Contents
1240	LOT: (4) Stanley Vidmar Cabinets, with Contents
1241	LOT: (4) Lyon Cabinets, with Contents
1242	LOT: (1) Stanley Vidmar Maple Top Tool Cabinet & (1) Steel Cart, with Contents
1243	Stronghold 60 in. Heavy Duty Cabinet
1244	Stronghold 60 in. Heavy Duty Cabinet

1245	LOT: (2) Flammable Storage Cabinets
1246	LOT: Assorted Safety Equipment on (1) Pallet
1247	LOT: (18) Sections Pallet Rack with Contents, (2) Hose Reel Racks
1248	LOT: (22) Sections Heavy Duty Shelving with Contents including Plant Supplies, Machine Parts, Safety Gear, New Motors, Shipping Supplies
1249	LOT: (2) 5-Step & (1) 2-Step Rolling Stairways
1250	Allen Bradley LED Inview Message Display (new)
1251	LOT: (45) 8 in. Wire Wheels (new), on Cart
1252	LOT: (1) Locker, (1) Cabinet, (1) Pedestal Fan, (2) Desks, (2) Chairs, (2) Plastic Garbage Cans
1253	LOT: Contents of Shipping Office including (2) Desks, (2) Credenzas, (5) File Cabinets, (4) Chairs, (1) Toshiba Copier, PC, DVR
1254	LOT: Pneumatic Clamp, Jib Crane, Pneumatic Strapping Tools & Cart, Scale (used for constructing coil shipping racks)
1255	Inspection Light Table
1256	LOT: (20) Sections Assorted Pallet Rack, with Contents
1257	LOT: Shipping Line consisting of 64 in. x 46 ft. (est.) Power Roller Conveyor with (2) In-Line Digital Scales, PC Cabinet, Printer Cabinet, Supervisor Desk, Flammable Storage Cabinet, 42 in. x 30 ft. Conveyor, Desk, Fan, Stronghold 48 in. Heavy Duty Cabinet, (3) Assorted Cabinets & Chairs
1258	LOT: (3) AC Units
1259	LOT: (30) Rolls 1-1/4 in. Strapping, (7) Rolls 5/8 in. Strapping
1260	LOT: (23) Rolls 5/8 in. Strapping
1261	LOT: (24) Rolls 5/8 in. Strapping
1262	LOT: (32) Rolls 5/8 in. Poly Strapping
1263	LOT: Assorted Size Strapping Clips on (1) Pallet
1264	LOT: Signode Anti-Skid Plates on (1) Pallet
1265	LOT: (2) Strapping Carts
1266	LOT: (2) Strapping Carts
1267	LOT: (2) Strapping Carts
1268	LOT: (2) Strapping Carts
1269	OR-T-400 Battery Operated Hand Tool for Plastic Strapping (new in box)
1270	OR-T-400 Battery Operated Hand Tool for Plastic Strapping, with (2) Batteries
1271	Signode Pneumatic Combination Strapping Tool Model AMPT-12 (for plastic)
1272	Signode Pneumatic Tensioner Model PN2-114 (new in box)

1273	LOT: (3) Signode Pneumatic Strapping Sealers
1274	LOT: (2) Sets Strapping Tools (new), (1) MIP-1800 Pusher Bar Tensioner (new)
1275	LOT: (3) Sets Assorted Strapping Tools
1276	LOT: (3) Sets Assorted Strapping Tools
1277	LOT: (3) Sets Assorted Strapping Tools
1278	LOT: (3) Sets Assorted Strapping Tools
1279	LOT: Assorted Strapping Tools in (3) Boxes
1280	Wulftec Rotary Arm Stretch Wrapper Model WRT-200, S/N 0699-4667
1281	LOT: Stretch Wrap on (2) Pallets
1282	LOT: Contents of Shipping Office (inside & outside) including Desks, Chairs, Tables, PC, Toshiba Copier, File Cabinets, Refrigerator, Microwave Oven, Cabinets, Locker, Flammable Storage Cabinet, (1) Section Pallet Rack
1283	LOT: Approx. (105) 56 in. x 56 in. Wood Pallets (new)
1284	LOT: (50) 48 in. x 48 in. Wood Pallets (new)
1285	LOT: (144) 41 in. x 16.04 in. x .665 in. Cardboard Cores on (24) Pallets
1286	LOT: Assorted Steel Cores on (12) Pallets & Boxes
1287	LOT: (175+) Assorted Wood Boxes (located in shipping)
1288	LOT: Assorted Lumber 2x4s & 3x4s on (14) Pallets
1289	LOT: Contents of Filter Cage including Assorted Filters & Shelving
1290	LOT: (15) Assorted Steel & Plastic 4-Wheel Carts
1291	LOT: (50+) 48 in. x 48 in. Plastic Pallets
1292	Genie 500 lb. Electric Manlift Model Z30/20HD, S/N 3.086E+11 (1987) (#IEL1086)
1293	Lift-A-Loft 500 lb. Vertical Mast Electric Aerial Lift Model VAL3-16, S/N VAL1561 (1976), 16 ft. Lift Height
1294	Lift-A-Loft 500 lb. Vertical Mast Electric Aerial Lift Model 55-28, S/N MCL-8719 (1985), 16 ft. Lift Height
1295	Lift-A-Loft 500 lb. Vertical Mast Electric Aerial Lift Model MCL28.04EE, S/N MCL48-2205 (2007), 28 ft. Lift Height, 30 in. x 102 in. Platform, 10 ft. 2 in. Horizontal Reach (as is)
1296	Linde 4500 lb. Diesel Forklift Model H20-600, S/N H2X350N0327920 (2002), Solid Tires, Overhead Guard, 2-Stage Mast (#IDF029)
1297	Linde 4500 lb. Diesel Forklift Model H20-600, S/N H2X350N0328020 (2002), Solid Tires, Overhead Guard, 2-Stage Mast (#IDF030)
1298	Hyster 15,000 lb. Diesel Forklift Model B024V01656Z (2002), Solid Tires, Overhead Guard, 2-Stage Mast (#IDF027) (as is)
1299	Allis Chalmers 12,000 lb. Electric Forklift Model ACE120K, S/N ACE120KEV36V (1985), Solid Tires, Overhead Guard, 2-Stage Mast (#IEF46) (no battery, as is)
1300	Hyster 15,000 lb. Diesel Forklift Model S155XL, S/N B024D03799S (1998), Solid Tires, Overhead Guard, 3-Stage Mast (#IDF014) (as is)

1301	Waldon Articulated Loader Model 1500, S/N 5129044003, Solid Tires, 1700 lb. Capacity (as is)
1302	Clark 4500 lb. Electric Forklift Model ES25, Solid Tires, 3-Stage Mast (as is)
1303	Clark 4500 lb. Electric Forklift Model EC25, Solid Tires, 3-Stage Mast, Squeeze & Rotate Attachment (as is)
1304	Clark 4250 lb. Electric Forklift Model EC300, S/N 1080 (no battery, as is)
1305	Clark 8000 lb. Electric Forklift Model ECS-30, S/N E357-0189 (1987), Solid Tires, Overhead Guard, 2-Stage Mast (#IEF1146) (no battery, as is)
1306	Hawker LifePlus Smart Battery Charger Model L600
1307	Hawker LifePlus Smart Battery Charger Model L600
1308	Hawker LifePlus Smart Battery Charger Model L600
1308A	Hawker LifePlus Smart Battery Charger Model L600
1309	CD Technologies Ferror Five FR Series Battery Charger Model FR18L1360, 36 Volt
1310	CD Technologies Ferror Five FR Series Battery Charger Model FR18L1360, 36 Volt
1311	CD Technologies Ferror Five FR Series Battery Charger Model FR18L1360, 36 Volt
1312	CD Technologies Ferror Five FR Series Battery Charger Model FR18L1360, 36 Volt
1313	CD Technologies Ferror Five FR Series Battery Charger Model FR18L1360, 36 Volt
1314	CD Technologies Battery Charger Model IFR18L1000, 36 Volt
1315	CD Technologies Battery Charger Model IFR18L1000, 36 Volt
1316	CD Technologies Battery Charger Model IFR18L1000, 36 Volt
1317	CD Technologies Battery Charger Model IFR18L1000, 36 Volt
1318	GNB Battery Charger Model SCR20012600T1C, 24 Volt
1319	Hobart Battery Charger Model AC2000, 36 Volt
1320	C&D Battery Charger Model FR18KL1360, 36 Volt
1321	Lestronic Battery Charger, 24 Volt
1322	LOT: (2) 30 in. x 82 in. Heavy Duty Battery Charger Wood Top Racks
1323	LOT: (1) 30 in. x 126 in. & (1) 30 in. x 224 in. Heavy Duty Battery Charger Wood Top Racks
1323A	Tennant Electric Rider Floor Scrubber Model 5700, S/N 5700-19800 (2002) (#IES1414)
1323B	Tennant Electric Rider Floor Scrubber Model 6550, S/N 9202 (#IES-1428)
1324	Battery Handling Systems 6000 lb. Lifting Beam
1325	Caldwell Forklift Boom

1326	Caldwell Forklift Boom
1327	Coil Attachment for Forklift
1328	LOT: Assorted Forklift Forks on (3) Pallets
1329	LOT: (3) Batteries on (2) Pallets
1330	LOT: (2) Pallet Jacks
1331	JH Industries Copperloy 16,000 lb. Steel Ramp Model DGS16-96-30, 96 in. x 25 ft. (est.), with 96 in. x 96 in. Dock Leveler Model SEL3072CG
1332	Highland Secondary Containment Diesel Fuel Tank, with 600 Gallon Containment Basin, Electric Fuel Pump with Meter
1333	Budgit 2 Ton Electric Chain Hoist, with Pendant
1334	CM Lodestar 2-Part Chain Hoist, with Pendant
1335	Yale 2 Ton Traveling Cable Hoist, with Pendant
1336	4 ft. x 10 ft. Above-Ground Tank Scale, with Mettler Toledo Lynx 5000 lb. Digital Readout, 500 lb. Gas Tank Carrier
1337	LOT: Contents of Trailer including Electrical Components, Wire, Circuit Breakers, etc.
1338	72 in. Fan
1339	72 in. Fan
1340	LOT: Copper Wire on (1) Pallet
1341	LOT: Assorted Barrel Lifts on (1) Pallet
1342	LOT: (4) 36 Volt Battery Chargers & (1) Transformer on (3) Pallets
1343	Gas Cylinder Rack
1344	LOT: Large Assortment Machine & Plant Parts
1345	LOT: (23) Sections 42 in. x 110 in. x 16 ft. (est.) 3-Tier Pallet Rack
1346	Steel Coil Rack (located outside)
1347	LOT: (4) Bin Cabinets with Electrical Contents
1348	LOT: (2) Flammable Storage Cabinets
1349	LOT: (3) Vidmar Tool Storage Cabinets, with Contents
1350	LOT: (4) Pallets, (1) Cart, (2) Cabinets, with Electrical Components
1351	LOT: Stronghold 72 in. Wide Heavy Duty 2-Door Cabinet, Vidmar Tool Cabinet, Cabinet
1352	Blaw Knox Gear Box (as is)
1353	LOT: Assorted Plant & Machine Parts & Supplies

1354	LOT: (8) Sections Assorted Pallet Rack
1355	LOT: (3) Tool Chests, Vidmar Cabinet, (2) Cabinets, (2) Carts, Assorted Wire
1356	Weight Bench, with Weights
1357	Schwinn Air Dyne 6 Exercise Bicycle
1358	True PS/50 Exercise Bicycle
1359	Schwinn Soft Trak Journey 8.5 Treadmill
1360	LOT: (1) Pedestal Fan, (1) 32 in. Toshiba Television, (1) Professional Scale
1361	LOT: Assorted Carts, Racks, Scrap
1362	LOT: (5) Self Dumping Hoppers with Scrap
1363	LOT: (13) Combination Lunch Table/Seats
1364	LOT: Manitowoc Ice Makers Models QD0452A, QFA291
1365	Stainless Steel Table with Cabinet
1366	Tennant Floor Cleaning Machine
1367	LOT: (5) Tables, (4) Cabinets, (3) Microwave Ovens, (1) Television
1368	LOT: Contents of Reception Area including (9) Offices & (2) Closets
1369	Toshiba Copier Model Studio 4540c
1370	Toshiba Copier Model 2830c
1371	Kip Blueprint Printer Model KIP3100
1372	LOT: Contents of (12) Offices (located south end of 2nd floor main office - no manuals)
1373	LOT: Contents of (10) Offices (located north end of 2nd floor main office - no manuals)