



Streater, LLC Auction Buyer's Guide

411 S. 1st Ave.
Albert Lea, MN 56007

Auction

Day 1- Live Webcast – March 16, 2021, 10:00 am, CT

Day 2- Online Timed – March 17, 2021, 10:00 am, CT

Inspection

March 15th & 16th, 2021 – 9:00 am – 4:00 pm, CT

**FACE MASKS REQUIRED FOR ALL ONSITE VISITS
(INSPECTION, REMOVAL, ETC.)**

DAY 1 - LIVE WEBCAST

DAY 2 - ONLINE ONLY

IMPORTANT INFORMATION

BUYER'S PREMIUM: Online buyers will be charged an 18% buyer's premium.

PAYMENT INFORMATION: Everything is being sold for cash on an "AS IS", "WHERE IS" basis without warranties expressed or implied. All payments must be made by **Wire Transfer, ACH Transfer, Cash, Money Order, Cashier's Check, or Company Check. Company checks are only acceptable if accompanied by a bank letter of guarantee.**

ALL INVOICES MUST BE PAID UPON RECEIPT: Any merchandise not paid for by this time will be considered abandoned and may be resold by the auctioneer, any loss incurred in the resale to be borne by the original buyer.

SALES TAX: All sales subject to state and local sales tax of 7.875 % where applicable. Sales tax will be charged on the total purchase price of an item, which includes the buyer's premium. If tax exempt, buyer will be required to complete the tax-exempt form for the state that the auction is being held.

REMOVAL: All items must be removed by Friday, April 2, 2021 by 4:00 pm, CT at which time our representative will leave the premises. All items remaining after this time **WILL BE** considered abandoned.

CHECKOUT/REMOVAL HOURS (WITH PAID IN FULL INVOICE):

Thursday, March 18, 2021 – Friday, April 2, 2021

8:00 am – 4:00 pm, CT

Monday - Friday

Weekends by appointment only

NO MERCHANDISE MAY BE REMOVED WHILE THE SALE IS IN PROGRESS! ALL BIDDERS MUST COMPLY WITH OUR CUSTOMARY "TERMS OF SALE" COPIES, WHICH ARE ATTACHED TO THIS CATALOG, AS WELL AS THROUGHOUT THE PREMISES.

PPL GROUP LLC
105 Revere Drive, Suite C
Northbrook, IL 60062
224-927-5320
sales@pplauctions.com
www.pplauctions.com

PPL AUCTIONS – General Terms of Sale

NOTICE: ALL BIDDERS AND OTHER PERSONS ATTENDING AUCTION SALES AGREE THAT THEY HAVE READ AND HAVE FULL KNOWLEDGE OF THESE TERMS AND AGREE TO BE BOUND THEREBY.

- 1. REGISTRATION:** TO REGISTER LOGIN TO WWW.BIDSPOTTER.COM AND SEARCH FOR THE AUCTION YOU WISH TO PARTICIPATE IN (CONTROL + F). ONCE YOU LOCATE THE AUCTION, CLICK THE “SIGN UP” BUTTON. IF YOU HAVE REGISTERED WITH BIDSPOTTER IN THE PAST, ENTER YOUR USERNAME AND PASSWORD. IF YOU HAVE NEVER USED BIDSPOTTER, CLICK ON THE ‘REGISTER’ BUTTON. ENTER THE REQUIRED CONTACT INFORMATION AND SELECT A USERNAME AND PASSWORD AND SUBMIT FORM. YOU WILL RECEIVE AN EMAIL CONFIRMATION OF YOUR REGISTRATION FOR THE AUCTION WITH YOUR BIDDER PADDLE NUMBER. YOU WILL ALSO RECEIVE AN APPROVAL EMAIL FROM THE AUCTION HOUSE ONCE APPROVED. ON THE DATE OF THE AUCTION, LOGIN TO BIDSPOTTER WITH YOUR USERNAME AND PASSWORD. YOU WILL BE ABLE TO VIEW A PHOTO OF EACH LOT WHILE LISTENING TO THE LIVE AUDIO (IF AVAILABLE). BIDDERS ARE RECOMMENDED TO REGISTER 48 HOURS PRIOR TO THE SALE TO AVOID ANY ISSUES THAT MAY OCCUR.
- 2. PAYMENT:** ITEMS MUST BE PAID IN FULL UPON RECEIPT OF INVOICE. A BUYER'S PREMIUM OF 18% FOR ON-LINE BIDDERS WILL BE APPLIED TO YOUR INVOICE IN ADDITION TO THE SALES PRICE. SALES TAX WILL BE CHARGED ON THE TOTAL PURCHASE PRICE OF AN ITEM, WHICH INCLUDES THE BUYER'S PREMIUM. THE BUYERS PREMIUM MAY CHANGE WITH EACH INDIVIDUAL AUCTION. ALWAYS REFER TO THE INDIVIDUAL TERMS WITH EACH OF OUR AUCTIONS. BUSINESS CHECKS WILL NOT BE ACCEPTED WITHOUT A LETTER OF GUARANTEE FROM YOUR BANK. NO MERCHANDISE WILL BE RELEASED UNTIL INVOICE IS FULLY PAID.
- 3. TAXES:** PRICES MAY NOT INCLUDE ANY FEDERAL, STATE, OR LOCAL TAXES, WHICH ARE IN ADDITION TO THE PURCHASE PRICE AND MUST BE PAID BY PURCHASER. SALES TAX WILL BE CHARGED ON THE TOTAL PURCHASE PRICE OF AN ITEM, WHICH INCLUDES THE BUYER'S PREMIUM. MACHINERY AND EQUIPMENT USED IN THE MANUFACTURING OR ASSEMBLY OF TANGIBLE PERSONAL PROPERTY FOR WHOLESALE OR RETAIL SALE ARE EXEMPT FROM TAX IN THE STATE OF ILLINOIS. OTHERWISE PURCHASER MUST FURNISH A TAX EXEMPTION CERTIFICATE, ANY SALES, USE, EXCISE, OR OTHER SIMILAR TAX, WHERE APPLICABLE, SHALL ALSO BE THE RESPONSIBILITY OF PURCHASER AND MAY, AT THE ELECTION OF PPL, BE ADDED TO THE QUOTED PURCHASE PRICE AND INVOICED BY PPL TO PURCHASER. THE FAILURE OF PPL TO INVOICE SUCH TAXES DOES NOT EXCUSE THE PURCHASER FROM RESPONSIBILITY FOR PAYING SAME. WHEN A SALE IS IN A STATE OTHER THAN THE STATE OF ILLINOIS, THERE WILL BE SPECIFIC INFORMATION RELATIVE TO THE SALES TAX RATES AND ANY EXEMPTION TO THE SPECIFIC AUCTION SALE AND WILL BE POSTED WITH EACH INDIVIDUAL AUCTION SALE ON OUR WEB SITE.
- 4. REMOVAL:** EACH AUCTION WILL HAVE SPECIFIC INFORMATION RELATIVE TO THE TIMES OF REMOVAL. ALL ITEMS MUST BE OFF THE PREMISES BY A SPECIFIC TIME AND DATE. ALL ITEMS REMAINING AFTER THE SPECIFIED TIME WILL BE CONSIDERED ABANDONED.
- 5. LIABILITY:** PURCHASES MAY BE REMOVED ONLY ON PRESENTATION OF PAID BILL. REMOVAL SHALL BE AT THE EXPENSE, RISK AND LIABILITY OF THE PURCHASER. AUCTIONEER SHALL NOT BE RESPONSIBLE FOR GOODS NOT REMOVED WITHIN THE TIME ALLOWED BUT SHALL HAVE THE OPTION TO REMOVE AND STORE AT THE EXPENSE AND RISK OF THE PURCHASER ANY ARTICLE PURCHASED, BUT NOT PAID FOR AND REMOVED WITHIN THE TIME AFORESAID. A CERTIFICATE OF INSURANCE IS REQUIRED FOR ALL RIGGERS AND SHOULD BE PRESENTED TO PPL GROUP LLC AT THE AUCTION SITE. IF YOU INTEND TO DO YOUR OWN RIGGING AND USE A POWERED VEHICLE IN THE PROCESS, YOU MUST HAVE A CERTIFICATE OF INSURANCE. CONTACT PPL GROUP LLC FOR INSURANCE REQUIREMENTS FOR SPECIFIC AUCTION. IF YOU CAN MOVE YOUR PURCHASES BY HAND OR WITH A NON-POWERED ITEM, SUCH AS A CART, YOU DO NOT NEED TO PRESENT US WITH A CERTIFICATE OF INSURANCE. PPL GROUP LLC IS NOT A RIGGING COMPANY AND THEREFORE WILL NOT BE ABLE TO HELP WITH ANY RIGGING.
- 6. MANNER OF PAYMENT:** ALL CHECKS FOR DEPOSIT AND BALANCES DUE SHALL BE PAYABLE TO THE ORDER OF PPL GROUP LLC. ALL BILLS MUST BE PAID TO REPRESENTATIVES OF THE AUCTIONEER AT THE FACILITY UNLESS OTHERWISE ANNOUNCED. THE FULL PURCHASE PRICE ON ALL LOTS SOLD TO THE SAME BUYER MUST BE PAID WITHIN THE TIME FIXED AND BEFORE REMOVAL OF ANY OF THE GOODS.
- 7. ISSUANCE OF TITLE:** TITLES RELATIVE TO TITLED ASSETS PURCHASED WILL BE MAILED TO THE PURCHASER'S ADDRESS ON FILE AFTER PAYMENT HAS BEEN RECEIVED AND CLEARED.
- 8. CONDITION OF ARTICLES SOLD:** NEITHER THE AUCTIONEER NOR THE SELLER SHALL BE RESPONSIBLE FOR THE CORRECT DESCRIPTION, GENUINENESS, AUTHENTICITY OF, OR DEFECT IN ANY LOT, AND MAKES NO WARRANTY IN CONNECTION

THEREWITH. NO SALE SHALL BE SET ASIDE NOR ALLOWANCE MADE ON ACCOUNT OF ANY INCORRECTNESS, ERROR IN CATALOGING, OR ANY IMPERFECTION NOT NOTED. NO DEDUCTION ALLOWED ON DAMAGED ARTICLES, ALL ARTICLES BEING EXPOSED FOR PUBLIC EXHIBITION, AND SOLD "AS IS" AND WITHOUT RECOURSE. ARTICLES ARE NOT WARRANTED AS MERCHANTABLE OR FIT FOR ANY PARTICULAR PURPOSE, AND NO CLAIM MAY BE MADE BY PURCHASER RELATING TO THE CONDITION OR USE OF ARTICLES PURCHASED OR FOR PROXIMATE OR CONSEQUENTIAL DAMAGES ARISING THEREFROM.

9. **SAFETY DEVICES:** ARTICLES PURCHASED MAY NOT INCORPORATE APPROVED ACTIVATING MECHANISMS, OPERATING SAFETY DEVICES OR SAFETY GUARDS, AS REQUIRED BY OSHA OR OTHERWISE. IT IS PURCHASER'S RESPONSIBILITY THAT ARTICLES PURCHASED BE SO EQUIPPED AND SAFEGUARDED TO MEET OSHA AND ANY OTHER REQUIREMENTS BEFORE PLACING SUCH ARTICLES INTO OPERATION.

10. **INDEMNIFICATION:** PURCHASER SHALL DEFEND AND INDEMNIFY AND HOLD AUCTIONEER AND SELLER HARMLESS FROM AND AGAINST ALL CLAIMS AND LIABILITIES RELATING TO THE CONDITION OF, REMOVAL OF, OR USE OF THE ARTICLES PURCHASED OR FAILURE OF USER TO FOLLOW INSTRUCTIONS, WARNINGS OR RECOMMENDATIONS OF THE MANUFACTURER, OR TO COMPLY WITH FEDERAL, STATE, AND LOCAL LAWS APPLICABLE TO SUCH ARTICLES, INCLUDING OSHA REQUIREMENTS, AND ENVIRONMENTAL PROTECTION AGENCY REQUIREMENTS, OR FOR PROXIMATE OR CONSEQUENTIAL DAMAGES, COSTS OR LEGAL EXPENSES ARISING THEREFROM.

11. **CLAIMS:** NO CLAIMS WILL BE ALLOWED AFTER REMOVAL OF GOODS FROM PREMISES OR LEFT ON PREMISES PAST ALLOWED TIME LIMIT.

12. **RESPONSIBILITY FOR NON-DELIVERY:** NEITHER THE AUCTIONEER NOR THE SELLER, IN ANY EVENT, SHALL BE LIABLE FOR NON-DELIVERY OR FOR ANY OTHER MATTER OR THING, TO ANY PURCHASER OF ANY LOT, OTHER THAN FOR THE RETURN TO THE PURCHASER OF THE DEPOSIT OR SUM PAID ON SAID LOT, SHOULD THE PURCHASER BE ENTITLED THERETO.

13. **COMPLIANCE WITH TERMS OF SALE:** IN DEFAULT OF PAYMENT OF BILLS IN FULL WITHIN THE TIME THEREIN SPECIFIED, THE AUCTIONEER IN ADDITION TO ALL OTHER REMEDIES ALLOWED BY LAW MAY RETAIN ALL MONIES RECEIVED AS DEPOSIT OR OTHERWISE, AS LIQUIDATED DAMAGES. LOTS NOT PAID FOR AND REMOVED WITHIN THE TIME ALLOWED HEREIN MAY BE RESOLD AT PUBLIC OR PRIVATE SALE WITHOUT FURTHER NOTICE, AND ANY DEFICIENCY, TOGETHER WITH ALL EXPENSES AND CHARGES OF RESALE INCLUDING LEGAL FEES, WILL BE CHARGED TO THE DEFAULTING PURCHASER.

14. **RISK TO PERSON AND PROPERTY:** PERSONS ATTENDING DURING EXHIBITION, SALE OR REMOVAL OF GOODS ASSUME ALL RISKS OF DAMAGE OF OR LOSS TO PERSON AND PROPERTY AND SPECIFICALLY RELEASE THE AUCTIONEER AND SELLER FROM LIABILITY THEREFORE. NEITHER THE AUCTIONEER NOR HIS PRINCIPAL SHALL BE LIABLE BY REASON OF ANY DEFECT IN OR CONDITION OF THE PREMISES ON WHICH THE SALE IS HELD.

15. **ADDITION TO OR WITHDRAWAL FROM SALE:** THE AUCTIONEER RESERVES THE RIGHT TO WITHDRAW FROM SALE ANY OF THE PROPERTY LISTED OR TO SELL AT THIS SALE PROPERTY NOT LISTED, AND ALSO RESERVES THE RIGHT TO GROUP ONE OR MORE LOTS INTO ONE OR MORE SELLING LOTS OR TO SUBDIVIDE INTO TWO OR MORE SELLING LOTS. WHENEVER THE BEST INTEREST OF THE SELLER WILL BE SERVED, THE AUCTIONEER RESERVES THE RIGHT TO SELL ALL THE PROPERTY LISTED, IN BULK.

16. **SALE BY ESTIMATED WEIGHT, COUNT OR MEASURE:** WHEN ITEMS ARE SOLD BY ESTIMATED WEIGHT, COUNT OR MEASURE, THE PURCHASER WILL BE BILLED FOR AND REQUIRED TO PAY FOR THE ESTIMATED WEIGHT, COUNT OR MEASURE. IF, UPON DELIVERY, ANY SHORTAGE EXISTS, THE PURCHASER WILL RECEIVE A REFUND AT THE RATE OF PURCHASE. IF THERE BE AN EXCESS, THE PURCHASER WILL BE REQUIRED TO TAKE AND PAY FOR SUCH EXCESS, AT THE RATE OF PURCHASE. (SEE PARAGRAPH 4 FOR TIME AND GUARANTEE LIMITATION.)

17. **DISPUTE BETWEEN BIDDERS:** IF ANY DISPUTE ARISES BETWEEN TWO OR MORE BIDDERS, THE AUCTIONEER MAY DECIDE THE SAME OR PUT THE LOT UP FOR SALE AGAIN AT ONCE AND RESELL TO THE HIGHEST BIDDER. THE AUCTIONEER'S DECISION SHALL BE FINAL AND ABSOLUTE.

18. **RESERVE:** THE AUCTIONEER RESERVES THE RIGHT TO REJECT ANY AND ALL BIDS. ON LOTS UPON WHICH THERE IS A RESERVE, THE AUCTIONEER OR HIS ASSIGNED AGENTS, SHALL HAVE THE RIGHT TO BID ON BEHALF OF THE SELLER.

19. **RECORDS:** THE RECORD OF SALE KEPT BY THE AUCTIONEER AND BOOKKEEPER WILL BE TAKEN AS FINAL IN THE EVENT OF ANY DISPUTE.

20. INDEPENDENT CONTRACTOR: THE AUCTIONEER IS ACTING AS AN INDEPENDENT CONTRACTOR ONLY AND IS NOT RESPONSIBLE FOR THE ACTS OF ITS PRINCIPALS OR SELLERS.

21. ADDITIONAL TERMS AND CONDITIONS: THE AUCTIONEER MAY ADD OTHER TERMS AND CONDITIONS OF SALE, SUCH ADDITIONAL TERMS AND CONDITIONS TO BE ANNOUNCED PRIOR TO THE AUCTION AND ALSO POSTED WITH THE SPECIFIC AUCTION.

This catalogue on the following pages is meant merely as a guide. The auctioneer does not warrant the genuineness, accuracy or count of any items described herein.

DAY 1

Lot Number	Description
1	Milwaukee Magnetic Drill Model 4220, LOCATION: TOOL ROOM
2	Sheet Metal Nibbler, LOCATION: TOOL ROOM
3	DiAcro Manual Turret Punch (#970), LOCATION: TOOL ROOM
4	LOT: Whitney Jensen 24 in. Punch, with Large Quantity Assorted Punches, LOCATION: TOOL ROOM
5	Milwaukee Die Filer, with Stand, LOCATION: TOOL ROOM
6	Milwaukee Profile Grinder, with Stand (1223), LOCATION: TOOL ROOM
7	Cyclone Sand Blaster, Vacuum (#2040), LOCATION: TOOL ROOM
8	Foley Saw Blade Filer Model 387 (#217), LOCATION: TOOL ROOM
9	Wells Horizontal Band Saw Model 8M (#132), LOCATION: TOOL ROOM
10	Foley Carbide Saw Grinder Model 357 (#216), LOCATION: TOOL ROOM
11	LOT: Richards Multiform Bench Saw Model CS, with Cabinet, LOCATION: TOOL ROOM
12	Richards Double End Tool Grinder Model 2E, with Stand, LOCATION: TOOL ROOM
13	12 in. Double End Grinder, 2 HP, with Stand (#128), LOCATION: TOOL ROOM
14	Baldor 6 in. Double End Grinder (#118), LOCATION: TOOL ROOM
15	LOT: 6 in. Double End Tool Grinder, with (2) Cabinets (#1749), LOCATION: TOOL ROOM
16	10 in. Vertical Belt Sander (#129), LOCATION: TOOL ROOM
17	Rockwell 6 in. Vertical Belt Sander Model 31-630 (#126), LOCATION: TOOL ROOM
18	1 in. Vertical Belt Sander, LOCATION: TOOL ROOM
19	Field Router Bit Grinder (#228), LOCATION: TOOL ROOM
20	Dumore Router Bit Grinder (#219), LOCATION: TOOL ROOM
21	LOT: VariMatic 10 in. Precision Drill Press, with Table, LOCATION: TOOL ROOM
22	Wilton Strands 20 in. Drill Press Model 20740, 14 in. x 20 in. T-Slot Table, LOCATION: TOOL ROOM
23	Wilton Strands 24 in. Drill Press Model 24513, 18 in. x 24 in. T-Slot Table (#494), LOCATION: TOOL ROOM
24	Bridgeport Vertical Mill, S/N 86240, 9 in. x 42 in. Work Table, DRO (#116), LOCATION: TOOL ROOM
25	6 in. Vise, LOCATION: TOOL ROOM
26	Bridgeport Series I 2 HP Vertical Mill, 9 in. x 42 in. Power Feed Work Table, Rapid 8 Power Draw Bar, DRO, LOCATION: TOOL ROOM
27	6 in. Vise, LOCATION: TOOL ROOM

28	Bridgeport Series I 2 HP Vertical Mill, S/N 235323, 9 in. x 42 in. Power Feed Work Table, Rapid 8 Power Draw Bar, DRO (#1752), LOCATION: TOOL ROOM
29	6 in. Swivel Base Vise, LOCATION: TOOL ROOM
30	Bridgeport 1 HP Vertical Mill, S/N 49370, 9 in. x 42 in. Power Feed Work Table (#119), LOCATION: TOOL ROOM
31	6 in. Swivel Base Vise, LOCATION: TOOL ROOM
32	Bridgeport 1 HP Vertical Mill, S/N 65186, 9 in. x 42 in. Work Table (#122), LOCATION: TOOL ROOM
32A	6 in. Vise, LOCATION: TOOL ROOM
33	Bridgeport 1 HP Vertical Mill, S/N 37926, 9 in. x 42 in. Work Table (#138), LOCATION: TOOL ROOM
34	Bridgeport 6 in. Vise, LOCATION: TOOL ROOM
35	Johansson Vertical Mill, S/N 31720, 24 in. x 48 in. T-Slot Table, Coolant Pump (#168), LOCATION: TOOL ROOM
36	Van Norman 3 HP Ram Type Mill Model 22M, S/N 7487, #50 National Standard Taper, Hole thru Spindle, 10 in. x 50 in. Table, Coolant Pump (#120), LOCATION: TOOL ROOM
37	LOT: Assorted Attachments for Van Norman Mill including 8 in. Vise, 90 Degree Heads, Portable Work Table, LOCATION: TOOL ROOM
38	K.R. Wilson 75 Ton Hydraulic H-Frame Press Model 37FX, S/N S-3687 (#159), LOCATION: TOOL ROOM
39	DoAll 36 in. Vertical Band Saw Model V36, 30 in. x 30 in. Tilting Work Table, Butt Welder (#1770), LOCATION: TOOL ROOM
40	DoAll 16 in. Vertical Band Saw, Tilting Work Table, Butt Welder (#175), LOCATION: TOOL ROOM
40A	LOT: DoAll Supply Cabinet, with Contents, LOCATION: TOOL ROOM
40B	LOT: (20) Pieces Assorted Band Saw Stock, LOCATION: TOOL ROOM
41	Okamoto 12 in. x 24 in. Hydraulic Surface Grinder Model 12-24 DX, S/N 64323, 12 in. x 24 in. Electromagnetic Chuck, Coolant (#2062), LOCATION: TOOL ROOM
42	Okamoto 12 in. x 24 in. Hydraulic Surface Grinder Model 12-24 DX, S/N 63949, 12 in. x 24 in. Electromagnetic Chuck, Coolant (#401), LOCATION: TOOL ROOM
43	Landis 10 in. x 15 in. Hand Feed Surface Grinder Model Abrasive No. 1-1/2, S/N 131-8, 10 in. x 15 in. Permanent Magnetic Chuck, Coolant (#125), LOCATION: TOOL ROOM
44	LOT: Clausing 6 in. x 12 in. Surface Grinder Model 4002, S/N 7B-8191, 6 in. x 12 in. Electromagnetic Chuck, with Torit Dust Collector (#1751), LOCATION: TOOL ROOM
45	Trion MP Series Mist Collector Model MP100C, S/N MP1KMV-94-00025, 2-Stage Filtration, Ducts (#422), LOCATION: TOOL ROOM
46	LOT: Assorted Grinding Wheels, LOCATION: TOOL ROOM
47	Gallmeyer & Livingston 14 in. x 48 in. Surface Grinder, S/N A551448, 14 in. x 48 in. Magnetic Chuck & Control (#158), LOCATION: TOOL ROOM
48	Monarch 14 in. x 30 in. Geared Head Engine Lathe Model 12CK, S/N 13992 (#1755), LOCATION: TOOL ROOM
49	Cincinnati 12-1/2 in. x 42 in. Engine Lathe, S/N 1W2E5D-164, HT597B, (2) Assorted Chucks, Collet Chuck, Tailstock (#173), LOCATION: TOOL ROOM
50	Leblond 15 in. x 42 in. Geared Head Engine Lathe, S/N HC519, Dual Drive (#172), LOCATION: TOOL ROOM
51	G&E Industrial 24 in. Universal Gear Cutter & Shaper, S/N 6400A2, 16 in. Vise, 16 in. x 18 in. T-Slot Table (#133), LOCATION: TOOL ROOM
52	Mitsubishi Electric G-Series Wire EDM Model DWC90G, S/N 0509H348 (#965), LOCATION: TOOL ROOM

53	K.O. Lee Tool Grinder Model B955, Part #BA960, S/N 22734, Darex E-80 Collet Holder, Assorted Attachments (#1230), LOCATION: TOOL ROOM
54	LOT: Airco 250 Amp Welder, Cables, TIG Torch, with 32 in. x 54 in. Heavy Duty Welding Table with Contents (#659), LOCATION: TOOL ROOM
55	Tempco 10 in. x 10 in. (est.) Thermo Electric Furnace Model 1730, S/N L4E4, LOCATION: TOOL ROOM
56	Grieve 12 kw Electric/Gas Furnace Model BAF-12248, S/N 71011, 10 in. x 12 in. (#426), LOCATION: TOOL ROOM
57	Thermolyne Electric Furnace Model F1730, S/N 15361, 10 in. x 10 in. (#164), LOCATION: TOOL ROOM
58	LOT: Assorted Carbide Inserts, LOCATION: TOOL ROOM
59	LOT: Cabinet, Assorted Tooling, LOCATION: TOOL ROOM
60	LOT: (2) Cabinets, Large Assortment Tooling, LOCATION: TOOL ROOM
61	LOT: Cabinet, Tooling, Tap & Die Sets, LOCATION: TOOL ROOM
62	LOT: Cabinet, Drill Bits, Mill Tooling, LOCATION: TOOL ROOM
63	LOT: Shelving & Cabinet, Assorted Large Drill Bits, LOCATION: TOOL ROOM
64	LOT: 12 in. T-Slot Rotary Table, Cabinet, LOCATION: TOOL ROOM
65	LOT: Assorted Shim Stock, LOCATION: TOOL ROOM
66	LOT: (2) Antique Wood Cabinets, LOCATION: TOOL ROOM
67	LOT: Assorted Pneumatic Tools, (1) Grinder, (2) Drills (on top shelf), LOCATION: TOOL ROOM
68	LOT: Assorted C-Clamps (on middle shelf), LOCATION: TOOL ROOM
68A	LOT: (14) Assorted Pipe & Bar Clamps, LOCATION: TOOL ROOM
69	LOT: Assorted Hand Tools (on bottom shelf), LOCATION: TOOL ROOM
70	LOT: (3) Demagnetizers, Table, LOCATION: TOOL ROOM
71	Themac Grinding Attachment Type J45 , LOCATION: TOOL ROOM
72	Dividing Head, LOCATION: TOOL ROOM
73	LOT: 6 in. Rotary Angle Vise, 8 in. x 12 in. Precision Steel Plate, LOCATION: TOOL ROOM
74	LOT: (1) G-2 Radius Dresser, (1) G-5 Radius Dresser, Magna-Lock 6 in. x 6 in. Sine Magnet, LOCATION: TOOL ROOM
75	LOT: G-5 Radius Dresser, K.O. Lee Indexer, LOCATION: TOOL ROOM
76	LOT: (1) Phase II Radius Dresser, (1) Parrel Set-up Fixture, LOCATION: TOOL ROOM
77	48 in. x 72 in. x 8 in. Granite Surface Plate on Heavy Duty Stand, LOCATION: TOOL ROOM
78	LOT: (1) 30 in. x 60 in. x 8 in. Granite Surface Plate on Heavy Duty Stand, (1) 24 in. x 36 in. x 4 in. Granite Surface Plate on Stand, LOCATION: TOOL ROOM
79	Wilson Series 500 Rockwell Hardness Tester Model B523-T, S/N 83244908, LOCATION: TOOL ROOM

80	Wilson Rockwell Hardness Tester Model 3JR, S/N 10052, LOCATION: TOOL ROOM
81	Mitutoyo Profile Projector/Comparator Code #PH-350, S/N 7015, LOCATION: TOOL ROOM
82	LOT: (3) 36 in. x 84 in. Steel Frame Wood Top Work Benches with 4-1/2 in. Vise, LOCATION: TOOL ROOM
83	LOT: (3) 36 in. x 84 in. Steel Frame Wood Top Work Benches - (2) with 4-1/2 in. Vise, (1) with 4 in. Vise, LOCATION: TOOL ROOM
84	LOT: (3) 36 in. x 84 in. Steel Frame Wood Top Work Benches with 4-1/2 in. Vise, LOCATION: TOOL ROOM
85	LOT: (3) 36 in. x 84 in. Steel Frame Wood Top Work Benches , LOCATION: TOOL ROOM
86	Yale 3 Ton Underhung 3-Part Electric Chain Hoist, Pendant, LOCATION: TOOL ROOM
86A	3-Ton Yale Underhung 3-Part Electric Chain Hoist, Pendant
87	LOT: (1) 80 in. Caliper, (1) 48 in. Caliper, (1) 35 in. Caliper, LOCATION: TOOL ROOM
88	LOT: (2) 40 in. Calipers, (1) 12 in. Caliper, (1) 6 in. Caliper, (1) 24 in. Dial Caliper, LOCATION: TOOL ROOM
89	LOT: (9) Assorted Micrometers, LOCATION: TOOL ROOM
90	LOT: Large Assortment Dial Indicators, LOCATION: TOOL ROOM
91	LOT: Assorted Micrometers - Depth & Inside, LOCATION: TOOL ROOM
92	LOT: (2) 24 in. Height Gauges, (1) 12 in. Height Gauge, (1) 6 in. Height Gauge, (1) Adjustable Dial Height Gauge, LOCATION: TOOL ROOM
93	LOT: (4) Sets Plug Gauges - Size Range .832 thru .061, LOCATION: TOOL ROOM
94	LOT: Assorted Gauges, Gauge Blocks, V-Blocks, Square, etc. (see photo), LOCATION: TOOL ROOM
95	LOT: (8) Angle Blocks, LOCATION: TOOL ROOM
96	LOT: Assorted Tools, Reamers, Honing Kits, Tap Extractors, etc., LOCATION: TOOL ROOM
96A	LOT: (2) 36 in. x 36 in. Manual Hydraulic Die Carts, LOCATION: TOOL ROOM
97	LOT: (2) Hydraulic Die Carts - (1) 24 in. x 24 in. x 53 in., (1) 24 in. x 36 in. x 52 in., LOCATION: TOOL ROOM
98	LOT: (2) 24 in. x 36 in. x 52 in. Hydraulic Die Carts, LOCATION: TOOL ROOM
99	LOT: (2) 24 in. x 24 in. x 52 in. Hydraulic Die Carts, LOCATION: TOOL ROOM
100	LOT: (2) 24 in. x 24 in. x 52 in. Hydraulic Die Carts, LOCATION: TOOL ROOM
101	LOT: (2) 24 in. x 24 in. x 52 in. Hydraulic Die Carts, LOCATION: TOOL ROOM
102	LOT: (2) Hydraulic Die Carts - (1) 24 in. x 24 in. x 54 in., (1) 24 in. x 36 in. x 54 in., LOCATION: TOOL ROOM
103	LOT: 18 in. x 48 in. Roller Conveyor Mounted on 2-Wheel Manual Die Cart, LOCATION: TOOL ROOM
104	4-Wheel Heavy Duty Adjustable Die Cart, LOCATION: TOOL ROOM
105	ATD 2 Ton Engine Hoist, LOCATION: TOOL ROOM

106	LOT: (2) 30 in. x 90 in. x 96 in. Heavy Duty Pallet/Die Racks with Contents of Die Parts, LOCATION: TOOL ROOM
107	LOT: Cubby Hole Lockers, (14) Assorted Stools, Assorted Pipe Stands, LOCATION: TOOL ROOM
108	Dreis & Krump 15 Ton Press Brake Model 135, S/N 14767, 48 in. Overall, 31 in. Between Housings, 6 in. Throat, 2 in. Stroke (#351), LOCATION: MAINTENANCE SHOP
109	Grob 18 in. Vertical Band Saw Model NS18, 24 in. x 24 in. Tilting Table, LOCATION: MAINTENANCE SHOP
110	Bridgeport 1 HP Vertical Mill, S/N 37921, 9 in. x 42 in. Table, 6 in. Vise (#416), LOCATION: MAINTENANCE SHOP
111	Comaca 10 ga. Notcher (#1759), LOCATION: MAINTENANCE SHOP
112	Rockwell 17 in. Drill Press Model 17-1600, S/N 1386372, 6 in. Quick Release Vise (#407), LOCATION: MAINTENANCE SHOP
113	Delta 13 in. Vertical Band Saw (#409), LOCATION: MAINTENANCE SHOP
114	DiAcro Notcher No. 1, S/N 1-2595, with Stand, LOCATION: MAINTENANCE SHOP
115	DiAcro Bender No. 2, with Stand & Tools, LOCATION: MAINTENANCE SHOP
116	Rockwell Dual Sander Model 31-600, S/N DC3356, 4 in. Belt, 12 in. Disc, Stand (#418), LOCATION: MAINTENANCE SHOP
117	Jepson 12 in. Chop Saw Model 9312S, (6) Blades, Cart, LOCATION: MAINTENANCE SHOP
118	Peer 50 KVA Spot Welder Model AR450, S/N 780095 (#984), LOCATION: MAINTENANCE SHOP
119	LOT: (2) 36 in. x 96 in. Work Tables, (1) 4 in. Vise, LOCATION: MAINTENANCE SHOP
120	LOT: (2) Ridgid Wet Vacuums, (1) Fan , LOCATION: MAINTENANCE SHOP
121	Alkota Industrial Parts Washer Model 412, S/N 0T1278, 800 lb. Capacity, Swing-out Door, Turntable (#1285), LOCATION: OUTSIDE MAINTENANCE OFFICE
122	Skat Blast Dry Blast Cabinet Model 970, 58 in. Wide, Dust Collector (#934), LOCATION: OUTSIDE MAINTENANCE OFFICE
123	Edwards Jaw IV 70 Ton Ironworker Model IW-70 (#1809), LOCATION: OUTSIDE MAINTENANCE OFFICE
124	Grob 18 in. Vertical Band Saw Model NS18, S/N 9301, 24 in. x 24 in. Tilting Table, Blade Welder (#708), LOCATION: OUTSIDE MAINTENANCE OFFICE
124A	6 in. Kurt Machine Vise
125	Wellsaw Horizontal Metal Cutting Band Saw Model 1000, S/N 1526 (#556), LOCATION: OUTSIDE MAINTENANCE OFFICE
126	Delta 34 in. Radial Type Drill Press Model 15-126, S/N 86H83538, 18 in. x 26 in. T-Slot Table, Quick Release Vise, Stand (#1793), LOCATION: OUTSIDE MAINTENANCE OFFICE
127	Bridgeport 1 HP Vertical Mill, S/N 35522, 9 in. x 42 in. Power Table, 6 in. Swivel Base Vise (#550), LOCATION: OUTSIDE MAINTENANCE OFFICE
128	Bridgeport 1 HP Vertical Mill, S/N 32389, 9 in. x 42 in. Power Table, 6 in. Swivel Base Vise (#777), LOCATION: OUTSIDE MAINTENANCE OFFICE
129	Owatonna 75 Ton Hydraulic Press, 1-1/8 HP Power Pack, Manual Height Adjustment (#1736), LOCATION: OUTSIDE MAINTENANCE OFFICE
130	96 in. Hand Brake (#561), LOCATION: OUTSIDE MAINTENANCE OFFICE
131	12 in. Disc Grinder, with Stand (#512), LOCATION: OUTSIDE MAINTENANCE OFFICE
132	12 in. Double End Grinder, with Stand (#554), LOCATION: OUTSIDE MAINTENANCE OFFICE

133	Black & Decker 10 in. Double End Grinder, with Stand (#552), LOCATION: OUTSIDE MAINTENANCE OFFICE
134	50 kw (est.) Spot Welder, Entron EN1000 Control (#432), LOCATION: OUTSIDE MAINTENANCE OFFICE
135	Miller MIG Welder Model CP-300, S-60 Feeder, Cables, Flow Meter, LOCATION: OUTSIDE MAINTENANCE OFFICE
135A	Miller Spoolmatic Gun Model 30A, LOCATION: OUTSIDE MAINTENANCE OFFICE
136	Miller 750 Amp Load Bank, Stock #902804, S/N KF867795 (#621), LOCATION: OUTSIDE MAINTENANCE OFFICE
136A	250 Amp. L-Tec Tig Welder, 250HF Plus Square Wave, Bernard Radiator, Foot Control, Torch, Cables, Flow Meter, S/N B93E-37056
137	Greenlee Hydraulic Conduit Bender Series 882, 1-1/4 in., 1-1/2 in., 2 in., Manual Pump, LOCATION: OUTSIDE MAINTENANCE OFFICE
138	Niagara 36 in. Brake & 48 in. Pinch Roll Combo on Portable Stand, (3) Extra Rolls (#559), LOCATION: OUTSIDE MAINTENANCE OFFICE
139	Niagara Motorized Multi-Head Former (#471), LOCATION: OUTSIDE MAINTENANCE OFFICE
140	Oster Pipe & Bolt Threading Machine Model 502 (#555), LOCATION: OUTSIDE MAINTENANCE OFFICE
140A	LOT: (10) Toledo Pipe Dies & Handle, LOCATION: OUTSIDE MAINTENANCE OFFICE
141	LOT: Chicago Mobile Hose Fitting Crimper Model 4-20, with Assorted Dies, Cabinet, LOCATION: OUTSIDE MAINTENANCE OFFICE
142	Mobile Hydraulic Hose Fitting Crimper, with Cart & Dies, LOCATION: OUTSIDE MAINTENANCE OFFICE
143	Torch Cart, with Gauges, Torch, Hose, Fire Extinguisher, LOCATION: OUTSIDE MAINTENANCE OFFICE
144	Torch Cart, with Gauges, Torch, Hose, Fire Extinguisher, LOCATION: OUTSIDE MAINTENANCE OFFICE
145	Anvil, LOCATION: OUTSIDE MAINTENANCE OFFICE
146	Manual Hydraulic Pump, with Assorted Cylinders, LOCATION: OUTSIDE MAINTENANCE OFFICE
147	Hydraulic Gear Puller, LOCATION: OUTSIDE MAINTENANCE OFFICE
148	LOT: (2) 8 in. Boiler C-Clamps, (3) Pipe & Bar Clamps, LOCATION: OUTSIDE MAINTENANCE OFFICE
149	46 in. x 132 in. Steel Welding Table, with 6 in. Vise, LOCATION: OUTSIDE MAINTENANCE OFFICE
150	60 in. x 96 in. Lighted Exhaust Hood, LOCATION: OUTSIDE MAINTENANCE OFFICE
151	42 in. x 96 in. Spray Booth, with Lights & Exhaust, LOCATION: OUTSIDE MAINTENANCE OFFICE
151A	Alkota Electric Steam Cleaner Model 3114-2, LOCATION: GARAGE
152	LOT: (1) Justrite 30 Gallon Flammable Storage Cabinet, (1) 17 in. x 17 in. Flammable Storage Cabinet, (3) Assorted Cabinets, LOCATION: OUTSIDE MAINTENANCE OFFICE
153	LOT: (1) 36 in. x 82 in. Steel Work Table with 5 in. Vise, (1) 36 in x 96 in. Steel Work Table with 4 in. Vise, (1) 36 in. x 82 in. Steel Work Table, LOCATION: OUTSIDE MAINTENANCE OFFICE
154	LOT: (2) Assorted Steel Work Tables, LOCATION: OUTSIDE MAINTENANCE OFFICE
155	Pneumatic Hose Reel, LOCATION: OUTSIDE MAINTENANCE OFFICE
156	LOT: (2) 2-Wheel Dollies, (2) Crawlers, Pipe Stand, Absorbant Mat Dispenser, Stool, LOCATION: OUTSIDE MAINTENANCE OFFICE

157	LOT: (2) Sections 36 in. x 108 in. x 12 ft. (est.) Pallet Rack, (5) Shelves, (1) Section 42 in. x 108 in. x 12 ft. Pallet Rack, (1) Shelf, LOCATION: OUTSIDE MAINTENANCE OFFICE
158	Pemsarter Series 4 Pneumatic Insertion Press Model L, S/N L4-5478 (2012) (#639), LOCATION: BAY 3
159	DoAll 36 in. Vertical Band Saw Model V36, 30 in. x 30 in. Tilting Work Table, Butt Welder (#1731), LOCATION: BAY 3
160	Shen Jang Horizontal Band Saw Model 12A, Auto Feed, Coolant (#258), LOCATION: BAY 3
161	Walker Turner 20 in. Drill Press, S/N 52E3A3, 16 in. x 18 in. T-Slot Table (#169), LOCATION: BAY 3
162	Walker Turner 20 in. Heavy Duty Drill Press, Morse Taper, 16 in. x 18 in. T-Slot Table, LOCATION: BAY 3
163	Clausing 15 in. Drill Press Model 1642, Pneumatic Feed (#769), LOCATION: BAY 3
164	18 in. Drill Press, Morse Taper, 14 in. x 14 in. Table (#549), LOCATION: BAY 3
165	Delta 14 in. Bench Top Drill Press, with Stand (#783), LOCATION: BAY 3
166	1-1/2 in. Vertical Belt Sander, with Stand, LOCATION: BAY 3
167	1-1/2 in. Vertical Belt Sander, with Stand (needs repair), LOCATION: BAY 3
168	2 in. Vertical Belt Sander, with Portable Cart, 4 in. Vise, LOCATION: BAY 3
169	2 in. Vertical Belt Sander, with Steel Table, 5 in. Vise, LOCATION: BAY 3
170	Multicyl Pneumatic Press, with Stand, LOCATION: BAY 3
171	Benchmaster Press Model 22, Mounted on Portable Cart, LOCATION: BAY 3
172	Benchmaster Press Model 22, Mounted on Portable Cart, LOCATION: BAY 3
173	Bench Drill w/Tapping Head, LOCATION: BAY 3
174	Super Brown 12 in. Cold Saw Model 350, Pneumatic Clamp, Swivel Base, LOCATION: BAY 3
175	Delta 12 in. Radial Saw, LOCATION: BAY 3
176	Milwaukee 10 in. Magnum Compound Saw, with Stand, LOCATION: BAY 3
177	Single-Stand Roll Former, 3 HP, with Assorted Rolls, LOCATION: BAY 3
178	Custom Hydraulic Press, Vickers 5 HP Power Unit, LOCATION: BAY 3
178A	Custom Horizontal Hydraulic Press, 5 HP Pump (#1041), LOCATION: BAY 3
179	Custom Dual-Head Hydraulic Press, Vickers 20 HP Power Unit, LOCATION: BAY 3
180	Jet Router, with Custom Table, LOCATION: BAY 3
181	LOT: Hammond 2 in. Double End Sander/Buffer, Adjustable Speed, Back Stands, Torit Dust Collector Model 84 (#663), LOCATION: BAY 3
182	Apex 20 in. Double End Disc Sander, 5 HP (#281), LOCATION: BAY 3
183	Delta 12 in. Radial Arm Saw, LOCATION: BAY 3

184	Pneumatic Press, LOCATION: BAY 3
185	National Rivet Riveter Model 800, S/N 1004, Feeder, Touch-O-Matic Safety (#161), LOCATION: BAY 3
186	National Rivet Riveter Model 800, S/N 749, Feeder, Touch-O-Matic Safety (#1206), LOCATION: BAY 3
187	Drill Press, LOCATION: BAY 3
188	Stanley Bostitch Arm Stapler Model FC95EC, LOCATION: BAY 3
189	Stanley Bostitch Arm Stapler Model FC95EC, LOCATION: BAY 3
190	Stanley Bostitch Arm Stapler Model FC95EC, LOCATION: BAY 3
191	Stanley Bostitch Arm Stapler Model FC95EC, LOCATION: BAY 3
192	Stanley Bostitch Arm Stapler Model FC95EC, LOCATION: BAY 3
193	Stanley Bostitch Arm Stapler Model FC95EC, LOCATION: BAY 3
194	Sherwin Williams Paint Sprayer Model 9100 HVLP, 4-Stage Turbine, with (2) Paint Guns, LOCATION: BAY 3
195	LOT: Acorn 60 in. x 96 in. Platen Table, Assorted Tools, Heavy Duty Stand, LOCATION: BAY 3
196	LOT: (4) Welding Hoods, Assorted Extra Lenses, LOCATION: BAY 3
197	LOT: (4) MIG Guns, Parts, LOCATION: BAY 3
198	LOT: Assorted TIG Torches & Hose, LOCATION: BAY 3
199	Trion Dust/Smoke Collector Model CA6000C, Pulse Cleaning, (9) Cartridges, (7) Dual Work Area Heads, includes all Ducts, LOCATION: BAY 3
200	LOT: (6) Assorted Steel Welding Tables, LOCATION: BAY 3
201	LOT: Bulk Offering, Combination of Lots #202, #203, #204. Stamtec 250 Ton 2-Point Straight Side Press Model S2-250, S/N A10014 P01-S001204, 6 in. Stroke, 4.92 in. Adjustment, 35 -75 SPM, 55 in. x 84 in. Bed (#1348). Rowe Servo Feed Model FDC-053-440, S/N 25609, 300 FPM (#289). Rowe Uncoiler Model 25608, S/N 20040-DSV (#289) LOCATION: MAIN PRESS FLOOR
202	Stamtec 250 Ton 2-Point Straight Side Press Model S2-250, S/N A10014 P01-S001204, 6 in. Stroke, 4.92 in. Adjustment, 35 -75 SPM, 55 in. x 84 in. Bed (#1348) , LOCATION: MAIN PRESS FLOOR
203	Rowe Servo Feed Model FDC-053-440, S/N 25609, 300 FPM (#289), LOCATION: MAIN PRESS FLOOR
204	Rowe Uncoiler Model 25608, S/N 20040-DSV (#289), LOCATION: MAIN PRESS FLOOR
205	LOT: Bulk Offering, Combination of Lots #206, #207, #208, #209. Niagara 400 Ton 2-Point Straight Side Press Model BP2-400-72-54, S/N P52903, 5 in. Stroke, 14 in. Adjustment, 29 in. Shut Height, 50 - 100 SPM, 54 in. x 72 in. Bed, Air Clutch (#1623). Rowe Feed Model FDC-553-440, S/N 25636, 300 FPM (#1621). Rowe Straightener Model C9-40, S/N 26534 (#1619). LOT: Rowe Uncoiler Model 30040-DSJ, S/N 26533, Rowe Coil Car Model BGY-30-15 (#1620, #1618). LOCATION: MAIN PRESS FLOOR
206	Niagara 400 Ton 2-Point Straight Side Press Model BP2-400-72-54, S/N P52903, 5 in. Stroke, 14 in. Adjustment, 29 in. Shut Height, 50 - 100 SPM, 54 in. x 72 in. Bed, Air Clutch (#1623) , LOCATION: MAIN PRESS FLOOR
207	Rowe Feed Model FDC-553-440, S/N 25636, 300 FPM (#1621), LOCATION: MAIN PRESS FLOOR
208	Rowe Straightener Model C9-40, S/N 26534 (#1619), LOCATION: MAIN PRESS FLOOR
209	LOT: Rowe Uncoiler Model 30040-DSJ, S/N 26533, Rowe Coil Car Model BGY-30-15 (#1620, #1618), LOCATION: MAIN PRESS FLOOR

210	LOT: Bulk Offering, Combination of Lots #211, #212, #213, #214. Niagara 300 Ton 2-Point Straight Side Press Model BP2-300-72-48, S/N 38530, 5 in. Stroke, 6 in. Adjustment, 23 in. Shut Height, 55 - 110 SPM, 48 in. x 72 in. Bed (#732). Rowe Feed Model PM-FDC-053-240, S/N 28104 (#701). Rowe Straightener Model C40HD-C12000J, S/N 11244 (#741). Cooper Weymouth Uncoiler Model 5R-36, S/N C10778, 15,000 lb. Max. Capacity (#753). LOCATION: MAIN PRESS FLOOR
211	Niagara 300 Ton 2-Point Straight Side Press Model BP2-300-72-48, S/N 38530, 5 in. Stroke, 6 in. Adjustment, 23 in. Shut Height, 55 - 110 SPM, 48 in. x 72 in. Bed (#732), LOCATION: MAIN PRESS FLOOR
212	Rowe Feed Model PM-FDC-053-240, S/N 28104 (#701), LOCATION: MAIN PRESS FLOOR
213	Rowe Straightener Model C40HD-C12000J, S/N 11244 (#741), LOCATION: MAIN PRESS FLOOR
214	Cooper Weymouth Uncoiler Model 5R-36, S/N C10778, 15,000 lb. Max. Capacity (#753), LOCATION: MAIN PRESS FLOOR
215	LOT: Bulk Offering, Combination of Lots #216, #218. Niagara 250 Ton 2-Point Straight Side Press Model PN250-72-54, S/N 52564, 6 in. Stroke, 6 in. Adjustment, 20 in. Shut Height, 10 - 20 SPM, 54 in. x 72 in. Bed, Niagara Servo Feed (#1293). American Uncoiler Model 1000, S/N 7793, 20,000 lb. Capacity (#1292). LOCATION: MAIN PRESS FLOOR
216	LOT: Niagara 250 Ton 2-Point Straight Side Press Model PN250-72-54, S/N 52564, 6 in. Stroke, 6 in. Adjustment, 20 in. Shut Height, 10 - 20 SPM, 54 in. x 72 in. Bed, Niagara Servo Feed (#1293), LOCATION: MAIN PRESS FLOOR
218	American Uncoiler Model 1000, S/N 7793, 20,000 lb. Capacity (#1292), LOCATION: MAIN PRESS FLOOR
219	Niagara 110 Ton OBI Press Model AF 5-1/2, S/N 38525, 5 in. Stroke, 5 in. Adjustment, 15.25 in. Shut Height, 42 in. x 27 in. Bed, 80 SPM (#731), LOCATION: MAIN PRESS FLOOR
220	LOT: Niagara 60 Ton OBI Press Model M60, S/N 38446, 3 in. Adjustment, 12.75 in. Shut Height, 32 in. x 21 in. Bed, Coil Handling EQ D-15 Servo Feed, S/N R29531 (#730), LOCATION: MAIN PRESS FLOOR
220A	Coil Handling EQ D-15 Servo Feed.
221	Rowe Uncoiler Model 10030-DSJ, S/N 25352, Right Hand Mounted (#1103), LOCATION: MAIN PRESS FLOOR
222	Rowe Uncoiler Model 10020-DSL, S/N 28737 (#274), LOCATION: MAIN PRESS FLOOR
223	LOT: Bulk Offering, Combination of Lots #224, #225, #226, #227. Minster 150 Ton Straight Side Press Model S1-150 33-39, S/N 12167, 4 in. Stroke, 16 in. Shut Height, 70 - 140 SPM, Light Curtain Safety (#733). Rowe Feeder Model PM-FDC-053-220, S/N 28504, .020 in. Min. Thickness, .105 in. Max. Thickness, 20 in. Wide (#1952). Rowe Straightener Model B20-C8000-J, S/N 9136, .030 in. Min. Thickness, .125 in. Max. Thickness (#642). Littell Uncoiler Model 25-18, S/N 66979-60, 2500 lb. Capacity. LOCATION: MAIN PRESS FLOOR
224	Minster 150 Ton Straight Side Press Model S1-150 33-39, S/N 12167, 4 in. Stroke, 16 in. Shut Height, 70 - 140 SPM, Light Curtain Safety (#733), LOCATION: MAIN PRESS FLOOR
225	Rowe Feeder Model PM-FDC-053-220, S/N 28504, .020 in. Min. Thickness, .105 in. Max. Thickness, 20 in. Wide (#1952), LOCATION: MAIN PRESS FLOOR
226	Rowe Straightener Model B20-C8000-J, S/N 9136, .030 in. Min. Thickness, .125 in. Max. Thickness (#642), LOCATION: MAIN PRESS FLOOR
227	Littell Uncoiler Model 25-18, S/N 66979-60, 2500 lb. Capacity, LOCATION: MAIN PRESS FLOOR
228	Niagara 75 Ton 2-Point Straight Side Press Model SC2-75-72-30, S/N 37602, 2.5 in. Stroke, 6 in. Adjustment, 17 in. Shut Height, 75 -150 SPM, 30 in. x 72 in. Bed, Air Clutch (new drive) (#704), LOCATION: MAIN PRESS FLOOR
229	LOT: Bulk Offering, Combination of Lots #230, #231. Aida 150 Ton Gap Press Model NC1-15(2), S/N 00215-5570, 7.8 in. Stroke, 3.9 in. Adjustment, 45 SPM, 30 in. x 46 in. Bed, Coil Handling EQ PL-LT2-210 Servo Feed. Rowe Uncoiler. LOCATION: MAIN PRESS FLOOR
230	LOT: Aida 150 Ton Gap Press Model NC1-15(2), S/N 00215-5570, 7.8 in. Stroke, 3.9 in. Adjustment, 45 SPM, 30 in. x 46 in. Bed, Coil Handling EQ PL-LT2-210 Servo Feed, LOCATION: MAIN PRESS FLOOR
231	Rowe Uncoiler, LOCATION: MAIN PRESS FLOOR
231A	Aida 110 Ton Gap Press Model NC1-110(2), S/N 10411-0259, 7.08 in. Stroke, 3.54 in. Adjustment, 13.77 in. Shut Height, 32 in. x 45 in. Bed, Air Clutch, LOCATION: MAIN PRESS FLOOR
232	LOT: Bulk Offering, Combination of Lots #233, #234. Aida 110 Ton Gap Press Model NC1-110(2), S/N 10211-9309, 7.08 in. Stroke, 3.54 in. Adjustment, 13.77 in. Shut Height, 35 - 65 SPM, 28.7 in. x 42 in. Bed, Coil Handling EQ PM-LT3-210 Servo Feed, Air Clutch. Rowe Uncoiler Model 100-10-DSJ, S/N 25-372. LOCATION: MAIN PRESS FLOOR
233	LOT: Aida 110 Ton Gap Press Model NC1-110(2), S/N 10211-9309, 7.08 in. Stroke, 3.54 in. Adjustment, 13.77 in. Shut Height, 35 - 65 SPM, 28.7 in. x 42 in. Bed, Coil Handling EQ PM-LT3-210 Servo Feed, Air Clutch, LOCATION: MAIN PRESS FLOOR
234	Rowe Uncoiler Model 100-10-DSJ, S/N 25-372, LOCATION: MAIN PRESS FLOOR

235	Federal 60 Ton Auto Feed OBI Press, S/N 065458 (2006), 3 in. Stroke, 2.5 in. Adjustment, 14.75 in. Shut Height, 60 - 140 SPM, 18 in. x 30 in. Bed, LOCATION: MAIN PRESS FLOOR
236	LOT: Bulk Offering, Combination of Lots #237, #238, #239, #240. Cincinnati FormMaster 600 Ton Permanently Flanged 2-Point Hydraulic Straight Side Press Model 600FMX12, S/N 43311, 12 in. Stroke, 20 in. Throat, 12 ft. 5 in. Between Housings, 42 in. x 16 ft. Bed, Light Curtain Safety (#400). CHS Feeder Model DRF4, S/N 065451, PLC Control (#404). CHS Straightener Model PS 3.5X7, S/N 065452, 36 in. Capacity. Cooper Weymouth Uncoiler & Coil Car Model 6R-36, S/N C2131-5, 20,000 lb. Max. Capacity, PLC Control (#1173). LOCATION: MAIN PRESS FLOOR
237	Cincinnati FormMaster 600 Ton Permanently Flanged 2-Point Hydraulic Straight Side Press Model 600FMX12, S/N 43311, 12 in. Stroke, 20 in. Throat, 12 ft. 5 in. Between Housings, 42 in. x 16 ft. Bed, Light Curtain Safety (#400), LOCATION: MAIN PRESS FLOOR
238	CHS Feeder Model DRF4, S/N 065451, PLC Control (#404), LOCATION: MAIN PRESS FLOOR
239	CHS Straightener Model PS 3.5X7, S/N 065452, 36 in. Capacity, LOCATION: MAIN PRESS FLOOR
240	Cooper Weymouth Uncoiler & Coil Car Model 6R-36, S/N C2131-5, 20,000 lb. Max. Capacity, PLC Control (#1173), LOCATION: MAIN PRESS FLOOR
241	LOT: Bliss 60 Ton Gap Frame Press Model C-60, 3 in. Stroke, 3 in. Adjustment, 33 in. x 21 in. Bed (est.), Rowe Push/Pull Feeder System, PLC, Extensive Power Conveyor System (#967, #837), LOCATION: MAIN PRESS FLOOR
242	Verson 100 Ton 2-Point Gap Press Model 100G2 72, S/N 21824, 8 in. Stroke, 5 in. Adjustment, 23 in. Shut Height, 40 SPM, 38 in. x 64 in. Bed, with Tishken Cut-off (#1776), LOCATION: MAIN PRESS FLOOR
243	LOT: Bulk Offering, Combination of Lots #244, #245. Minster 35 Ton OBI Press No. 35, S/N 35-12489, 3 in. Stroke, 2.25 in. Adjustment, 35 SPM, 15 in. x 24 in. Bed (est.), PLC Control, Rowe Feeder Model D-15, S/N R031358 (#709). Rowe Uncoiler Model 10020-DSL, S/N 28733 (#269). LOCATION: MAIN PRESS FLOOR
244	LOT: Minster 35 Ton OBI Press No. 35, S/N 35-12489, 3 in. Stroke, 2.25 in. Adjustment, 35 SPM, 15 in. x 24 in. Bed (est.), PLC Control, Rowe Feeder Model D-15, S/N R031358 (#709), LOCATION: MAIN PRESS FLOOR
245	Rowe Uncoiler Model 10020-DSL, S/N 28733 (#269), LOCATION: MAIN PRESS FLOOR
246	Dreis & Krump 75 Ton Straight Side Press Model SS-75-30-72, S/N L-15719, 2-1/2 in. Stroke, 5 in. Ram Adjustment, 75 - 125 SPM (#718), LOCATION: MAIN PRESS FLOOR
247	Havir 55 Ton OBI Press No. 55, S/N 316, 3 in. Stroke, 20 in. x 31 in. Bed, Coil Handling EQ D-15 Servo Feed Model D-15, Air Clutch (#1742), LOCATION: MAIN PRESS FLOOR
247A	Coil Handling EQ D-15 Servo Feed Model D-15.
248	7500 lb. Capacity Horizontal Uncoiler, LOCATION: MAIN PRESS FLOOR
249	Minster 35 Ton OBI Press, S/N 35-12064, 3 in. Stroke, 2.25 in. Slide Adjustment, 35 SPM, 24 in. x 15 in. Bed (#635), LOCATION: MAIN PRESS FLOOR
250	Minster 35 Ton OBI Press, S/N 35-11903, 3 in. Stroke, 2.25 in. Slide Adjustment, 35 SPM, 24 in. x 15 in. Bed (#638), LOCATION: MAIN PRESS FLOOR
250A	LOT: Niagara 45 Ton OBI Press Model 3-1/2, 2 in. Stroke, 18 in. x 35 in. Bed, with Coil Handling Equipment Feeder Model PM-LT3-206, LOCATION: GARAGE
251	Havir Press Rite 15 Ton OBI Press No. 1-1/2, S/N 1545 (#930) , LOCATION: MAIN PRESS FLOOR
252	LOT: Bulk Offering, Combination of Lots #253, #254, #255, #256. Cincinnati 350 Ton Hydraulic Press Brake Model 350FMX16, S/N 43279, 18 ft. Overall, 16 ft. 6 in. Between Housings, 12 in. Stroke, 18 in. Throat, 12 in. x 18 ft. Bolt-on Flanges (#1218). Rowe Feeder Model FDC-053-430, PLC Controls. Rowe Straightener Model C3-30, S/N 25-054, .150 in. Max. Capacity. Rowe Uncoiler Model 10030, S/N 25-053, 12 FPM. LOCATION: MAIN PRESS FLOOR
253	Cincinnati 350 Ton Hydraulic Press Brake Model 350FMX16, S/N 43279, 18 ft. Overall, 16 ft. 6 in. Between Housings, 12 in. Stroke, 18 in. Throat, 12 in. x 18 ft. Bolt-on Flanges (#1218), LOCATION: MAIN PRESS FLOOR
254	Rowe Feeder Model FDC-053-430, PLC Controls, LOCATION: MAIN PRESS FLOOR
255	Rowe Straightener Model C3-30, S/N 25-054, .150 in. Max. Capacity, LOCATION: MAIN PRESS FLOOR
256	Rowe Uncoiler Model 10030, S/N 25-053, 12 FPM, LOCATION: MAIN PRESS FLOOR
257	LOT: Bulk Offering, Combination of Lots #258, #259, #260, #261. Cincinnati 300 Ton Permanently Flanged Mechanical Press Brake Model 12SERIESX12, S/N 39042, 6 in. Stroke, 32 in. x 8 ft. Bed, 14 ft. Overall, 12 ft. 6 in. Between Housings, Air Clutch (#2183). Rowe Servo Feed, PLC Control. Rowe Straightener Model B-30, S/N 28809, .065 in. x 30 in. Max. (#2098). Rowe Uncoiler Model 10020-DSL, S/N 22463 (#2057). LOCATION: MAIN PRESS FLOOR

258	Cincinnati 300 Ton Permanently Flanged Mechanical Press Brake Model 12SERIESX12, S/N 39042, 6 in. Stroke, 32 in. x 8 ft. Bed, 14 ft. Overall, 12 ft. 6 in. Between Housings, Air Clutch (#2183), LOCATION: MAIN PRESS FLOOR
259	Rowe Servo Feed, PLC Control, LOCATION: MAIN PRESS FLOOR
260	Rowe Straightener Model B-30, S/N 28809, .065 in. x 30 in. Max. (#2098), LOCATION: MAIN PRESS FLOOR
261	Rowe Uncoiler Model 10020-DSL, S/N 22463 (#2057), LOCATION: MAIN PRESS FLOOR
262	Cincinnati 135 Ton CNC Hydraulic Press Brake Model 135CBX8, S/N 45247, 8 in. Stroke, 10 ft. Overall, 8 ft. 6 in. Between Housings, 7.5 in. Throat, Autogage 1000 Control (#707), LOCATION: MAIN PRESS FLOOR
263	Cincinnati 135 Ton CNC Hydraulic Press Brake Model 135CBX8, S/N 45217, 8 in. Stroke, 10 ft. Overall, 8 ft. 6 in. Between Housings, 7.5 in. Throat, Autogage 1000 Control (#1740), LOCATION: MAIN PRESS FLOOR
263A	Cincinnati 30 Ton Mechanical Press Brake Model 56A, S/N L-15383, 72 in. Overall, 62 in. Between Housings, 6 in. Throat, Automec CNC 99 Programmable Back Gauge (#776), LOCATION: MAIN PRESS FLOOR
264	Cincinnati 10 ft. x 1/4 in. Hydraulic Shear Model 2CC10, S/N 47611, Squaring Arm, (2) Front Support Arms, Power Back Gauge (#735), LOCATION: MAIN PRESS FLOOR
265	Cincinnati 90 Ton CNC Hydraulic Press Brake Model FMX8FT, S/N 45093, 8 in. Stroke, 10 ft. Overall, 8 ft. 6 in. Between Housings, 7.5 in. Throat, Hurco Autobend 5C Programmable Back Gauge (#553), LOCATION: MAIN PRESS FLOOR
266	Dreis & Krump 50 Ton Permanently Flanged Press Brake Model 46-C-SP, S/N L-10462, 6 ft. Overall, 54 in. Between Housings (#602), LOCATION: MAIN PRESS FLOOR
267	Vamco Servo Feed Model CFS-14, PLC Control, LOCATION: MAIN PRESS FLOOR
268	Rowe Uncoiler Model 10030-DSJ, S/N 25360, 10,000 lb. Capacity, Right Hand (#2201), LOCATION: MAIN PRESS FLOOR
269	LOT: Dreis & Krump 50 Ton Permanently Flanged Press Brake Model 46-C-SP, S/N L-10453, 6 ft. Overall, 54 in. Between Housings, includes Feed/Flipper Conveyor, LOCATION: MAIN PRESS FLOOR
269A	Dreis & Krump 100 Ton Mechanical Press Brake Model SS-100-24-72, S/N P-9150, 24 in. x 76 in. Bed, LOCATION: MAIN PRESS FLOOR
270	Dreis & Krump 135 Ton Press Brake Model 410D, S/N P8787, 12 ft. Overall, 10 ft. 6 in. Between Housings, 8 in. Throat, Air Clutch (#710), LOCATION: MAIN PRESS FLOOR
271	Dreis & Krump 150 Ton Power Press Brake Model 810-R, S/N L-17899, 102 in. Between Housings, Modified Throat, Removable Flanges, Parts Feeder (#713), LOCATION: MAIN PRESS FLOOR
272	LOT: Assorted Press Brake Tooling, with Rack, LOCATION: MAIN PRESS FLOOR
273	LOT: Assorted Press Brake Tooling, with Rack, LOCATION: MAIN PRESS FLOOR
274	LOT: Assorted Press Brake Tooling, with Rack, LOCATION: MAIN PRESS FLOOR
275	LOT: Assorted Press Brake Tooling, with Rack, LOCATION: MAIN PRESS FLOOR
276	Tishken 24-Stand Roll Former Model 24HWS, S/N 19406986, 40 HP, 3 in. Arbors, 36 in. Roll Space, 14 in. Horizontal Spacing (#1294), LOCATION: MAIN PRESS FLOOR
277	Tishken 50 Ton Pneumatic Cut-off Machine Model ACO-S-50, S/N 19449-86, LOCATION: MAIN PRESS FLOOR
278	Tishken 20-Stand Roll Former Model 20-MW-2, S/N 10673, Rated 27.5 KVA, 2 in. Arbors, 12 in. Roll Space, 12 in. Horizontal Spacing (#2198), LOCATION: MAIN PRESS FLOOR
279	Tishken 50 Ton Mechanical Cut-off Model CO-17-12-50, S/N 18032, 7.5 HP (#490), LOCATION: MAIN PRESS FLOOR
280	Tishken 50 Ton Mechanical Cut-off Model CO-12-12-50, S/N 16846 (#2199), LOCATION: MAIN PRESS FLOOR
281	Tishken 20-Stand Roll Former Model 20MLW 1-1/2, S/N 9941-362, 15 HP, 1-1/2 in. Arbors, 7 in. Roll Space, 8 in. Horizontal Spacing (#720), LOCATION: MAIN PRESS FLOOR
282	Tishken Pneumatic Cut-off Model ACO-15, S/N 19597, LOCATION: MAIN PRESS FLOOR
283	Littell Horizontal Uncoiler, LOCATION: MAIN PRESS FLOOR

284	Tishken 16-Stand Roll Former Model 16-MW-2, S/N 7019-659, 2 in. Arbors, 12 in. Roll Space, 12 in. Horizontal Spacing (#658), LOCATION: MAIN PRESS FLOOR
285	Tishken Mechanical Cut-off Model CO-14, S/N 9222-660, 10 HP, LOCATION: MAIN PRESS FLOOR
286	Tishken 16-Stand Roll Former Model 16-HW 2-1/2, S/N 8944-460, Rated 23.07 KVA, 2-1/2 in. Arbors, 10 in. Roll Space, 14 in. Horizontal Spacing (#656), LOCATION: MAIN PRESS FLOOR
287	Tishken Mechanical Cut-off Model CO-16-HW-4A12, S/N 8993 (#276), LOCATION: MAIN PRESS FLOOR
288	Tishken Mechanical Cut-off Model CO-14-HW-4A16, S/N 9220 (#270), LOCATION: MAIN PRESS FLOOR
289	American Uncoiler Model 1000, S/N 9452, 10,000 lb. Capacity (#392), LOCATION: MAIN PRESS FLOOR
290	Tishken 16-Stand Roll Former Model 16-HW 2-1/2, S/N 9288-660, Rated 15.5 KVA, 2-1/2 in. Arbors, 12 in. (est.) Roll Space, 14 in. Horizontal Spacing (#657), LOCATION: MAIN PRESS FLOOR
291	Tishken Mechanical Cut-off Model CO-14-HW-4A16, S/N 9221, 10 HP (est.) (#266), LOCATION: MAIN PRESS FLOOR
292	25 HP Pre-Notcher/Cut-off, LOCATION: MAIN PRESS FLOOR
293	Rowe Uncoiler Model 10020-DSJ, S/N 28725, 10,000 lb. Capacity, 20 in. Wide (#264), LOCATION: MAIN PRESS FLOOR
294	Lincoln Square Wave Automatic Coil Butt Welder Model TIG 175, 10 in. (est.) Max. Width, LOCATION: MAIN PRESS FLOOR
295	Airco 200 Amp (est.) Welder, TIG Torch, LOCATION: MAIN PRESS FLOOR
296	Tishken 12-Stand Roll Former Model 12MLW 1-1/2, S/N 19423, 15 HP, 1-1/2 in. Arbors, 6 in. Roll Space, 8 in. Horizontal Spacing, LOCATION: MAIN PRESS FLOOR
297	Tishken Pre-Notcher/Cut-off, 15 HP (#951), LOCATION: MAIN PRESS FLOOR
298	Littell Horizontal Uncoiler, LOCATION: MAIN PRESS FLOOR
299	Tishken 10-Stand Roll Former Model 10-MW-2, S/N 18830-984, 2 in. Arbors, 8 in. Roll Space, 12 in. Horizontal Spacing (#151), LOCATION: MAIN PRESS FLOOR
300	Tishken Cut-off Model CO-6HWA, S/N 9800A362, LOCATION: MAIN PRESS FLOOR
301	Horizontal Uncoiler, LOCATION: MAIN PRESS FLOOR
302	Tishken 8-Stand Roll Former Model 8-MW-2, S/N 2036944-90, 15 HP, 2 in. Arbors, 10 in. Roll Space, 12 in. Horizontal Spacing (#952), LOCATION: MAIN PRESS FLOOR
303	Tishken 30 Ton Pneumatic Cut-off Model ACO-30, S/N 20370 (#958), LOCATION: MAIN PRESS FLOOR
304	Hytrol 16 in. x 8 ft. Power Belt Conveyor, LOCATION: MAIN PRESS FLOOR
305	Tru-Tech 14-Stand Roll Former, 25 HP, 2 in. Arbors, 10 in. Roll Space, 12 in. Horizontal Spacing (#610), LOCATION: MAIN PRESS FLOOR
306	Tishken 50 Ton Mechanical Cut-off Model CO-12-16-50, S/N 18953, 15 HP (#616), LOCATION: MAIN PRESS FLOOR
307	Tishken 60 Ton Mechanical Cut-off Model CO-24-24-60, S/N 21942298, 20 HP, (#617), LOCATION: MAIN PRESS FLOOR
308	Air Feed Uncoiler Model R-100, S/N 891210, 18,000 lb. Capacity (#1717), LOCATION: MAIN PRESS FLOOR
309	Belt Conveyor, with Pneumatic Tooling, LOCATION: MAIN PRESS FLOOR
310	Yoder 16-Stand Roll Former, 15 HP, 1-1/2 in. Arbors, 8 in. Roll Space, 11 in. Vertical Spacing (two stands in crate) (#514), LOCATION: MAIN PRESS FLOOR
311	Tishken Mechanical Cut-off, 7-1/2 HP (#275), LOCATION: MAIN PRESS FLOOR

312	Tru-Tech 16-Stand Roll Former, 50 HP, 2 in. Arbors, 12 in. Roll Space, 10 in. Horizontal Spacing, LOCATION: MAIN PRESS FLOOR
313	Tishken Mechanical Cut-off Model CO-16-HW-4A12, S/N 8995-460, 40 HP, LOCATION: MAIN PRESS FLOOR
314	Pearson 14-Stand Roll Former, S/N R-166, 25 HP, 2 in. Arbors, 12 in. Roll Space, 8 in. Horizontal Spacing (#165), LOCATION: MAIN PRESS FLOOR
314A	Tishken 10-Stand Roll Former Model 10-MW-2, S/N 7706-1057, 8 in. Roll Space, 12 in. Horizontal Spacing, LOCATION: GARAGE
314B	Tru-Tech 10-Stand Roll Former, 50 HP, 2 in. Arbors, 10 in. Roll Space, 10 in. Horizontal Spacing, LOCATION: GARAGE
314C	Lockformer 18-Stand Roll Former, S/N 1334, 20 ga. Capacity, LOCATION: GARAGE
315	Tishken 50 Ton Mechanical Cut-off Model CO-12-16-50, S/N 18827, 15 HP (#1382), LOCATION: MAIN PRESS FLOOR
315A	Tishken Cut-off Model CO-17-4LA-12, LOCATION: GARAGE
315B	Tishken Cut-off, LOCATION: GARAGE
316	Hytrol 36 in. 90 Degree Power Roller Conveyor, LOCATION: MAIN PRESS FLOOR
317	LOT: Roll Former Tooling, with Rack, LOCATION: MAIN PRESS FLOOR
318	LOT: Roll Former Tooling, with Rack, LOCATION: MAIN PRESS FLOOR
319	LOT: Roll Former Tooling, with Rack, LOCATION: MAIN PRESS FLOOR
320	Tishken Mechanical Notcher/Cut-off Model CO-36-HW-4A12, S/N 8998A (#272), LOCATION: MAIN PRESS FLOOR
320A	Tishken Mechanical Notcher/Cut-off Model CO-36-HW-4A12, LOCATION: MAIN PRESS FLOOR
321	LOT: Assorted Roll & Mill Parts, with Racking, LOCATION: MAIN PRESS FLOOR
322	LOT: Panasonic Robo Welder Model VR-006, with Fume Extractor, LOCATION: MAIN PRESS FLOOR
323	LOT: Panasonic Robo Welder Model VR-006, with Fume Extractor, LOCATION: MAIN PRESS FLOOR
324	LOT: Dual Miller MIG Welding Cell, with (2) CP300 CV Welding Power Sources, (2) S-60 Single-Head Feeds, Trion Fume Extractor, Flow Meters, Fixture, LOCATION: MAIN PRESS FLOOR
325	LOT: Miller Welding Power Source Model CP-302 CV-CC, with Miller 60 Series Wire Feed, Flow Meter, LOCATION: MAIN PRESS FLOOR
326	Thermco Welding Gas Mixer, LOCATION: MAIN PRESS FLOOR
327	Robotron 85 KVA Double-Head Spot Welder, LOCATION: MAIN PRESS FLOOR
328	Acme 100 KVA Spot Welder Model PT1P-12-100, 12 in. Throat, LOCATION: MAIN PRESS FLOOR
329	Advantage Chiller Model L1K-2AY-41HFX, S/N 33078, LOCATION: MAIN PRESS FLOOR
330	LOT: Welding Table, Portable Fixture, Air Quality Fume Extractor, LOCATION: MAIN PRESS FLOOR
331	Acme 100 KVA Spot Welder Model PT1P-12-100, 12 in. Throat, LOCATION: MAIN PRESS FLOOR
332	Advantage Chiller Model L1K-2AY-41HFX, LOCATION: MAIN PRESS FLOOR
333	40 KVA Spot Welder Type 3-18-40, 18 in. Throat, LOCATION: MAIN PRESS FLOOR

334	T.J. Snow Pneumatic Press Type Spot Welder, S/N 10UM1779, LOCATION: MAIN PRESS FLOOR
335	60 KVA Spot Welder, with On-Board Chiller, Horizontal Mount, LOCATION: MAIN PRESS FLOOR
336	Acme 75 KVA Pneumatic Press Type Spot Welder Model PT1P-18-75, S/N 9567, 12 in. Throat, Robotron Control, LOCATION: MAIN PRESS FLOOR
337	Schreiber Chiller Model 2000MC-W, S/N 50719, LOCATION: MAIN PRESS FLOOR
338	Trion Fume Extractor, with Ducts, LOCATION: MAIN PRESS FLOOR
339	Banner 3 - 70 KVA Straight Line Gang Welder Model X1371, S/N 3075, LOCATION: MAIN PRESS FLOOR
340	Spot Weld Inc. 2 - 150 / 4 - 85 KVA Gang Welder Type Straight Arm Style 7-Gun P.T., S/N 11-5-97#2, LOCATION: MAIN PRESS FLOOR
341	Spot Weld Inc. 2 - 150 / 4 - 85 KVA Gang Welder Type Straight Arm Style 7-Gun P.T., S/N 11-5-97#1, LOCATION: MAIN PRESS FLOOR
342	Central Engineering 70 KVA Multi-Gun Spot Welder, S/N 60-142, LOCATION: MAIN PRESS FLOOR
343	Spot Weld Inc. 170 KVA Custom Spot Welder Style XXY, S/N 103104STR, LOCATION: MAIN PRESS FLOOR
344	Trion Fume Extractor, with Ducts (#1788) , LOCATION: MAIN PRESS FLOOR
345	Trion Fume Extractor, with Ducts, LOCATION: MAIN PRESS FLOOR
346	18 in. x 30 ft. Power Belt Conveyor, LOCATION: MAIN PRESS FLOOR
347	Koolant Kooler by Dimplex Thermal Solutions Model SV1-3000M, S/N 36403 (#1960), LOCATION: MAIN PRESS FLOOR
348	Custom Conveyor Magnetic Transfer Station with Double Bending Station, LOCATION: MAIN PRESS FLOOR
349	LOT: Custom In-Line Gang Spot Welder, with Feed Conveyor, LOCATION: MAIN PRESS FLOOR
350	LOT: Multi-Head Feed-Thru Heavy Duty Gang Spot Welder with Conveyors, Fume Extractor, Hood, LOCATION: MAIN PRESS FLOOR
351	LOT: (12) Lincoln CV-300 Power Sources, (12) Lincoln LN-10 Feed Controls, (12) Lincoln Wire Feeds, LOCATION: MAIN PRESS FLOOR
352	LOT: (4) Kemper Type 8410214 Portable Fume Extractors, LOCATION: MAIN PRESS FLOOR
353	LOT: (3) Kemper Type 8410214 Portable Fume Extractors, LOCATION: MAIN PRESS FLOOR
354	LOT: (2) Kemper Type 8410214 Portable Fume Extractors, LOCATION: MAIN PRESS FLOOR
355	LOT: (3) Trion Portable Fume Extractors, LOCATION: MAIN PRESS FLOOR
356	Custom Pass-Thru Gang Spot Welder, LOCATION: MAIN PRESS FLOOR
357	Custom Pass-Thru Multi-Head Spot Welder, LOCATION: MAIN PRESS FLOOR
358	LOT: (12) Hobart Welders Model Mega-MIG 300RVS, (12) Hobart Wire Feeds, with Controls, LOCATION: MAIN PRESS FLOOR
359	Cyber Smith Engineering 85 KVA Custom Spot Welder, S/N 8659, PLC Control, Pneumatic Clamps, (4) Guns on Each Side, Entron Control (#793), LOCATION: MAIN PRESS FLOOR
360	Custom Pass-Thru Multi-Head Spot Welder with (2) Turnovers, Controls, LOCATION: MAIN PRESS FLOOR
361	LOT: (10) Airco 200 Amp Power Sources, (10) Feeders with Guns, Controls, LOCATION: MAIN PRESS FLOOR

362	LOT: (3) Trion Fume Extractors, with Hoods & Ducts, LOCATION: MAIN PRESS FLOOR
363	Custom 85 KVA Spot Welder, (2) Gun Rail Mount, Pneumatic Clamps, Entron Control (#979), LOCATION: MAIN PRESS FLOOR
364	LOT: Bulk Offering Combination of Lots 364A, 364B, 364C, 364D, 364E. ITW Gema Overhead Conveyor Powder Coat Paint System Consisting of 4,100 ft. (est.) Medium Duty I-Beam Conveyor, (3) Drives, (3) Take Ups, Steel Supports, Pass-Thru 3-Stage Monorail Washer, Stainless Steel, 2-Pass Gas Fired Dry-Off Oven, Powder Coat Room with (2) Monorail Spray Booths Powered Roll-On Roll-Off with 25-Powder Coat Power Reciprocating Guns with Power Supplies, Powder Overspray Collectors, Vortex 10,000 CFM Booth, (9) Portable Powder Hoppers, (10) Transfer Hoppers, Torit Sample Booth, Multi-Pass Gas Fired Mezzanine Cure Oven, with Controls, LOCATION: MAIN PRESS FLOOR
364A	LOT: (2) Monorail Spray Booths Powered Roll-On Roll-Off with 25-Powder Coat Power Reciprocating Guns with Power Supplies, Powder Overspray Collectors, Vortex 10,000 CFM Booth, (9) Portable Powder Hoppers, (10) Transfer Hoppers, Torit Sample Booth. LOCATION: MAIN PRESS FLOOR
364B	Dual Booth Environmental Room, Roll-Up Door, Man Door, Light Fixtures. LOCATION: MAIN PRESS FLOOR
364C	4,100 ft. (est.) Medium Duty I-Beam Conveyor, (3) Drives, (3) Take Ups, Steel Supports. LOCATION: MAIN PRESS FLOOR
364D	LOT: (1) 2-Pass Gas Fired Dry-Off Oven, (1) Multi-Pass Gas Fired Mezzanine Curing Oven with Controls, Torit Clean-Up Booth. LOCATION: MAIN PRESS FLOOR
364E	Pass-Thru 3-Stage Monorail Washer, Stainless Steel. LOCATION: MAIN PRESS FLOOR
365	LOT: Bulk Offering Combination of Lots 365A, 365B, 365C, 365D. Rohner/Gema Overhead Conveyor Powder Coat Paint System Consisting of 1,400 ft. (est.) Medium Duty I-Beam Conveyor, Unload Station with (3) Hydraulic Scissor Lifts, Pass-Thru 3-Stage Washer, #1 Powder Coat Room with Stainless Steel Booth with (2) Manual Spray Stations, #2 Booth with 14-Automatic Powder Spray Guns with Power Supplies, Rohner Overspray Recovery Systems with (2) Spare Recoveries, (2) Manual Guns, (3) Portable Powder Hoppers, 6-Pass Bake Oven with Controls. LOCATION: MAIN PRESS FLOOR
365A	LOT: #1 Powder Coat Room with Stainless Steel Booth with (2) Manual Spray Stations, #2 Booth with 14-Automatic Powder Spray Guns with Power Supplies, Rohner Overspray Recovery Systems with (2) Spare Recoveries, (2) Manual Guns, (3) Portable Powder Hoppers. LOCATION: MAIN PRESS FLOOR
365B	1,400 ft. (est.) Medium Duty I-Beam Conveyor. Unload Station with (3) Hydraulic Scissor Lifts, LOCATION: MAIN PRESS FLOOR
365C	LOT:Pass-Thru 3-Stage Washer. LOCATION: MAIN PRESS FLOOR
365D	6-Pass Curing/Bake Ovens with Controls. LOCATION: MAIN PRESS FLOOR
366	T.C. American / Demag 3 Ton Top Running Overhead Crane, 16 ft. x 60 ft., Radio Control, Free Standing, includes Runway, LOCATION: MAIN PRESS FLOOR
367	T.C. American / Demag 3 Ton Top Running Overhead Crane, 16 ft. x 48 ft., Radio Control, Free Standing, includes Runway, LOCATION: MAIN PRESS FLOOR
368	T.C. American / Demag 3 Ton Top Running Overhead Crane, 16 ft. x 48 ft., Pendant Control, Free Standing, includes Runway, LOCATION: MAIN PRESS FLOOR
369	Hytrol 12 in. x 120 in. Power Belt Incline Conveyor, LOCATION: MAIN PRESS FLOOR
370	Hytrol 12 in. x 120 in. Power Belt Incline Conveyor, LOCATION: MAIN PRESS FLOOR
370A	LOT: (1) Hytrol 6 in. x 20 ft. Power Belt Conveyor, (1) Hytrol 18 in. x 12 ft. Power Belt Conveyor, (2) Assorted Incline Conveyors, LOCATION: GARAGE
371	LOT: (18) Assorted Conveyors, includes Carts, LOCATION: MAIN PRESS FLOOR
372	Hytrol 48 in. x 48 in. Power Roller Conveyor, Mounted on Electric Scissor Lift Table, LOCATION: MAIN PRESS FLOOR
373	LOT: Hytrol Power Roller Conveyors including: (1) 52 in. x 50 ft., (1) 52 in. x 20 ft., (1) 52 in. x 9 ft., (1) 52 in. 90 Degree, (1) 52 in. x 60 in. Trolley, LOCATION: MAIN PRESS FLOOR
374	LOT: (1) Hytrol 10 in. x 65 ft. Power Roller Conveyor, (1) 10 in. 90 Degree Ceiling Mount, (1) 20 in. x 10 ft. Power Belt Conveyor with Ceiling Mount, LOCATION: MAIN PRESS FLOOR
375	LOT: (3) Hytrol 36 in. Power Roller Conveyors, 90 Degree Turns, LOCATION: MAIN PRESS FLOOR
376	36 in. Portable Power Roller Conveyor, 90 Degree Turn, LOCATION: MAIN PRESS FLOOR

377	50 in. x 13 ft. Roller Conveyor, LOCATION: MAIN PRESS FLOOR
378	LOT: (2) 15 in. x 10 ft. Power Roller Conveyors, LOCATION: MAIN PRESS FLOOR
379	LOT: (6) Assorted Conveyors, LOCATION: MAIN PRESS FLOOR
380	8 in. x 5 ft. Portable Incline Power Belt Conveyor, LOCATION: MAIN PRESS FLOOR
381	ALC Horizontal Uncoiler Model 405, S/N F4050324061, LOCATION: MAIN PRESS FLOOR
382	Hytrol 48 in. x 50 ft. Power Roller Conveyor, LOCATION: MAIN PRESS FLOOR
383	LOT: (1) 48 in. x 48 in. Scissor Lift, (1) 50 in. x 15 ft. Roller Conveyor, LOCATION: MAIN PRESS FLOOR
384	LOT: (1) 48 in. x 48 in. Scissor Lift, (1) 50 in. x 15 ft. Roller Conveyor, LOCATION: MAIN PRESS FLOOR
385	LOT: (1) Southworth 48 in. x 48 in. Scissor Lift, (1) Hytrol 50 in. x 10 ft. Roller Conveyor, LOCATION: MAIN PRESS FLOOR
386	Hytrol 48 in. x 35 ft. Power Roller Conveyor Model 25-CRR, LOCATION: MAIN PRESS FLOOR
387	Hytrol 48 in. x 40 ft. Power Roller Conveyor, LOCATION: MAIN PRESS FLOOR
388	Hytrol 48 in. x 35 ft. Power Roller Conveyor Model 25-CRR, LOCATION: MAIN PRESS FLOOR
389	Hytrol 48 in. x 35 ft. Power Roller Conveyor Model 25-CRR, LOCATION: MAIN PRESS FLOOR
390	LOT: Presto 6000 lb. Scissor Lift, 48 in. x 60 in. Mounted Roller Conveyor, LOCATION: MAIN PRESS FLOOR
391	LOT: Presto 6000 lb. Scissor Lift, 48 in. x 60 in. Mounted Roller Conveyor, LOCATION: MAIN PRESS FLOOR
392	LOT: Southworth 4000 lb. Scissor Lift, 48 in. x 60 in. Mounted Roller Conveyor, LOCATION: MAIN PRESS FLOOR
393	Hytrol 48 in. x 20 ft. Power Roller Conveyor, LOCATION: MAIN PRESS FLOOR
394	43 in. x 58 in. Scissor Lift, LOCATION: MAIN PRESS FLOOR
395	43 in. x 58 in., 4000 lb. Scissor Lift, LOCATION: MAIN PRESS FLOOR
396	48 in. x 51 in., 4000 lb. Scissor Lift, LOCATION: MAIN PRESS FLOOR
397	44 in. x 59 in., 4400 lb. Scissor Lift, LOCATION: MAIN PRESS FLOOR
398	LOT: AutoQuip 48 in. x 72 in., 4000 lb. Scissor Lift Series 35, with Hytrol Bolt-on 48 in. x 10 ft. Power Roller Conveyor, LOCATION: MAIN PRESS FLOOR
399	LOT: AutoQuip 48 in. x 72 in., 4000 lb. Scissor Lift Series 35, with Hytrol Bolt-on 48 in. x 10 ft. Power Roller Conveyor, LOCATION: MAIN PRESS FLOOR
400	LOT: AutoQuip 48 in. x 72 in., 4000 lb. Scissor Lift Series 35, with Hytrol Bolt-on 48 in. x 10 ft. Power Roller Conveyor, LOCATION: MAIN PRESS FLOOR
401	LOT: AutoQuip 48 in. x 72 in., 4000 lb. Scissor Lift Series 35, with Hytrol Bolt-on 48 in. x 10 ft. Power Roller Conveyor, LOCATION: MAIN PRESS FLOOR
402	LOT: (1) Hytrol 54 in. x 40 ft. Power Roller Conveyor, (1) Hytrol 54 in. x 72 in. Power Roller Conveyor , LOCATION: MAIN PRESS FLOOR
403	45 in. x 25 ft. Power Chain Conveyor, with Control, LOCATION: MAIN PRESS FLOOR
404	50 in. x 10 ft. Portable Conveyor, includes Handle, LOCATION: MAIN PRESS FLOOR

405	LOT: (1) Hydraulic Lift Table with Pump, (2) Assorted 45 in. Chain Conveyors, LOCATION: MAIN PRESS FLOOR
406	LOT: (1) Hytrol 52 in. x 21 ft. Power Roller Conveyor, (1) Hytrol 52 in. x 25 ft. Power Roller Conveyor, LOCATION: MAIN PRESS FLOOR
407	Southworth 48 in. x 48 in. Electric Scissor Lift Table, LOCATION: MAIN PRESS FLOOR
408	Southworth 48 in. x 48 in. Electric Scissor Lift Table, LOCATION: MAIN PRESS FLOOR
409	Southworth 48 in. x 48 in. Electric Scissor Lift Table, LOCATION: MAIN PRESS FLOOR
410	Southworth 48 in. x 48 in. Electric Scissor Lift Table, LOCATION: MAIN PRESS FLOOR
411	Southworth 48 in. x 48 in. Electric Scissor Lift Table, LOCATION: MAIN PRESS FLOOR
412	Southworth 48 in. x 48 in. Portable Electric Scissor Lift Table, LOCATION: MAIN PRESS FLOOR
413	Southworth 48 in. x 48 in. Portable Electric Scissor Lift Table, LOCATION: MAIN PRESS FLOOR
414	Southworth 48 in. x 48 in. Portable Electric Scissor Lift Table, LOCATION: MAIN PRESS FLOOR
415	Southworth 48 in. x 48 in. Portable Electric Scissor Lift Table, LOCATION: MAIN PRESS FLOOR
416	Southworth 48 in. x 48 in. Portable Electric Scissor Lift Table, LOCATION: MAIN PRESS FLOOR
417	Southworth 48 in. x 48 in. Portable Electric Scissor Lift Table, LOCATION: MAIN PRESS FLOOR
418	Southworth 48 in. x 48 in. Portable Electric Scissor Lift Table, LOCATION: MAIN PRESS FLOOR
419	Southworth 48 in. x 48 in. Portable Electric Scissor Lift Table, LOCATION: MAIN PRESS FLOOR
420	Southworth 48 in. x 48 in. Portable Electric Scissor Lift Table, LOCATION: MAIN PRESS FLOOR
421	Southworth 48 in. x 48 in. Portable Electric Scissor Lift Table, LOCATION: MAIN PRESS FLOOR
422	Southworth 48 in. x 48 in. Electric Lift Table with Rotary Table, LOCATION: MAIN PRESS FLOOR
423	Southworth 48 in. x 48 in. Electric Lift Table with Rotary Table, LOCATION: MAIN PRESS FLOOR
424	Southworth 48 in. x 48 in. Electric Lift Table with Rotary Table, LOCATION: MAIN PRESS FLOOR
425	AutoQuip 48 in. x 48 in. Electric Lift Table, LOCATION: MAIN PRESS FLOOR
426	AutoQuip 48 in. x 48 in. Electric Lift Table, LOCATION: MAIN PRESS FLOOR
427	AutoQuip 48 in. x 48 in. Electric Lift Table, LOCATION: MAIN PRESS FLOOR
428	AutoQuip 42 in. x 72 in., 4000 lb. Electric Lift Table, LOCATION: MAIN PRESS FLOOR
429	AutoQuip 42 in. x 72 in., 4000 lb. Electric Lift Table, LOCATION: MAIN PRESS FLOOR
430	AutoQuip 42 in. x 72 in., 4000 lb. Electric Lift Table, LOCATION: MAIN PRESS FLOOR
431	AutoQuip 48 in. x 60 in., 2500 lb. Electric Lift Table, LOCATION: MAIN PRESS FLOOR
432	Pneumatic Rotary Lift Table, LOCATION: MAIN PRESS FLOOR

433	48 in. x 48 in. Pneumatic Lift Table, LOCATION: MAIN PRESS FLOOR
434	48 in. x 48 in. Pneumatic Lift Table, LOCATION: MAIN PRESS FLOOR
435	LOT: (3) Assorted Manual Hydraulic Lift Tables , LOCATION: MAIN PRESS FLOOR
436	LOT: (4) Assorted Manual Hydraulic Lift Tables , LOCATION: MAIN PRESS FLOOR
437	LOT: (3) Assorted Lift Tables, (1) Hydraulic Lift Table Pump, LOCATION: MAIN PRESS FLOOR
438	LOT: (2) Vestil Adjustable Pallet Stands Model PS-4045/CK, LOCATION: MAIN PRESS FLOOR
439	LOT: (6) Assorted Steel Rotary Turntables , LOCATION: MAIN PRESS FLOOR
440	LOT: (6) Assorted Steel Rotary Turntables, LOCATION: MAIN PRESS FLOOR
441	LOT: (6) Assorted Steel Rotary Turntables, LOCATION: MAIN PRESS FLOOR
442	LOT: (6) Assorted Steel Rotary Turntables, LOCATION: MAIN PRESS FLOOR
443	LOT: (6) Assorted Steel Rotary Turntables, LOCATION: MAIN PRESS FLOOR
444	LOT: (4) Assorted Steel Rotary Turntables, LOCATION: MAIN PRESS FLOOR

DAY 2

Lot Number	Description
445	Clark 2000 lb. Electric Forklift Model FC500-40-TL, S/N E685-10-475-0FA, Tri-Loader Side Loading Attachment, 9614 hours, LOCATION: MAIN PRESS FLOOR
446	Clark 2000 lb. Electric Forklift Model FC500-40-TL, S/N E685-7-475-0FA, Tri-Loader Side Loading Attachment, 8611 hours, LOCATION: MAIN PRESS FLOOR
447	Yale 10,800 lb. Electric Forklift Model ERC120HGN48TE084, S/N A839V03103X, 3-Stage Mast, Side Shift, 2566 hours, includes 48 Volt Charger (delay removal), LOCATION: MAIN PRESS FLOOR
448	Clark 4150 lb. Electric Forklift Model ECS25, S/N E357-0220-8972FB, 3-Stage Mast, Side Shift, 6445 hours, LOCATION: MAIN PRESS FLOOR
449	Crown 4000 lb. Electric Forklift Model 40FCTT-188, S/N 1A163118, 3-Stage Mast, Side Shift, 5095 hours, LOCATION: MAIN PRESS FLOOR
450	Crown 4000 lb. Electric Forklift Model 40FCTT-188, S/N 1A163246, 3-Stage Mast, Side Shift, 8645 hours, LOCATION: MAIN PRESS FLOOR
451	Crown 4000 lb. Electric Forklift Model 40FCTT-188, S/N 1A163127, 3-Stage Mast, Side Shift, 8222 hours, LOCATION: MAIN PRESS FLOOR
452	Crown 4500 lb. Electric Forklift Model 50FCTT-188, S/N 1A163271, 3-Stage Mast, Side Shift, 4195 hours (no forks), LOCATION: MAIN PRESS FLOOR
453	Caterpillar 3000 lb. Electric Forklift Model E3000, S/N A4EC140469, 3-Stage Mast, Side Shift, 4622 hours, LOCATION: MAIN PRESS FLOOR
454	Yale 2900 lb. Electric Forklift Model ERC030AHN36TE088, S/N C814N02746G, 3-Stage Mast, Side Shift (no battery), LOCATION: MAIN PRESS FLOOR
455	Yale 4000 lb. Electric Forklift Model ERP040TFN36FTSE, S/N A807N03778T, 3-Stage Mast, Side Shift, 1820 hours, LOCATION: MAIN PRESS FLOOR
455A	Clark 5425 lb. LP Forklift Model CGP-30, Solid Tires, Overhead Guard, 189 in. Lift, Side Shift (DELAYED REMOVAL CONTACT SITE MANAGER)
456	Toyota 4500 lb. Stand-up Reach Electric Forklift Model 6BR023, S/N 30555, 4779 hours, LOCATION: MAIN PRESS FLOOR
457	Toyota 4500 lb. Stand-up Reach Electric Forklift Model 6BR023, S/N 30557, 4888 hours, LOCATION: MAIN PRESS FLOOR
458	Toyota 4500 lb. Stand-up Reach Electric Forklift Model 6BR023, S/N 30554, 4184 hours, LOCATION: MAIN PRESS FLOOR
459	Toyota 4500 lb. Stand-up Reach Electric Forklift Model 6BR023, S/N 30556, 4969 hours, LOCATION: MAIN PRESS FLOOR
460	Crown 4500 lb. Stand-up Reach Electric Forklift Model 45RRTT, S/N N/A, 4446 hours, LOCATION: MAIN PRESS FLOOR
461	Crown 4500 lb. Stand-up Reach Electric Forklift Model 45RRTT, S/N 1A122138, 16,700 hours, LOCATION: MAIN PRESS FLOOR
462	Crown 4500 lb. Stand-up Reach Electric Forklift Model 45RRTT, S/N 1A122139, 9084 hours, LOCATION: MAIN PRESS FLOOR
463	Crown 4500 lb. Stand-up Reach Electric Forklift Model 45RRTT, S/N 1A163147 (needs repair), LOCATION: MAIN PRESS FLOOR
464	Crown 4500 lb. Stand-up Reach Electric Forklift Model 45RRTT, S/N 1A122151, LOCATION: MAIN PRESS FLOOR
465	Prime Mover 4750 lb. Stand-up Reach Electric Forklift Model RR40, S/N 10877, 16,801 hours, LOCATION: MAIN PRESS FLOOR
466	Crown 3500 lb. Stand-up Reach Electric Forklift Model 35RRTT, S/N W-49669, 26,911 hours, LOCATION: MAIN PRESS FLOOR
467	Crown 3500 lb. Stand-up Reach Electric Forklift Model 35RRTT, S/N W-23889, 34,780 hours, LOCATION: MAIN PRESS FLOOR
468	Crown 3500 lb. Stand-up Reach Electric Forklift Model 35RRTT, S/N W-25071, 25,873 hours, LOCATION: MAIN PRESS FLOOR
469	Crown 3500 lb. Stand-up Reach Electric Forklift Model 35RRTT, S/N W-37307, 39,357 hours, LOCATION: MAIN PRESS FLOOR
470	Crown 4500 lb. Stand-up Reach Electric Forklift Model RR3520-45, S/N 1A163057 (needs repair), LOCATION: MAIN PRESS FLOOR

471	Crown 4500 lb. Stand-up Reach Electric Forklift Model RR3520-45, S/N 1A163046 (needs repair), LOCATION: MAIN PRESS FLOOR
472	LOT: (3) Crown 4500 lb. Walk-Behind Forklifts, (1) 24 Volt Charger (all need battery/repair), LOCATION: MAIN PRESS FLOOR
473	Advance Terra Floor Sweeper Model 5200B, S/N 1763528 (needs battery/repair), LOCATION: MAIN PRESS FLOOR
474	LOT: MTC Battery Power Charger Model PCH-2-40-SS-V (designed for ten forklifts), S/N 153205, consisting of Single Stacking Power Charger, 5 HP Motor, Guide Rails, Electric Rail, (2) Battery/Battery Charger Racks, LOCATION: MAIN PRESS FLOOR
475	B.H.S. Battery Wash Cabinet Model BWC-2, S/N 6-2006, Stainless Steel Construction, LOCATION: MAIN PRESS FLOOR
476	LOT: (2) Steel Case Batteries, LOCATION: MAIN PRESS FLOOR
477	LOT: (2) Steel Case Batteries, LOCATION: MAIN PRESS FLOOR
478	LOT: (2) Steel Case Batteries, LOCATION: MAIN PRESS FLOOR
479	LOT: (3) Steel Case Batteries, LOCATION: MAIN PRESS FLOOR
480	LOT: (3) Steel Case Batteries, LOCATION: MAIN PRESS FLOOR
481	LOT: (3) Assorted Battery Chargers, LOCATION: MAIN PRESS FLOOR
482	LOT: (3) Assorted Battery Chargers, LOCATION: MAIN PRESS FLOOR
483	LOT: (3) Assorted Battery Chargers, LOCATION: MAIN PRESS FLOOR
484	LOT: (4) Assorted Battery Chargers, LOCATION: MAIN PRESS FLOOR
485	LOT: (4) Assorted Battery Chargers, LOCATION: MAIN PRESS FLOOR
486	LOT: (3) Assorted Battery Chargers, LOCATION: MAIN PRESS FLOOR
487	LOT: (3) 36 Volt Battery Chargers, LOCATION: MAIN PRESS FLOOR
488	Energys 48 Volt Battery Charger Model D3G-24-850, S/N FH16681, includes Stand, LOCATION: MAIN PRESS FLOOR
489	LOT: (2) 48 in. Forks, (1) Twin Barrel Lift, LOCATION: MAIN PRESS FLOOR
491	Lift for Steelcase Batteries, Stand
492	Bushman 15 Ton C-Hook, LOCATION: MAIN PRESS FLOOR
493	15 Ton C-Hook, LOCATION: MAIN PRESS FLOOR
494	10 Ton Caddy C-Hook, LOCATION: MAIN PRESS FLOOR
495	10 Ton C-Hook, LOCATION: MAIN PRESS FLOOR
496	10 Ton C-Hook, LOCATION: MAIN PRESS FLOOR
497	LOT: 1 Ton, 15 ft. Wide Portable Gantry, C.W. 1/2 Ton Electric Chain Hoist, M&W 1 Ton Adjustable Spreader, LOCATION: MAIN PRESS FLOOR
498	Caldwell 5 Ton, 12 ft. Spreader, LOCATION: MAIN PRESS FLOOR
499	Caldwell 5 Ton, 6 ft. Spreader, LOCATION: MAIN PRESS FLOOR

500	Bushman 10 Ton Below-Hook Lifter, LOCATION: MAIN PRESS FLOOR
501	Gantry Type Work Table including Aero-Matic Balancer, LOCATION: MAIN PRESS FLOOR
502	28,800 lb. Mesh Sling, 12 in. Wide, 18 ft. Long, LOCATION: MAIN PRESS FLOOR
503	28,800 lb. Mesh Sling, 12 in. Wide, 18 ft. Long, LOCATION: MAIN PRESS FLOOR
504	LOT: (1) 1/2 in. x 8 ft. 2-Leg Chain Sling, (3) 1/2 in. x 8 ft. Single-Leg Chain Slings, LOCATION: MAIN PRESS FLOOR
505	LOT: (3) Assorted Hooks, LOCATION: MAIN PRESS FLOOR
506	Dillon 15,000 lb. Scale, LOCATION: MAIN PRESS FLOOR
507	LOT: (2) Assorted 2-Leg Chain Slings, LOCATION: MAIN PRESS FLOOR
508	LOT: (3) Assorted 2-Leg Chain Slings, LOCATION: MAIN PRESS FLOOR
509	LOT: Assorted Chain Slings, LOCATION: MAIN PRESS FLOOR
510	LOT: (4) Assorted Web Slings, LOCATION: MAIN PRESS FLOOR
511	LOT: (1) 2 Ton C-Hook, (1) 1/2 Ton Barrel Lift, (1) Fork Attachment, (1) 4 Ton, 32 in. Spreader, LOCATION: MAIN PRESS FLOOR
512	LOT: (2) 1-1/2 cu. yd. Self Dumping Hoppers, LOCATION: MAIN PRESS FLOOR
513	LOT: (2) 1-1/2 cu. yd. Self Dumping Hoppers, LOCATION: MAIN PRESS FLOOR
514	LOT: (2) 1-1/2 cu. yd. Self Dumping Hoppers, LOCATION: MAIN PRESS FLOOR
515	LOT: (2) 2 cu. yd. Portable Self Dumping Hoppers, LOCATION: MAIN PRESS FLOOR
516	1/2 cu. yd. (est.) Portable Self Dumping Hopper, LOCATION: MAIN PRESS FLOOR
517	LOT: (2) 1-1/2 cu. yd. (est.) Self Dumping Hoppers, LOCATION: MAIN PRESS FLOOR
518	LOT: (2) 1-1/2 cu. yd. Self Dumping Hoppers, LOCATION: MAIN PRESS FLOOR
519	LOT: (2) 1 cu. yd. Self Dumping Hoppers, LOCATION: MAIN PRESS FLOOR
520	LOT: (2) 1 cu. yd. Self Dumping Hoppers, LOCATION: MAIN PRESS FLOOR
521	LOT: (2) 1 cu. yd. Self Dumping Hoppers, LOCATION: MAIN PRESS FLOOR
522	LOT: (2) 1 cu. yd. Self Dumping Hoppers, LOCATION: MAIN PRESS FLOOR
523	LOT: (2) 1 cu. yd. Self Dumping Hoppers, LOCATION: MAIN PRESS FLOOR
524	LOT: (2) 1 cu. yd. Self Dumping Hoppers, LOCATION: MAIN PRESS FLOOR
525	LOT: (2) 1 cu. yd. Self Dumping Hoppers, LOCATION: MAIN PRESS FLOOR
526	LOT: (2) 1 cu. yd. Self Dumping Hoppers, LOCATION: MAIN PRESS FLOOR
527	LOT: (2) 1 cu. yd. Self Dumping Hoppers, LOCATION: MAIN PRESS FLOOR

528	LOT: (2) 1 cu. yd. Self Dumping Hoppers, LOCATION: MAIN PRESS FLOOR
529	LOT: (2) 1 cu. yd. Self Dumping Hoppers, LOCATION: MAIN PRESS FLOOR
530	LOT: (2) 1 cu. yd. Self Dumping Hoppers, LOCATION: MAIN PRESS FLOOR
531	LOT: (2) 1/2 cu. yd. Self Dumping Hoppers, LOCATION: MAIN PRESS FLOOR
532	LOT: (2) 1/2 cu. yd. Self Dumping Hoppers, LOCATION: MAIN PRESS FLOOR
533	LOT: (2) 1/2 cu. yd. (est.) Self Dumping Hoppers, LOCATION: MAIN PRESS FLOOR
534	LOT: (2) 1/4 cu. yd. Portable Self Dumping Hoppers, LOCATION: MAIN PRESS FLOOR
535	LOT: (2) 1/4 cu. yd. Portable Self Dumping Hoppers, LOCATION: MAIN PRESS FLOOR
536	LOT: (3) 1/4 cu. yd. Self Dumping Hoppers, LOCATION: MAIN PRESS FLOOR
537	LOT: (2) 1/4 cu. yd. Self Dumping Hoppers, LOCATION: MAIN PRESS FLOOR
538	LOT: (2) 1/4 cu. yd. Portable Self Dumping Hoppers, LOCATION: MAIN PRESS FLOOR
539	LOT: (2) 1/4 cu. yd. Portable Self Dumping Hoppers, LOCATION: MAIN PRESS FLOOR
540	LOT: (2) Assorted Portable Self Dumping Hoppers, LOCATION: MAIN PRESS FLOOR
541	LOT: (2) Assorted Portable Hoppers, LOCATION: MAIN PRESS FLOOR
542	LOT: (2) 60 in. Pallet Jacks, LOCATION: MAIN PRESS FLOOR
543	LOT: (2) 60 in. Pallet Jacks, LOCATION: MAIN PRESS FLOOR
544	LOT: (2) Pallet Jacks, LOCATION: MAIN PRESS FLOOR
545	LOT: (2) Pallet Jacks, LOCATION: MAIN PRESS FLOOR
546	LOT: (2) Pallet Jacks, LOCATION: MAIN PRESS FLOOR
547	LOT: (2) Pallet Jacks, LOCATION: MAIN PRESS FLOOR
548	LOT: (2) Pallet Jacks, LOCATION: MAIN PRESS FLOOR
549	LOT: (2) Pallet Jacks, LOCATION: MAIN PRESS FLOOR
550	LOT: (2) Pallet Jacks, LOCATION: MAIN PRESS FLOOR
551	LOT: (2) Pallet Jacks, LOCATION: MAIN PRESS FLOOR
552	LOT: (2) Pallet Jacks, LOCATION: MAIN PRESS FLOOR
553	LOT: (2) Pallet Jacks, LOCATION: MAIN PRESS FLOOR
554	LOT: (2) Pallet Jacks, LOCATION: MAIN PRESS FLOOR
555	LOT: (2) Pallet Jacks, LOCATION: MAIN PRESS FLOOR

556	LOT: (2) Pallet Jacks, LOCATION: MAIN PRESS FLOOR
557	LOT: (2) Pallet Jacks, LOCATION: MAIN PRESS FLOOR
558	LOT: (2) Assorted Pallet Jacks, LOCATION: MAIN PRESS FLOOR
559	Super Brown 14 in. Cold Saw, Pneumatic Clamp, Coolant, LOCATION: MAIN PRESS FLOOR
560	12 in. Abrasive Saw, LOCATION: MAIN PRESS FLOOR
561	12 in. Abrasive Saw, LOCATION: MAIN PRESS FLOOR
562	Apex 20 in. Disc Sander, LOCATION: MAIN PRESS FLOOR
563	LOT: SSC Vertical Panel Saw Model 6400, S/N 52411, with Dust Collector & Ducts, LOCATION: MAIN PRESS FLOOR
565	Trion Dust Collector Model CA6000C, LOCATION: MAIN PRESS FLOOR
566	LOT: (2) Carts with Tooling, Uni-Punches, T-Slot Table, LOCATION: MAIN PRESS FLOOR
568	LOT: Arpac High Speed Shrink & Bundler Tunnel Model 105-60, PLC Control, 48 in. Wide Infeed Belt, includes 1/2 Ton Jib Crane with Spreader, (17) Rolls of Film up to 46 in. Wide, Spare Film Shafts, LOCATION: MAIN PRESS FLOOR
569	Lantech T-Wrapper Pallet Wrapper, with Rotary Table , LOCATION: MAIN PRESS FLOOR
570	Lantech T-Wrapper Pallet Wrapper, with Rotary Table , LOCATION: MAIN PRESS FLOOR
571	Cousins Pallet Wrapper Model LP1000, S/N 090298-2L-1140, 60 in. Turntable, LOCATION: MAIN PRESS FLOOR
572	Cousins Pallet Wrapper Model LP1000, S/N 090298-2L-1139, 60 in. Turntable, LOCATION: MAIN PRESS FLOOR
573	Cousins Pallet Wrapper Model LP1000, S/N 150299-2L-1773, 60 in. Turntable, LOCATION: MAIN PRESS FLOOR
574	Cousins Pallet Wrapper Model LP1000, S/N 060300-2L-2467, 60 in. Turntable, LOCATION: MAIN PRESS FLOOR
575	Cousins Pallet Wrapper Model LP1000, S/N 060300-2L-2468, 60 in. Turntable, LOCATION: MAIN PRESS FLOOR
576	Wilton Automatic Strapping Machine Model SS-80, S/N 91506800, 50 in. Opening, LOCATION: MAIN PRESS FLOOR
577	Dynaric Automatic Strapping Machine Model AM-600, S/N 16279007, 48 in. Opening, LOCATION: MAIN PRESS FLOOR
578	Samuel Automatic Strapping Machine Model P-710, S/N 8127, 32 in. Opening, LOCATION: MAIN PRESS FLOOR
579	Samuel Automatic Strapping Machine Model KS-710, S/N 7102610, 26 in. Opening, LOCATION: MAIN PRESS FLOOR
580	Samuel Automatic Strapping Machine Model KS-710, S/N 7102767, 26 in. Opening, LOCATION: MAIN PRESS FLOOR
581	Samuel Automatic Strapping Machine Model SV-510NS, S/N 0012191, 18 in. Opening, LOCATION: MAIN PRESS FLOOR
582	LOT: (2) Strapping Carts, with (2) Strapping Tools, LOCATION: MAIN PRESS FLOOR
583	LOT: (2) Strapping Carts, with (2) Strapping Tools, LOCATION: MAIN PRESS FLOOR
584	LOT: (2) Strapping Carts, with (2) Strapping Tools, LOCATION: MAIN PRESS FLOOR
585	LOT: (2) Strapping Carts, with (1) Strapping Tool, LOCATION: MAIN PRESS FLOOR

586	LOT: (2) Strapping Carts, with (1) Strapping Tool, LOCATION: MAIN PRESS FLOOR
587	LOT: (2) Strapping Carts, LOCATION: MAIN PRESS FLOOR
588	LOT: (2) Strapping Carts, LOCATION: MAIN PRESS FLOOR
589	LOT: (2) Strapping Carts, LOCATION: MAIN PRESS FLOOR
590	LOT: (2) Strapping Carts, with (1) Strapping Tool, LOCATION: MAIN PRESS FLOOR
591	LOT: (2) Strapping Carts, with (1) Strapping Tool, LOCATION: MAIN PRESS FLOOR
592	LOT: (2) Strapping Carts, with (1) Strapping Tool, LOCATION: MAIN PRESS FLOOR
593	LOT: (2) Strapping Carts, with (1) Strapping Tool, LOCATION: MAIN PRESS FLOOR
594	LOT: (2) Strapping Carts, with (1) Strapping Tool, LOCATION: MAIN PRESS FLOOR
595	LOT: (2) Strapping Carts, with (1) Strapping Tool, LOCATION: MAIN PRESS FLOOR
596	LOT: (11) Coils of 3/4 in. Strapping, LOCATION: MAIN PRESS FLOOR
597	Signode Power Strapping Machine Model BXT2, with (2) Batteries, (1) Charger, LOCATION: MAIN PRESS FLOOR
598	Signode Pneumatic Strapping Machine, LOCATION: MAIN PRESS FLOOR
599	LOT: (2) Signode Pneumatic Strapping Machines, LOCATION: MAIN PRESS FLOOR
600	LOT: (1) Milwaukee Sawzall, (1) Nibbler, LOCATION: MAIN PRESS FLOOR
600A	Linde 250 Amp MIG Welder Model V1-252, Linde Model MIG-35 Wire Feeder, Custom Boom, Gun, Cables
601	LOT: (1) Pulse-Bac Automatic HEPA Vacuum Model PB1050H, (1) Allegro Cold Air System Model CB8000, LOCATION: MAIN PRESS FLOOR
601A	LOT: (1) 55 Gallon Electric Vacuum, (2) Small Shop Fans, LOCATION: MAIN PRESS FLOOR
602	Toledo / Weightronix 10,000 lb. Counting Scale Model PC820, 60 in. x 60 in. Platform, LOCATION: MAIN PRESS FLOOR
603	LOT: Approx. (120+) Tons Assorted Dies (throughout the plant), Racks included, LOCATION: MAIN PRESS FLOOR
604	LOT: (70) Sections 42 in. x 108 in. x 13 ft. (est.) Pallet Rack (no decking), LOCATION: MAIN PRESS FLOOR
605	LOT: (60) Sections 42 in. x 108 in. x 13 ft. (est.) Pallet Rack (no decking), (5) Sections 42 in. x 108 in. x 10 ft. Pallet Rack (no decking), LOCATION: MAIN PRESS FLOOR
605A	LOT: (12) Sections Assorted Pallet Rack, LOCATION: GARAGE
606	LOT: (16) Sections 42 in. x 108 in. x 9 ft. Pallet Rack (no decking), (8) Sections 42 in. x 108 in. x 12 ft. Pallet Rack (no decking), LOCATION: MAIN PRESS FLOOR
607	40 in. x 12 in. 4-Arm Cantilever Rack, LOCATION: MAIN PRESS FLOOR
608	LOT: Approx. (6) Cubby Hole Shelving Units, with Plastic Trays, LOCATION: MAIN PRESS FLOOR
609	LOT: Plastic Trays on (3) Pallets, LOCATION: MAIN PRESS FLOOR
610	GPI Cardboard Baler Model M60-HP, S/N 60289HP, 60 in. Wide x 26 in. High Opening (#1142), LOCATION: MAIN PRESS FLOOR

611	LOT: (5) Heavy Duty Die Tables - (3) 30 in. x 8 ft., (2) 36 in. x 8 ft., LOCATION: MAIN PRESS FLOOR
612	LOT: (2) 36 in. Air Movers, LOCATION: MAIN PRESS FLOOR
613	LOT: (2) 30 in. Air Movers, LOCATION: MAIN PRESS FLOOR
614	LOT: (2) 30 in. Air Movers, LOCATION: MAIN PRESS FLOOR
615	LOT: (3) 24 in. Fans, LOCATION: MAIN PRESS FLOOR
616	LOT: (4) 24 in. Fans, LOCATION: MAIN PRESS FLOOR
617	LOT: (4) 24 in. Fans, LOCATION: MAIN PRESS FLOOR
618	LOT: (3) Air Movers - (1) 42 in. & (2) 36 in., LOCATION: MAIN PRESS FLOOR
619	LOT: (3) 36 in. Fans, LOCATION: MAIN PRESS FLOOR
620	36 in. Pedestal Fan, LOCATION: MAIN PRESS FLOOR
621	LOT: (4) 32 in. Pedestal Fans, LOCATION: MAIN PRESS FLOOR
622	LOT: (10) Assorted Fans, LOCATION: MAIN PRESS FLOOR
623	LOT: (16) Pedestal Fans on (3) Pallets, LOCATION: MAIN PRESS FLOOR
624	LOT: (10) Pedestal Fans on (3) Pallets, LOCATION: MAIN PRESS FLOOR
625	LOT: (23) Pedestal Fans on (4) Pallets, LOCATION: MAIN PRESS FLOOR
626	LOT: (5) 48 in. x 48 in. Stackable Steel Pallets, (1) 4-Wheel Dolly for Pallets, LOCATION: MAIN PRESS FLOOR
627	LOT: (2) 8-Step Rolling Stairways, LOCATION: MAIN PRESS FLOOR
628	LOT: (3) Assorted Rolling Stairways, LOCATION: MAIN PRESS FLOOR
629	LOT: (2) 8 ft. Fiberglass Step Ladders, LOCATION: MAIN PRESS FLOOR
630	LOT: (2) 28 ft. Aluminum Extension Ladders, LOCATION: MAIN PRESS FLOOR
631	LOT: (4) Assorted Step Ladders, (2) Step Stools, LOCATION: MAIN PRESS FLOOR
632	LOT: (2) 4 ft. Fiberglass Step Ladders, (1) 3 ft. Fiberglass Step Ladder, LOCATION: MAIN PRESS FLOOR
633	LOT: (2) 5 ft. Fiberglass Step Ladders, LOCATION: MAIN PRESS FLOOR
634	LOT: (2) 10 ft. Fiberglass Step Ladders, LOCATION: MAIN PRESS FLOOR
635	Werner 16 ft. Fiberglass Step Ladder, LOCATION: MAIN PRESS FLOOR
636	Morse 800 lb. Barrel Lift, LOCATION: MAIN PRESS FLOOR
637	Vestil Drum Lift/Rotator
638	Vestil Drum Lift/Rotator

639	Vestil Drum Lift/Rotator
640	4-Wheel Barrel Dolly, LOCATION: MAIN PRESS FLOOR
641	LOT: (2) 4-Wheel Barrel Dollies, LOCATION: MAIN PRESS FLOOR
642	LOT: (2) 4-Wheel Barrel Dollies, LOCATION: MAIN PRESS FLOOR
643	LOT: (3) 2-Wheel Dollies, LOCATION: MAIN PRESS FLOOR
644	LOT: (3) 2-Wheel Dollies, LOCATION: MAIN PRESS FLOOR
645	LOT: (4) 2-Wheel Dollies, LOCATION: MAIN PRESS FLOOR
646	23 in. x 21 in. 2-Wheel Dolly, LOCATION: MAIN PRESS FLOOR
647	Genie 400 lb. Lift Model GL-8, LOCATION: MAIN PRESS FLOOR
648	LOT: (3) 21 in. x 48 in. Steel Carts, LOCATION: MAIN PRESS FLOOR
649	LOT: (3) 21 in. x 48 in. Steel Carts, LOCATION: MAIN PRESS FLOOR
650	LOT: (4) 21 in. x 48 in. Steel Carts, LOCATION: MAIN PRESS FLOOR
651	Wesco 22 in. x 48 in. Aluminum Cart, LOCATION: MAIN PRESS FLOOR
652	LOT: (3) 24 in. x 48 in. Aluminum Carts, LOCATION: MAIN PRESS FLOOR
653	LOT: (3) 24 in. x 48 in. Aluminum Carts, LOCATION: MAIN PRESS FLOOR
654	LOT: (2) 24 in. x 48 in. Steel Carts, (1) 24 in. x 48 in. Wood Cart, LOCATION: MAIN PRESS FLOOR
655	LOT: (2) 30 in. x 50 in. Steel Carts, LOCATION: MAIN PRESS FLOOR
656	LOT: (2) 30 in. x 50 in. Steel Carts, LOCATION: MAIN PRESS FLOOR
657	LOT: (2) 30 in. x 50 in. Steel Carts, LOCATION: MAIN PRESS FLOOR
658	LOT: (2) 30 in. x 50 in. Steel Carts, LOCATION: MAIN PRESS FLOOR
659	36 in. x 72 in. Steel Cart, LOCATION: MAIN PRESS FLOOR
660	LOT: (2) 36 in. x 60 in. Steel Carts, LOCATION: MAIN PRESS FLOOR
661	LOT: (2) 36 in. x 60 in. Steel Carts, LOCATION: MAIN PRESS FLOOR
662	LOT: (2) 36 in. x 72 in. Steel Carts, LOCATION: MAIN PRESS FLOOR
663	LOT: (2) 36 in. x 72 in. Steel Carts, LOCATION: MAIN PRESS FLOOR
664	LOT: (2) 36 in. x 72 in. Steel Carts, LOCATION: MAIN PRESS FLOOR
665	LOT: (2) 36 in. x 72 in. Steel Carts, LOCATION: MAIN PRESS FLOOR
666	LOT: (5) 34 in. x 48 in. Steel Carts, LOCATION: MAIN PRESS FLOOR

667	LOT: (6) 34 in. x 48 in. Steel Carts, with Brake, LOCATION: MAIN PRESS FLOOR
668	LOT: (5) 34 in. x 48 in. Steel Carts, with Brake, LOCATION: MAIN PRESS FLOOR
669	LOT: (5) 34 in. x 48 in. Steel Carts, with Brake, LOCATION: MAIN PRESS FLOOR
670	LOT: (5) 34 in. x 48 in. Steel Carts, with Brake, LOCATION: MAIN PRESS FLOOR
671	LOT: (5) 34 in. x 48 in. Steel Carts, with Brake, LOCATION: MAIN PRESS FLOOR
672	LOT: (5) 34 in. x 48 in. Steel Carts, with Brake, LOCATION: MAIN PRESS FLOOR
673	LOT: (5) 34 in. x 48 in. Steel Carts, with Brake, LOCATION: MAIN PRESS FLOOR
674	LOT: (5) 34 in. x 48 in. Steel Carts, with Brake, LOCATION: MAIN PRESS FLOOR
675	LOT: (6) Assorted Steel Carts, LOCATION: MAIN PRESS FLOOR
676	LOT: (15) 6-Wheel Steel Carts, LOCATION: MAIN PRESS FLOOR
677	LOT: (15) 6-Wheel Steel Carts, LOCATION: MAIN PRESS FLOOR
678	LOT: (2) Garbage Totes, (1) Janitor Cart, LOCATION: MAIN PRESS FLOOR
679	LOT: (6) Portable Product Racks, LOCATION: MAIN PRESS FLOOR
680	LOT: (2) 36 in. x 48 in. Steel Carts, (1) 49 in. x 49 in. Steel Cart, LOCATION: MAIN PRESS FLOOR
681	36 in. x 84 in. Heavy Duty Steel Cart, LOCATION: MAIN PRESS FLOOR
682	LOT: (4) Assorted Steel Carts, LOCATION: MAIN PRESS FLOOR
683	LOT: (4) Assorted Steel Carts, LOCATION: MAIN PRESS FLOOR
684	LOT: (4) Assorted Steel Carts, LOCATION: MAIN PRESS FLOOR
685	LOT: (4) Assorted Steel Carts, LOCATION: MAIN PRESS FLOOR
686	LOT: (3) Assorted Open-Top Steel Carts, LOCATION: MAIN PRESS FLOOR
687	LOT: (5) Assorted Steel Carts, LOCATION: MAIN PRESS FLOOR
688	LOT: (2) Height Adjustable Portable Work Stations, LOCATION: MAIN PRESS FLOOR
689	LOT: (4) Assorted Steel Paint Hanger Racks, LOCATION: MAIN PRESS FLOOR
690	LOT: (6) Assorted Steel Work Tables, LOCATION: MAIN PRESS FLOOR
691	LOT: (2) 50 in. x 52 in. Steel Work Tables, LOCATION: MAIN PRESS FLOOR
692	LOT: (7) Assorted Steel Tables, LOCATION: MAIN PRESS FLOOR
694	LOT: (4) 30 in. x 72 in. Wood Top Work Tables, LOCATION: MAIN PRESS FLOOR
695	LOT: (4) 30 in. x 72 in. Wood Top Work Tables, LOCATION: MAIN PRESS FLOOR

696	LOT: (3) 30 in. x 72 in. Wood Top Work Tables, LOCATION: MAIN PRESS FLOOR
697	LOT: (4) 30 in. x 48 in. Wood Top Work Tables, LOCATION: MAIN PRESS FLOOR
698	LOT: (4) 30 in. x 48 in. Wood Top Work Tables, LOCATION: MAIN PRESS FLOOR
699	LOT: (2) 36 in. x 72 in. Wood Top Work Tables, LOCATION: MAIN PRESS FLOOR
700	LOT: Assorted Pipe Stands, Air Hoses, etc., LOCATION: MAIN PRESS FLOOR
701	LOT: (3) Sets Assorted Lockers, LOCATION: MAIN PRESS FLOOR
702	LOT: (12) Rubbermaid 55 Gallon Plastic Trash Bins , LOCATION: MAIN PRESS FLOOR
703	LOT: (12) Rubbermaid 55 Gallon Plastic Trash Bins, LOCATION: MAIN PRESS FLOOR
704	LOT: (12) Rubbermaid 55 Gallon Plastic Trash Bins, LOCATION: MAIN PRESS FLOOR
705	LOT: (12) Rubbermaid 55 Gallon Plastic Trash Bins, LOCATION: MAIN PRESS FLOOR
706	LOT: (12) Rubbermaid 55 Gallon Plastic Trash Bins, LOCATION: MAIN PRESS FLOOR
707	LOT: Assorted Stools & Chairs, LOCATION: MAIN PRESS FLOOR
708	LOT: Machinery Pads, (2) Carts, LOCATION: MAIN PRESS FLOOR