



2-DAY PUBLIC AUCTION



LARGEST NORTH AMERICAN IRONING BOARD MANUFACTURING PLANT

DAY 1 - WEBCAST AUCTION: Bidding Begins: July 20 at 10:00am ET

DAY 2 - ONLINE AUCTION: Bidding Begins: July 14 at 10:00am ET • Bidding Ends: July 21 at 10:00am ET

INSPECTION: Tuesday, July 19 thru Wednesday, July 20, 9:00am to 4:00pm ET

ASSET LOCATION: 885 N. Chestnut Street, Seymour, IN 47274

FEATURED ASSETS: Tube Mill, Tube Benders, OBI and Straight Side Presses, Servo Feeds, Uncoilers, Straightner, Press Brakes, Surface Grinder, Shear, Lathe, Ironworker and Much More...



YODER 2.50" X .095" TUBE MILL WITH THERMATOOL SOLID STATE WELDER



BROWN & BOGGS 400-TON STRAIGHT SIDE DOUBLE CRANK PUNCH PRESS

Contact Matt Gossett at 248.228.5880 with any questions



BID ONLINE ONLY VIA:
BidSpotter

YODER 2.50" X .095" TUBE MILL WITH THERMATOOL SOLID STATE WELDER

General Specifications:

Max. Tube Diameter: 2-1/2" (63.5 mm), Min. Tube Diameter: 1/2" (12.7 mm),
Max. Wall Thickness: .095" (2.41 mm) Min. Wall Thickness: .020" (.508 mm)

Complete Line with the Following Components:

LOAD LIFTER 2 TON JIB CRANE, 10' Arm, Floor Mounted, 360 Degree, Pendant Controller

2000 KENT SKD 4000 DOUBLE END UNCOILER, S/N 9184/9EY-UNO-1, Max Weight Capacity: 4000#, Coil ID Range: 15"-21", Max Coil OD: 60", Powered, Air Brake

SHEAR AND END WELDER, Hand Shear, Manual Clamping, Lincoln Electric 225 AMP Power Source for Welder

KENT FLOOP VERTICAL ACCUMULATOR, S/N 1041KCLS815, Electrical Push Button Controls

YODER FORMING SECTION, Entry Pass Line Roll, Edge Guides, Six Stands, Three Forming and Three Fin Pass Stands, 2" Diameter Shafts, Five Side Roll Stands, 30HP Motor Driving Stands

WELDING SECTION, Two Entry Rolls, Two Roll Weld Box, Two OD Scarfing Stands with Bead Winder, Two Vertical Roll Exit Stand, Air Vacuum

2016 THERMATOOL CFI 100 SOLID STATE WELDER, 100KW, Solid State Controls, RF Generator, Closed Loop Cooling System, PLC

COOLING BATH, 10' Length x 10" Width x 12" D

SIZING SECTION, Four Sizing Stands, 2" Diameter Shafts, Three Side Roll Stands, 30HP Motor Driving the Stands

TURKS HEAD

PRESS CUT OFF, Single Blade Cut, Air Clutch, PLC Control

EXIT TABLE, Adjustable Stop

TOOLING FOR THE FOLLOWING OD'S: .875", 1", 1.125", 1.250", 1.375"



EXPANDED METAL LINE



VIEW OF TUBE MILL

PRESSES

BROWN & BOGGS SS2-400-96-60, 400-TON STRAIGHT SIDE DOUBLE CRANK PUNCH PRESS, S/N 00101 (New 2000), 10" Stroke, 28" Shut Height, 10" Power Ram Adjustment, 10 to 20-SPM, with 96" x 60" Bed and Ram Area, 10" Thick Bolster Plate, Electrical Push Button Controls, Remote Operator Pendant Control Station, Gemco-838 Digital Cam Control, Allen-Bradley Digital Control, Pit Mounted

CHICAGO DREIS & KRUMP SS250 48X96, 250-TON STRAIGHT SIDE DOUBLE CRANK PRESS, S/N P-9836, Approx. 30" Windows, Power Ram Adjustment, Approx. 12" Stroke, Approx. 60-SPM, Approx. 20" Shut Height, Dual Palm Buttons, Electrical Push Button Controls

WARCO 200-2-96C, 200-TON STRAIGHT SIDE DOUBLE CRANK PRESS, with 24" x 96" Bed & Ram Area, Emerson PLCII Programmable Logic Control, Safety Light Curtains, Dual Palm Buttons, Air Clutch, Air Brake, Electrical Panel with Electrical Push Button Controls

DANLY SC2-150-60-36, 150-TON STRAIGHT SIDE DOUBLE CRANK PRESS, S/N N/A, with 60" x 36" T-Slotted Bed, Air Clutch and Brake, Dual Palm Buttons, 32" Air Press Mounted Air Feeder

CHICAGO DRIES & KRUMP SS150-24-96, 150-TON STRAIGHT SIDE DOUBLE CRANK BACK GEARED STAMPING PRESS, S/N P9366, 24" x 96" Bed Ram Area, Air Clutch, Dual Palm Button Controls, with Approx. 42" Stroke

WALSH APPROX. 150-TON BACK GEARED OBI PUNCH PRESS, with Approx. 10" Stroke, 60-SPM, Link Safety Control, Dual Palm Buttons

MINSTER 50-6-72, 135-TON STRAIGHT SIDE DOUBLE CRANK PRESS, S/N 5624, 10" Stroke, 5" Min. Shut Height, Max. 13", Size Bed 72" x 30"W, Air Clutch and Brake, Vibratory Pads

NIAGARA SC2-100-48-30, 100-TON G 25,000 30,000 STRAIGHT SIDE PRESS, S/N 47186, Stroke: 6"; Shut Height: 22"; 48-SPM, 48" x 30" Bed Size

ROUSSELLE 80SS-30-80, 80-TON STRAIGHT SIDE DOUBLE CRANK PRESS, S/N G0SA 8608, with Air Clutch, Air Counterbalance, Dual Palm Button Controls, Electrical Panel Control

WARCO 75-2-60CG, 75-TON STRAIGHT SIDE DOUBLE CRANK PRESS, S/N 5469, 24" x 60" Bed Ram, 8" Stroke, 20-1/2" Shut Height, Manual Stroke Adjustment 3", 35-SPM, with Light Curtains, Air Clutch & Brake, Dual Palm Button Controls

FEDERAL 6, 70-TON BACK GEARED OBI PUNCH PRESS, S/N 6-689 (New 1971), 6" Stroke, 16-1/2" Shut Height, 45-SPM, with 25-1/2" x 33" Bed Area, 13-1/2" Throat, Air Clutch and Brake, Mechanical Variable Speed Drive Motor, #116 24" Press Mounted Air Feed Straightener, Dual Palm Buttons

(2) ROUSSELLE 6B-76, 60-TON STRAIGHT SIDE GAP FRAME PRESSES, S/N 23845 and 15139, Approx. 6" Stroke, 14" Shut Height, 4" Manual Ram Adjustment, Dual Palm Button Controls, Electric Push Button Controls, Air Counterbalance, Air Clutch & Brake, 18" x 76" Bed Area

BLISS C60, 60-TON FLY WHEEL TYPE OBI PUNCH PRESS, S/N H55680 HP43788, 4" Stroke, 14-1/4" Shut Height, 3" Manual Ram Adjustment, with Dual Palm Buttons, Electrical Push Button Controls, 12" Air Feed, Air Clutch and Brake

FEDERAL NO. 5, 60-TON BACK GEARED OBI PRESS, S/N 5 2180, 4" Stroke, 12-1/4" Shut Height, 2-1/2" Manual Ram Adjustment, 90-SPM with Air Clutch & Brake, Dual Palm Button Controls, Foot Control

MINSTER 56-TON OBI PRESS, S/N 6-5675, with 4" Stroke, Air Clutch and Brake, Dual Palm Buttons, Electrical Panel Control, Foot Control

ROUSSELLE SS501, 50-TON STRAIGHT SIDE DOUBLE CRANK PRESS, S/N N/A, with 18" x 76" Bed Area, Air Clutch and Brake, Foot Control, Lubrication System

ROUSSELLE 4SS72, 40-TON STRAIGHT SIDE DOUBLE CRANK PRESS, S/N P-33046 (New 2000), 45-SPM, 3" Stroke, 15-1/2" Shut Height, 3" Slide Adjustment, with Air Clutch and Brake, Air Counterbalances, Electrical Push Button Controls, Dual Palm Buttons

ROUSSELLE SS-30-60, 30-TON STRAIGHT SIDE DOUBLE CRANK PRESS, with Air Clutch & Brake, Air Counterbalance, Dual Palm Button Controls, Electric Push Button Controls, 30" x 60" Bed Area

ROUSSELLE NO. 2, 20-TON OBI PUNCH PRESS, with Air Clutch, One Shot Lubrication, Electrical Push Button Controls

ROUSSELLE NO. 2, 15-TON OBI PRESS, S/N 22817, with Air Clutch, Electrical Push Button Controls



BROWN AND BOGGS 400 TON PRESS



CHICAGO DREIS & KRUMP 250 TON PRESS



DANLY 150 TON PRESS



WARCO 200 TON PRESS

PRESSES



NIAGARA 100 TON PRESS



WARCO 75 TON PRESS



ROUSSELLE 40 TON PRESS

MOBILE EQUIPMENT

INTERNATIONAL 4300 TRUCK, VIN 1HTMMAAL46H206360 (New 2006)
(14) 53' DRY VAN TRAILERS
YALE 8,000-LB. FORKLIFT TRUCK, S/N F818V02747M (New 2014)
TOYOTA 6,500-LB. LP GAS FORKLIFT TRUCK, S/N 7FGCU32 66724
KOMATSU FG25, 5,000-LB. LPG FORKLIFT TRUCK, S/N 256275A with Side Shift, Overhead Guard, Solid Cushion Tires
YALE GLP050, 5,000-LB. LPG RIDER TYPE FORKLIFT TRUCK, S/N E177B1571U, with Side Shift, Solid Cushion Tires
(4) YALE 3,000-LB. CAPACITY LP GAS FORKLIFT TRUCK, S/N C809V02969D, B809NC03098A, B809N03094A and S/N C809V02971D
NISSAN MCPL02A25LV, 4,400-LB. LPG RIDER TYPE FORKLIFT TRUCK, S/N GPH02-9P1367, Solid Cushion Tires
CROWN 30SP36TT, 3,000-LB. STANDING ELECTRIC RIDER TYPE NARROW AISLE FORKLIFT TRUCK, S/N 1A106606
GENIE Z-30/20, SELF-PROPELLED ELECTRIC TELESCOPING PLATFORM LIFT, S/N 1126
TEREX ELECTRIC SELF PROPELLED PLATFORM TYPE SCISSOR LIFT, S/N TS26, with Approx. 750-Lb. Capacity
(15) FORKLIFT CLAMPS
BIG JOE 1524-A5, 1,500-LB. F 750 750 CAPACITY DIE LIFT, S/N 35784
ADVANCE 320 HD, ELECTRIC WALK BEHIND FLOOR SCRUBBER



INTERNATIONAL BOX TRUCK



4 Available

VIEW OF YALE FORKLIFTS



GENIE BOOM LIFT



15 Available

VIEW OF CASCADE FORKLIFT CLAMPS

TOOL ROOM EQUIPMENT

OKAMOTO ACC-16-32ST, 16" X 32" SEMI-AUTOMATIC HORIZONTAL HYDRAULIC SURFACE GRINDER, S/N 88157 (New 2000), with 16" x 32" Electro Magnetic Chuck, 12" x 2" Max. Wheel Size, 6500-scfm Max. Surface Feed, Over the Wheel Dresser, Incremental Down Feed, Electrical Push Button Control, Operators Console, Coolant Filtration Unit

ACCUPRESS 7606, APPROX. 60-TON X 72" PRESS BRAKE, Double End Riveting Machine, Allen-Bradley COMM PLC Control, Hytrol System

ACCUPRESS 7606, APPROX. 60-TON X 72" PRESS BRAKE, Double End Riveting Machine, Allen-Bradley COMM PLC Controls, Orbitform Orbital Riveter, S/N 9808-2400 (New 2000), Hytrol System

ACCUPRESS 7606, APPROX. 60-TON X 72" PRESS BRAKE, with Custom Designed & Fabricated Feed System, Allen-Bradley COMM PLC Control, with Hytrol Conveyor System

LODGE & SHIPLEY 0308, 3/16" X 8'L POWER SQUARING SHEAR, S/N 46446 with Front Operated 36" Power Back Gage, Lubrication System, Foot Control, Hydraulic Hold Downs, Auto Lube System, Air Clutch, 60 SPM

PIRANHA P3, 50-TON 5" X 5" X 3/8" HYDRAULIC IRONWORKER, S/N 2672, with Angle Shear, Coper, Notcher, Electric Foot Switch, Electrical Push Button Control, Joystick Lever Control, Self Contained Hydraulic Power Supply

JET JTM-1054, 3-HP VARIABLE SPEED VERTICAL MILLING MACHINE, S/N 808668, with 2-Axis Power Feed, 6" Vise, Newell 2-Axis Digital Readout, Collet Set, 9" x 48" T-Slotted Table, One Shot Lubrication System

BRIDGEPORT 2-HP VERTICAL MILLING MACHINE, S/N 255140 with Acurite 2 Axis Digital Readout, Variable Speed, 9" x 42" T-Slotted Table

BRIDGEPORT 1-1/2-HP VERTICAL MILLING MACHINE, S/N 50230 (New 1960), with Anilam Mini Wizard Digital Readout, Variable Speed, 9" x 42" T-Slotted Table, Threading Head

LEBLOND MAKINO REGAT SERVO-SHIFT, 19" X 54" GEARED HEAD ENGINE LATHE, S/N 14E-238, 40 to 1,600-RPM Variable Spindle Speed Range, with Threading, 12" 3-Jaw Chuck, Compound Cross Slide with 2-Way Tool Post, Tailstock with Live Center, Steady Rest, 3" Spindle Hole

CASER F-35, 4' X 12" RADIAL DRILL, 47 to 2120-RPM Variable Spindle Speed Range, with Power Elevation, Manual Traverse, Manual Clamping, Box Table

GROB 4V18, 18" VERTICAL BAND SAW, S/N 871 with Blade Welder and Blade Grinder



OKAMOTO 16-32ST SURFACE GRINDER



ROWE C4 20 STRAIGHTENER AND ROWE UNCOILER

UNCOILERS, STRAIGHTNERS & LEVELERS

ROWE FAC 123 420, 20" SERVO FEED, S/N R29505SEF, with Quartech 2800 PLC Control, 300-IPM, L-R, 20"W x .010" x .165" Console

ROWE 12020 E DSJ, 12,000-LB. X 20" S/NGL E END HYDRAULIC UNCOILER, S/N R29505SR, 60" Max. OD, 30" Max. Stock Width, 19" - 24" Mandrel Expansion Range, Left to Right Feed Direction, with TraversS/Ng Coil Buggy, Remote Push Button Pendant Control

LITTELL 90-30, 12,000-LB. X 30"W S/NGL E END HYDRAULIC POWERED TRAVERSE UNCOILER, S/N 73232-64, with (6) Coil Buggy, Power Elevation, Electrical Push Button Controls, Keeper Arms, Hydraulic Power Supply

ROWE 10020-DSJ, 10,000-LB. X 20"W S/NGL E END HYDRAULIC POWERED UNCOILER, S/N 21988, 20" Max. ID, 60" Max. OD, with Hydraulic Hold Down, TraversS/Ng Coil Buggy, with Push Button Controls

LITTELL NO. 60, 6,000-LB. S/NGL E END POWERED UNCOILER, S/N 65721-59

JACO APPROX. 6,000-LB. X 30" S/NGL E END POWERED UNCOILER, with Keeper Arms

(2) LITTELL 40-12, 4,000-LB. X 12" DOUBLE END UNCOILERS, S/N 79448-72 and 87049-81

(2) DALLAS DPR-2512, 2,500-LB. X 12" S/NGL E POWERED UNCOILERS, S/N 10338 and 17982

HURCO 1512 DB, 1,500-LB. X 12" S/NGL E END UNCOILER, S/N 6229, with Manual Mandrel Expansion

JAYBIRD DCR25 1260, 2,500-LB. F 3,000 3,000 DOUBLE END UNCOILER, S/N 3862, with Variable Speed Drag Brake

LEWIS 2SV5, AUTOMATIC WIRE-STRAIGHTENER CUT OFF MACHINE, S/N 2S-5-133-6, 58" Cut Length, Approx. 1,200 Cuts per Hour with Runout & Adjustable Bed Stop, Drop Off Trough, with Fastener Engine Uncoiler Turnstyle, S/N 190-6503

LEWIS 8C, 3/8" X 10' WIRE-STRAIGHTENER CUT OFF MACHINE, S/N 8C-86, with 96" Runout, with Adjustable Bed Stop, Drop Off Trough, 95 to 195 FPM

ROWE V20-C4000J, 4,000-LB. CRADLE STRAIGHTENER, S/N 14543, .030" Min. Thickness, .105" Max. Thickness, 20"W Capacity, with Electrical Push Button Controls

(2) ROWE C4-20, 20"W, 7-ROLL COIL STRAIGHTENER, S/N R29505STR and 26559, 20" Max. Width, Stock Thickness from .020" from .175", Line Speed from 7 to 160-FPM, Batch Line Height 55"

ROWE C3-20, 20" COIL STRAIGHTENER, S/N 21 989, .020" Min. Thickness, .175 Max. Thickness with Electrical Push Button Controls, Threading Mechanism, Manual Roll Adjustment

DURANT MD-20, 20" COIL STRAIGHTENER, S/N 953, with Loop Arm

ROWE B-10, 10" COIL STRAIGHTENER, S/N 15320, .030" Min. Thickness .140 Max. Thickness

AKER APPROX. 48"W CAPACITY EXPANDED METAL PRESS, Approx. 40-HP DC Drive Motor

2-HIGH 48"W HYDRAULIC POWERED ROLLING MILL, S/N 115.770

MCKAY APPROX. 48"W, 17-ROLL PRECISION LEVELER, S/N 6431, with Back Up Rolls, Pinch Rolls, Manual Vertical Adjustment

PLANT SUPPORT EQUIPMENT

AUTOMATION INTERNATIONAL INC. AUTOMATED CONTINUOUS PASS-THRU SPOT WELDING SYSTEM, with (6) RoMan Approx. 100-kva Spot Welders

PINES NO. 2, 1-1/2" HORIZONTAL HYDRAULIC TUBE BENDER, S/N 11035 80241 with Hydraulic Mandrel Extractor, Electrical Push Button Controls

PEDRAZZOLI HORIZONTAL HYDRAULIC TUBE BENDER, with Mandrel Extractor, Electrical Foot Switch

FANUC S-430I W, 5-AXIS MATERIAL HANDLING ROBOT, with Fanuc System R-J3 Control, Remote Teach Operator Pendant Control

(2) INGERSOLL RAND R551-A125, 75-HP ROTARY SCREW AIR COMPRESSORS, S/N VK4777U17293 & VK4778U17296, (New 2017)

INGERSOLL RAND SSR-XF100, 100-HP SCREW TYPE AIR COMPRESSOR, S/N CK5154202120, with 100-psig Max. Capacity, with Pressure, Ingersoll-Rand Intellisys PLC Control, Emergency Stop, with Air Tank

(2) INGERSOLL RAND MODEL NVC400A50N, 230-PSIG REFRIGERATED AIR DRYERS, S/N WCH1023633, WCH1023632

MANUFACTURER UNKNOWN HORIZONTAL TUMBLER, S/N N/A, with Electrical Panel Control, Hopper with Digital Readout DC Motor

(3) JUKI MO-6914R SEWING MACHINES, with Trim Ester EMV-91 Control

(4) UNION SPECIAL SEWING MACHINES

GGT NIEBUHR SY-252B-AC-165-L, G 3,500 3,500 APPROX. 72"W X 45"L CLOTH CUTTING TABLE, S/N 2284, with Glacier Touch Screen PLC Control, Approx. 50'L x 72"W Runout Table

T.J. SNOW SU1-10000-M, 10-TON G 2,000 2,000 CHILLER, S/N W031902-001

BALSTON OIL AND WATER SEPARATOR, S/N N/A, with Gauges

(2) RAPISTAN 24"W X 1,000'L POWERED STEEL ROLLER RUBBER BELT CONVEYORS


LANTECH ROTARY STRETCH WRAPPER, S/N F 5,000 6,000 SM001518, with 36" Roll Conveyor, Electrical Panel Control

ORION M66-101S SWING ARM TYPE STRETCH WRAPPER, S/N 6036332, with Powered Rubber Belt Entry and Exit Conveyor


NORDSON PRO BLUE 10, BOX SEALING GLUE SYSTEM, S/N SA16C21769, (New 2016)

COMPACKER RAP-UP 196-2, CUSTOM MANUFACTURED THROUGH FEED IRONING BOARD BOXING MACHINE, S/N HP102043, with Nordson Series 3500V Adhesive Application Unit, Box Storage & Loading System, Power Roller Exit Conveyor, Electrical Push Button Controls, Programmable Logic Controls

ALSO INCLUDES: Approx. (100) Steel Tilting Totes, Riveters, Spot Welders, Welders, Pallet Racking, Pallet Jacks, Hoppers, Hand Tools, Power Tools, Jib Cranes



PINES TUBE BENDER



LANTECH PALLET WRAPPING MACHINE



JUKI SEWING MACHINE



2 Available

INGERSOLL RAND 75HP AIR COMPRESSOR



FANUC S430IW ROBOT WITH CONTROLLER



VIEW OF STAINLESS STEEL WASHER

SBS PAINT FINISHING SYSTEM

Consisting of:

SBS PAINT FINISHING SYSTEM, S/N 5774-0899, (New 1999)
1,000' HEAVY DUTY OVERHEAD, MONORAIL CONVEYOR
(2) ELECTROSTATIC ROTARY PAINT PAINT BOOTHS, Approx. 10,000-Watts per Booth
(3) ITW GEMA RGCS-12-6000, 8-GUN POWDER COAT SPRAY BOOTHS,
 S/N IG333894-001, N/A, each with Reclamation Tanks, Dust Collectors, 30-HP Main
 Motors, Electrical Panel Control
(3) CUSTOM MANUFACTURED NATURAL GAS FIRED FORCED AIR BAKE
OVENS, Galvanized Steel Bolted Construction, Approx. 65'L x 20'W, Blowers
APPROX. 125'L, 2-LANE WASHER, Natural Gas Fired with Pumps & Reservoirs,
 Stainless Steel Bolted Construction
ALLEN BRADLEY MODEL PANELVIEW 1000, PLC CONTROL SYSTEM
MISCELLANEOUS ELECTRICAL PANELS, HANGERS, PAINT EQUIPMENT, ETC.

IRONING BOARD PACKAGING LINE

Consisting of:

SELCO 4-HEAD CUP IMPRESSION MACHINE, with (2) 48" Belt Feeders, Transfer
 Table, Electrical Panel Control
SELCO 2-STATION PNEUMATIC INSPECTION IRONBOARD SYSTEM, with
 Allen-Bradley PanelView 550 PLC Control, Electrical Panel Control Conveyor
CUSTOM DESIGNED & FABRICATED AUTOMATED TRAVERSING IRON BOARD
LOADER, with Thompson Direct SQ2 Scorpion Ink Market, S/N D1415015
ROUSSELLE MODEL 2, 20-TON OBI PRESS, with Mechanical Clutch
(2) CHICAGO RIVETER RIVETERS, with Vibratory Feed Bowl
BAYCO 2-DOOR ELECTRIC WATK IN OVEN, with Electrical Push Button Controls
 and Chart Recorder
CUSTOM DESIGNED & FABRICATED AUTOMATED TRAVERSING IRON BOARD
NO. 600 SHANKLIN BAGGER
SHANKLIN SHRINK TUNNEL, 20" x 22" Powered Rubber Belt Exit Conveyor
ORBITFORM ORBITAL RIVETER, with Vibratory Bowl Feeder
ORBITFORM ORBITAL RIVETER, S/N 2786, with Vibratory Bowl Feeder
(2) PRESS RITE 20-TON OBI PRESSES, S/N 1879
SCHRODER AUTOMATED IRON BOARD BOXING MACHINE
BOX SEALING AND TRAVERSE MACHINE, Powered Steel Roller Exit Conveyor
 and Weber Label Machine
EASTEY EZ-TAPER SB-2HD, MANUAL TAPER, S/N EZTI 702161

ROLL/WIRE FORMERS

LOCK FORMER 14TRI, 18-GA. X 14-STAND DUPLEX ROLL FORMER, S/N 1520
 (New 2000), with TB Woods Model X2C AC Inverter, Variable Speed Drive
OMCG 250, 4-SLIDE WIRE FORMER, S/N 22057, with Powered Horizontal
 Uncoiler, 2-Plane Straightener, Electrical Control Panel
T&H LEMONT 10-STAND ROLL FORMER, S/N N/A, with Controls

WASH AND PAINT LINE

Consisting of:

APPROX. 1,000' OF CEILING MOUNTED HEAVY DUTY MONORAIL CONVEYOR
ITW GER-NA 8-GUN POWDER COAT SPRAY PAINT SYSTEM, with Portable
 Recovery Bins
APPROX. 80'L X 84"W 2-LANE NATURAL GAS FIRED CONTINUOUS WASHING
MACHINE, Welded Carbon Steel Construction, with Pumps and Blowers, Electrical
 Panel
APPROX. 15' DRYING TUNNEL, 15' x 120+1 x 96"W Natural Gas Fired, with Spray
 Paint Booth, Galvanized Steel Bolted with
PAINT POTS, GUNS, PUMPS & FLORESCENT LIGHTS
(2) RANSBURG 10,000-VOLT ELECTRO-STATIC ROTARY PAINT BOOTHS
APPROX. 80'L X 72"W 2-LANE WELDED CARBON STEEL DRYING OVEN



VIEW OF RAW MATERIAL