

Charles Richter Metalcraft Auction Buyer's Guide

80 Cotfage St. Wallkill, NY 12589

Auction

Tuesday, November 28 – 9:00 am, ET

Inspection

Monday, November 27

9:00 am – 4:00 pm, ET

WEBCAST ONLY

IMPORTANT INFORMATION

BUYER'S PREMIUM: Online buyers will be charged an 18% buyer's premium.

PAYMENT INFORMATION: Everything is being sold for cash on an "AS IS", "WHERE IS" basis without warranties expressed or implied. All payments must be made by **Wire Transfer**, **ACH Transfer**, **Cash**, **Money Order**, **Cashier's Check**, **or Company Check**. Company checks are only acceptable if accompanied by a bank letter of guarantee.

ALL INVOICES MUST BE PAID UPON RECEIPT: Any merchandise not paid for by this time will be considered abandoned and may be resold by the auctioneer, any loss incurred in the resale to be borne by the original buyer.

SALES TAX: All sales subject to state and local sales tax of 8.00 % where applicable. Sales tax will be charged on the total purchase price of an item, which includes the buyer's premium. If tax exempt, buyer will be required to complete the tax-exempt form for the state that the auction is being held.

REMOVAL: All items must be removed by Friday, December 15 by 4:00 pm, ET at which time our representative will leave the premises. All items remaining after this time <u>WILL BE</u> considered abandoned.

CHECKOUT/REMOVAL HOURS (WITH PAID IN FULL INVOICE):

Wednesday, November 29 - Friday, December 15 Monday - Friday 9:00 am - 4:00 pm Weekends by appointment only

NO MERCHANDISE MAY BE REMOVED WHILE THE SALE IS IN PROGRESS! ALL BIDDERS MUST COMPLY WITH OUR CUSTOMARY "TERMS OF SALE" COPIES, WHICH ARE ATTACHED TO THIS CATALOG, AS WELL AS THROUGHOUT THE PREMISES.

PPL GROUP LLC 105 Revere Drive, Suite C Northbrook, IL 60062 224-927-5320 sales@pplauctions.com www.pplauctions.com

PPL AUCTIONS - General Terms of Sale

NOTICE: ALL BIDDERS AND OTHER PERSONS ATTENDING AUCTION SALES AGREE THAT THEY HAVE READ AND HAVE FULL KNOWLEDGE OF THESE TERMS AND AGREE TO BE BOUND THEREBY.

- 1. **REGISTRATION:** TO REGISTER LOGIN TO WWW.BIDSPOTTER.COM AND SEARCH FOR THE AUCTION YOU WISH TO PARTICIPATE IN (CONTROL + F). ONCE YOU LOCATE THE AUCTION, CLICK THE "SIGN UP" BUTTON. IF YOU HAVE REGISTERED WITH BIDSPOTTER IN THE PAST, ENTER YOUR USERNAME AND PASSWORD. IF YOU HAVE NEVER USED BIDSPOTTER, CLICK ON THE 'REGISTER' BUTTON. ENTER THE REQUIRED CONTACT INFORMATION AND SELECT A USERNAME AND PASSWORD AND SUBMIT FORM. YOU WILL RECEIVE AN EMAIL CONFIRMATION OF YOUR REGISTRATION FOR THE AUCTION WITH YOUR BIDDER PADDLE NUMBER. YOU WILL ALSO RECEIVE AN APPROVAL EMAIL FROM THE AUCTION HOUSE ONCE APPROVED. ON THE DATE OF THE AUCTION, LOGIN TO BIDSPOTTER WITH YOUR USERNAME AND PASSWORD. YOU WILL BE ABLE TO VIEW A PHOTO OF EACH LOT WHILE LISTENING TO THE LIVE AUDIO (IF AVAILABLE). BIDDERS ARE RECOMMENDED TO REGISTER 48 HOURS PRIOR TO THE SALE TO AVOID ANY ISSUES THAT MAY OCCUR.
- 2. PAYMENT: ITEMS MUST BE PAID IN FULL UPON RECEIPT OF INVOICE. A BUYER'S PREMIUM OF 18% FOR ON-LINE BIDDERS WILL BE APPLIED TO YOUR INVOICE IN ADDITION TO THE SALES PRICE. SALES TAX WILL BE CHARGED ON THE TOTAL PURCHASE PRICE OF AN ITEM, WHICH INCLUDES THE BUYER'S PREMIUM. THE BUYERS PREMIUM MAY CHANGE WITH EACH INDIVIDUAL AUCTION. ALWAYS REFER TO THE INDIVIDUAL TERMS WITH EACH OF OUR AUCTIONS. BUSINESS CHECKS WILL NOT BE ACCEPTED WITHOUT A LETTER OF GUARANTEE FROM YOUR BANK. NO MERCHANDISE WILL BE RELEASED UNTIL INVOICE IS FULLY PAID.
- TAXES: PRICES MAY NOT INCLUDE ANY FEDERAL, STATE, OR LOCAL TAXES, WHICH ARE IN ADDITION TO THE PURCHASE PRICE AND MUST BE PAID BY PURCHASER. SALES TAX WILL BE CHARGED ON THE TOTAL PURCHASE PRICE OF AN ITEM, WHICH INCLUDES THE BUYER'S PREMIUM. MACHINERY AND EQUIPMENT USED IN THE MANUFACTURING OR ASSEMBLY OF TANGIBLE PERSONAL PROPERTY FOR WHOLESALE OR RETAIL SALE ARE EXEMPT FROM TAX IN THE STATE OF ILLINOIS. OTHERWISE PURCHASER MUST FURNISH A TAX EXEMPTION CERTIFICATE, ANY SALES, USE, EXCISE, OR OTHER SIMILAR TAX, WHERE APPLICABLE, SHALL ALSO BE THE RESPONSIBILITY OF PURCHASER AND MAY, AT THE ELECTION OF PPL, BE ADDED TO THE QUOTED PURCHASE PRICE AND INVOICED BY PPL TO PURCHASER. THE FAILURE OF PPL TO INVOICE SUCH TAXES DOES NOT EXCUSE THE PURCHASER FROM RESPONSIBILITY FOR PAYING SAME. WHEN A SALE IS IN A STATE OTHER THAN THE STATE OF ILLINOIS, THERE WILL BE SPECIFIC INFORMATION RELATIVE TO THE SALES TAX RATES AND ANY EXEMPTION TO THE SPECIFIC AUCTION SALE AND WILL BE POSTED WITH EACH INDIVIDUAL AUCTION SALE ON OUR WEB SITE.
- **4. REMOVAL:** EACH AUCTION WILL HAVE SPECIFIC INFORMATION RELATIVE TO THE TIMES OF REMOVAL. ALL ITEMS MUST BE OFF THE PREMISES BY A SPECIFIC TIME AND DATE. ALL ITEMS REMAINING AFTER THE SPECIFIED TIME <u>WILL BE</u> CONSIDERED ABANDONED.
- 5. LIABILITY: PURCHASES MAY BE REMOVED ONLY ON PRESENTATION OF PAID BILL. REMOVAL SHALL BE AT THE EXPENSE, RISK AND LIABILITY OF THE PURCHASER. AUCTIONEER SHALL NOT BE RESPONSIBLE FOR GOODS NOT REMOVED WITHIN THE TIME ALLOWED, BUT SHALL HAVE THE OPTION TO REMOVE AND STORE AT THE EXPENSE AND RISK OF THE PURCHASER ANY ARTICLE PURCHASED, BUT NOT PAID FOR AND REMOVED WITHIN THE TIME AFORESAID. A CERTIFICATE OF INSURANCE IS REQUIRED FOR ALL RIGGERS AND SHOULD BE PRESENTED TO PPL GROUP LLC AT THE AUCTION SITE. IF YOU INTEND TO DO YOUR OWN RIGGING AND USE A POWERED VEHICLE IN THE PROCESS, YOU MUST HAVE A CERTIFICATE OF INSURANCE. CONTACT PPL GROUP LLC FOR INSURANCE REQUIREMENTS FOR SPECIFIC AUCTION. IF YOU CAN MOVE YOUR PURCHASES BY HAND OR WITH A NON-POWERED ITEM, SUCH AS A CART, YOU DO NOT NEED TO PRESENT US WITH A CERTIFICATE OF INSURANCE. PPL GROUP LLC IS NOT A RIGGING COMPANY AND THEREFORE WILL NOT BE ABLE TO HELP WITH ANY RIGGING.
- 6. MANNER OF PAYMENT: ALL CHECKS FOR DEPOSIT AND BALANCES DUE SHALL BE PAYABLE TO THE ORDER OF PPL GROUP LLC. ALL BILLS MUST BE PAID TO REPRESENTATIVES OF THE AUCTIONEER AT THE FACILITY UNLESS OTHERWISE ANNOUNCED. THE FULL PURCHASE PRICE ON ALL LOTS SOLD TO THE SAME BUYER MUST BE PAID WITHIN THE TIME FIXED AND BEFORE REMOVAL OF ANY OF THE GOODS.
- 7. **ISSUANCE OF TITLE**: TITLES RELATIVE TO TITLED ASSETS PURCHASED WILL BE MAILED TO THE PURCHASER'S ADDRESS ON FILE AFTER PAYMENT HAS BEEN RECEIVED AND CLEARED.
- 8. CONDITION OF ARTICLES SOLD: NEITHER THE AUCTIONEER NOR THE SELLER SHALL BE RESPONSIBLE FOR THE CORRECT DESCRIPTION, GENUINENESS, AUTHENTICITY OF, OR DEFECT IN ANY LOT, AND MAKES NO WARRANTY IN CONNECTION

THEREWITH. NO SALE SHALL BE SET ASIDE NOR ALLOWANCE MADE ON ACCOUNT OF ANY INCORRECTNESS, ERROR IN CATALOGING, OR ANY IMPERFECTION NOT NOTED. NO DEDUCTION ALLOWED ON DAMAGED ARTICLES, ALL ARTICLES BEING EXPOSED FOR PUBLIC EXHIBITION, AND SOLD "AS IS" AND WITHOUT RECOURSE. ARTICLES ARE NOT WARRANTED AS MERCHANTABLE OR FIT FOR ANY PARTICULAR PURPOSE, AND NO CLAIM MAY BE MADE BY PURCHASER RELATING TO THE CONDITION OR USE OF ARTICLES PURCHASED OR FOR PROXIMATE OR CONSEQUENTIAL DAMAGES ARISING THEREFROM.

- 9. SAFETY DEVICES: ARTICLES PURCHASED MAY NOT INCORPORATE APPROVED ACTIVATING MECHANISMS, OPERATING SAFETY DEVICES OR SAFETY GUARDS, AS REQUIRED BY OSHA OR OTHERWISE. IT IS PURCHASER'S RESPONSIBILITY THAT ARTICLES PURCHASED BE SO EQUIPPED AND SAFEGUARDED TO MEET OSHA AND ANY OTHER REQUIREMENTS BEFORE PLACING SUCH ARTICLES INTO OPERATION.
- 10. INDEMNIFICATION: PURCHASER SHALL DEFEND AND INDEMNIFY AND HOLD AUCTIONEER AND SELLER HARMLESS FROM AND AGAINST ALL CLAIMS AND LIABILITIES RELATING TO THE CONDITION OF, REMOVAL OF, OR USE OF THE ARTICLES PURCHASED OR FAILURE OF USER TO FOLLOW INSTRUCTIONS, WARNINGS OR RECOMMENDATIONS OF THE MANUFACTURER, OR TO COMPLY WITH FEDERAL, STATE, AND LOCAL LAWS APPLICABLE TO SUCH ARTICLES, INCLUDING OSHA REQUIREMENTS, AND ENVIRONMENTAL PROTECTION AGENCY REQUIREMENTS, OR FOR PROXIMATE OR CONSEQUENTIAL DAMAGES, COSTS OR LEGAL EXPENSES ARISING THEREFROM.
- 11. CLAIMS: NO CLAIMS WILL BE ALLOWED AFTER REMOVAL OF GOODS FROM PREMISES OR LEFT ON PREMISES PAST ALLOWED TIME LIMIT.
- 12. RESPONSIBILITY FOR NON-DELIVERY: NEITHER THE AUCTIONEER NOR THE SELLER, IN ANY EVENT, SHALL BE LIABLE FOR NON-DELIVERY OR FOR ANY OTHER MATTER OR THING, TO ANY PURCHASER OF ANY LOT, OTHER THAN FOR THE RETURN TO THE PURCHASER OF THE DEPOSIT OR SUM PAID ON SAID LOT, SHOULD THE PURCHASER BE ENTITLED THERETO.
- 13. COMPLIANCE WITH TERMS OF SALE: IN DEFAULT OF PAYMENT OF BILLS IN FULL WITHIN THE TIME THEREIN SPECIFIED, THE AUCTIONEER IN ADDITION TO ALL OTHER REMEDIES ALLOWED BY LAW MAY RETAIN ALL MONIES RECEIVED AS DEPOSIT OR OTHERWISE, AS LIQUIDATED DAMAGES. LOTS NOT PAID FOR AND REMOVED WITHIN THE TIME ALLOWED HEREIN MAY BE RESOLD AT PUBLIC OR PRIVATE SALE WITHOUT FURTHER NOTICE, AND ANY DEFICIENCY, TOGETHER WITH ALL EXPENSES AND CHARGES OF RESALE INCLUDING LEGAL FEES, WILL BE CHARGED TO THE DEFAULTING PURCHASER.
- 14. RISK TO PERSON AND PROPERTY: PERSONS ATTENDING DURING EXHIBITION, SALE OR REMOVAL OF GOODS ASSUME ALL RISKS OF DAMAGE OF OR LOSS TO PERSON AND PROPERTY AND SPECIFICALLY RELEASE THE AUCTIONEER AND SELLER FROM LIABILITY THEREFORE. NEITHER THE AUCTIONEER NOR HIS PRINCIPAL SHALL BE LIABLE BY REASON OF ANY DEFECT IN OR CONDITION OF THE PREMISES ON WHICH THE SALE IS HELD.
- 15. ADDITION TO OR WITHDRAWAL FROM SALE: THE AUCTIONEER RESERVES THE RIGHT TO WITHDRAW FROM SALE ANY OF THE PROPERTY LISTED OR TO SELL AT THIS SALE PROPERTY NOT LISTED, AND ALSO RESERVES THE RIGHT TO GROUP ONE OR MORE LOTS INTO ONE OR MORE SELLING LOTS OR TO SUBDIVIDE INTO TWO OR MORE SELLING LOTS. WHENEVER THE BEST INTEREST OF THE SELLER WILL BE SERVED, THE AUCTIONEER RESERVES THE RIGHT TO SELL ALL THE PROPERTY LISTED, IN BULK.
- 16. SALE BY ESTIMATED WEIGHT, COUNT OR MEASURE: WHEN ITEMS ARE SOLD BY ESTIMATED WEIGHT, COUNT OR MEASURE, THE PURCHASER WILL BE BILLED FOR AND REQUIRED TO PAY FOR THE ESTIMATED WEIGHT, COUNT OR MEASURE. IF, UPON DELIVERY, ANY SHORTAGE EXISTS, THE PURCHASER WILL RECEIVE A REFUND AT THE RATE OF PURCHASE. IF THERE BE AN EXCESS, THE PURCHASER WILL BE REQUIRED TO TAKE AND PAY FOR SUCH EXCESS, AT THE RATE OF PURCHASE. (SEE PARAGRAPH 4 FOR TIME AND GUARANTEE LIMITATION.)
- 17. DISPUTE BETWEEN BIDDERS: IF ANY DISPUTE ARISES BETWEEN TWO OR MORE BIDDERS, THE AUCTIONEER MAY DECIDE THE SAME OR PUT THE LOT UP FOR SALE AGAIN AT ONCE, AND RESELL TO THE HIGHEST BIDDER. THE AUCTIONEER'S DECISION SHALL BE FINAL AND ABSOLUTE.
- **RESERVE:** THE AUCTIONEER RESERVES THE RIGHT TO REJECT ANY AND ALL BIDS. ON LOTS UPON WHICH THERE IS A RESERVE, THE AUCTIONEER OR HIS ASSIGNED AGENTS, SHALL HAVE THE RIGHT TO BID ON BEHALF OF THE SELLER.
- 19. RECORDS: THE RECORD OF SALE KEPT BY THE AUCTIONEER AND BOOKKEEPER WILL BE TAKEN AS FINAL IN THE EVENT OF ANY DISPUTE.

20. INDEPENDENT CONTRACTOR: THE AUCTIONEER IS ACTING AS AN INDEPENDENT CONTRACTOR ONLY AND IS NOT RESPONSIBLE FOR THE ACTS OF ITS PRINCIPALS OR SELLERS.
21. ADDITIONAL TERMS AND CONDITIONS: THE AUCTIONEER MAY ADD OTHER TERMS AND CONDITIONS OF SALE, SUCH ADDITIONAL TERMS AND CONDITIONS TO BE ANNOUNCED PRIOR TO THE AUCTION AND ALSO POSTED WITH THE SPECIFIC AUCTION.
This catalogue on the following pages is meant merely as a guide. The auctioneer does not warrant the genuineness, accuracy or count of any items described herein.

Lot Number	Description
1	Bridgeport Drillbit Chucks
2	Bridgeport 6" Machine Vise
3	6" Machine Vise
4	LOT: (2) 6" Machine Vises
5	Bridgeport 6" Machine Vise
6	LS Starrett 4" Tabletop Vise
7	Wilton 6" Machine Vise
8	Bridgeport 6" Machine Vise
9	Dumore Tool Post Grinder w/ Case
10	Dumore Tool Post Grinder w/ Case
11	Rockwell Hardness Tester S/N 0329
12	Milwaukee Sawzall w/ Case
13	Makita Model HR3851 Hammer Drill w/ Case
14	Dumore Tool Post Grinder w/ Case
15	Dumore Tool Post Grinder w/ Case
16	Clausing Drill Press
17	Packard 3/4 HP Drill Press S/N 2743
18	Bridgeport 1 HP Vertical Milling Machine S/N 2729077
19	Bridgeport 1 HP Vertical Milling Machine S/N J19769
20	Bridgeport 1 HP Vertical Milling Machine S/N J89096
21	Bridgeport 1 HP Vertical Milling Machine S/N J216394
22	Wilton Model 1260N 6" Machine Vise
23	Victor Model 1640 16" x 40" 5 HP Engine Lathe, Swing Over Bed: 15-3/4", Swing Over Cross Slide: 9", Distance Between Centers: 40", Spindle Bore: 2", Spindle Nose: Camlock D1-6", Spindle Speeds: (8) 65-1800 RPM, Inch Threads: 4-56, Metric Threads: .45-7 mm, Longitudinal Feeds: .0033"0233", Cross Feeds: .0011"0084", Tailstock Spindle Diameter: 2", Tailstock Taper: No. 4 M.T., Tailstock Quill Travel: 4-11/16"
24	LOT: of Assorted 5C Collets
25	LOT: (2) 5' Wood Workbenches w/ Table Vises
26	Hobart Model M-25 10 HP Portable Welder

LOT: (2) Grinders Consisting of: (1) Craft 2 HP Double Ended Grinder and (1) Baldor 1/3 HP Double Ended Grinder Makita Model 2414 Portable Cut-Off Saw Hendey Engine Lathe, Length of Carriage Bearing on Bed: 22 1/2", Actual Swing Over Bed: 16 7/16", Swing Over Carriage: 9", Travel Compound Rest: 3 5/8", Capacity of Center Rest: 4 3/4" Bilchm-Singhet Surface Grinder, Max Longitudinal Travel: 27.5", Max Cross Travel: 14", Spindle Drive Motor: 5 HP, Wheel Diameter: 2", Wheel World: 12", Wheel Bers: "Grinding Are: 14" x 27.5", Max Grinding Spindle to Table: 22.5", Max Table Load: 6.5-98FPM, Infeed: 5/64-2.0 Per Table Stroke, Grinding Spindle Motor: 5 HP, Grinding Speed: 1400-2800 RPM, Approximate Weight: 6100 lbs, Chuck Size: 12" x 28" Engine Lathe 12 LeBlond Regal 13" x 16" Engine Lathe 13 DoAll Model ML Industrial Metal Bandsaw 34 DoAll Model D618-7 Surface Grinder 220 v, 4.4 AMPS, 1725 RPM, S/N 219-68480 15 LOT: of Assorted Lathe Rests, Chucks, and Wheel Plates 36 DoAll Model G1 Surface Grinder 37 Brown & Sharpe Model No. 2.1.5 HP Surface Grinder, Longitudinal Travel 18-3/4", Cross Travel 6-3/4", B&S 6-3/8" x 18" Magnetic Chuck, Grinding Wheel 7" approx, 250 v, 20 AMPS, 3 ph 39 DoAll Surface Grinder 40 Craftsman Double Ended Grinder 41 Clausing Engine Lathe 42 Clausing Engine Lathe 43 Pratt & Whitney Model M-1689 10" x 20" Table Mounted Benchtop Lathe 44 24" x 24" Steel Surface Plate 5 'S Wood Workbench w/ Table Vise Sigma Machinery Model SN408-508 17" x 82" Engine Lathe, Bore: 2", 3 Jaw Chuck: 12", Steady Rest: 7", Approximate Weight: 5300 lbs, S/N 785 5 'Wood Workbench w/ Table Vise
Hendey Engine Lathe, Length of Carriage Bearing on Bed: 22 1/2", Actual Swing Over Bed: 16 7/16", Swing Over Carriage: 9", Travel Compound Rest: 3 5/8", Capacity of Center Rest: 4 3/4" Blohm-Simplex Surface Grinder, Max Longitudinal Travel: 27.5", Max Gross Travel: 14", Spindle Drive Motor: 5 HP, Wheel Diameter: 12 Wheel Worts: 5", Orinding Area: 14", X27.5", Max Grinding Spindle to Table: 22.5", Max Table Load: 6.5-98 FP, Infeed: 5/64-2.0 Per Table Stroke, Grinding Spindle Motor: 5 HP, Grinding Speed: 1400-2800 RPM, Approximate Weight: 6100 lbs, Chuck Size: 12" x2" Engine Lathe 32 LeBlond Regal 13" x 16" Engine Lathe 33 DoAll Model ML Industrial Metal Bandsaw 34 DoAll Model D618-7 Surface Grinder 220 v, 4.4 AMPS, 1725 RPM, S/N 219-68480 35 LOT: of Assorted Lathe Rests, Chucks, and Wheel Plates 36 DoAll Model G1 Surface Grinder 37 Brown & Sharpe Model No. 2 1.5 HP Surface Grinder, Longitudinal Travel 18-3/4", Cross Travel 6-3/4", 8&5 6-3/8" x 18" Magnetic Chuck, Grinding Wheel 7" approx. 250 v, 20 AMPS, 3 ph 39 DoAll Surface Grinder 40 Craftsman Double Ended Grinder 41 Clausing Engine Lathe 42 Clausing Engine Lathe 44 24" x 24" Steel Surface Plate 5" Wood Workbench w/ Table Vise 45 S' Wood Workbench w/ Table Vise 46 Sigma Machinery Model SN408-508 17" x 82" Engine Lathe, Bore: 2", 3 Jaw Chuck: 12", Steady Rest: 7", Approximate Weight: 5300 lbs, S/N 785
Compound Rest: 3 5/8", Capacity of Center Rest: 4 3/4" Blohm-Simplex Surface Grinder, Max Longitudinal Travel: 27.5", Max Cross Travel: 14", Spindle Drive Motor: 5 HP, Wheel Diameter: 12", Wheel Width: 2", Wheel Bore: 5", Grinding Area: 14" x 27.5", Max Grinding Spindle to Table: 22.5", Max Table Load: 6.5-98FPM. Infeed: 5/64-2.0 Per Table Stroke, Grinding Spindle Motor: 5 HP, Grinding Speed: 1400-2800 RPM, Approximate Weight: 6100 lbs, Chuck Size: 12" x 28" 31 Clausing 13" x 24" Engine Lathe 32 LeBlond Regal 13" x 16" Engine Lathe 33 DoAll Model ML Industrial Metal Bandsaw 34 DoAll Model ML Industrial Metal Bandsaw 35 LOT: of Assorted Lathe Rests, Chucks, and Wheel Plates 36 DoAll Model G1 Surface Grinder 37 Brown & Sharpe Model No. 2 1.5 HP Surface Grinder, Longitudinal Travel 18-3/4", Cross Travel 6-3/4", B&S 6-3/8" x 18" Magnetic Chuck, Grinding Wheel 7" approx, 250 v, 20 AMPS, 3 ph 39 DoAll Surface Grinder 40 Craftsman Double Ended Grinder 41 Clausing Engine Lathe 42 Clausing Drill Press 43 Pratt & Whitney Model M-1689 10" x 20" Table Mounted Benchtop Lathe 44 24" x 24" Steel Surface Plate 5 'Wood Workbench w/ Table Vise Sigma Machinery Model SN40B-50B 17" x 82" Engine Lathe, Bore: 2", 3 Jaw Chuck: 12", Steady Rest: 7", Approximate Weight: 5300 lbs, S/N 785
12", Wheel Width: 2", Wheel Bore: 5", Grinding Area: 14" x 27.5", Max Grinding Spindle to Table: 22.5", Max Table Load: 6.5-98FPN Indeed: 5/64-2.0 Per Table Stroke, Grinding Spindle Motor: 5 HP, Grinding Speed: 1400-2800 RPM, Approximate Weight: 6100 lbs, Chuck Size: 12" x 28" 12
LeBlond Regal 13" x 16" Engine Lathe 33 DoAll Model ML Industrial Metal Bandsaw 34 DoAll Model D618-7 Surface Grinder 220 v, 4.4 AMPS, 1725 RPM, S/N 219-68480 35 LOT: of Assorted Lathe Rests, Chucks, and Wheel Plates 36 DoAll Model G1 Surface Grinder 37 Brown & Sharpe Model No. 2 1.5 HP Surface Grinder, Longitudinal Travel 18-3/4", Cross Travel 6-3/4", B&S 6-3/8" x 18" Magnetic Chuck, Grinding Wheel 7" approx, 250 v, 20 AMPS, 3 ph 39 DoAll Surface Grinder 40 Craftsman Double Ended Grinder 41 Clausing Engine Lathe 42 Clausing Drill Press 43 Pratt & Whitney Model M-1689 10" x 20" Table Mounted Benchtop Lathe 44 24" x 24" Steel Surface Plate 45 S' Wood Workbench w/ Table Vise 46 Sigma Machinery Model SN40B-50B 17" x 82" Engine Lathe, Bore: 2", 3 Jaw Chuck: 12", Steady Rest: 7", Approximate Weight: 5300 lbs, S/N 785
DoAll Model ML Industrial Metal Bandsaw DoAll Model D618-7 Surface Grinder 220 v, 4.4 AMPS, 1725 RPM, S/N 219-68480 LOT: of Assorted Lathe Rests, Chucks, and Wheel Plates DoAll Model G1 Surface Grinder Brown & Sharpe Model No. 2 1.5 HP Surface Grinder, Longitudinal Travel 18-3/4", Cross Travel 6-3/4", B&S 6-3/8" x 18" Magnetic Chuck, Grinding Wheel 7" approx, 250 v, 20 AMPS, 3 ph DoAll Surface Grinder Craftsman Double Ended Grinder Clausing Engine Lathe Clausing Drill Press Pratt & Whitney Model M-1689 10" x 20" Table Mounted Benchtop Lathe 42
DoAll Model D618-7 Surface Grinder 220 v, 4.4 AMPS, 1725 RPM, S/N 219-68480 LOT: of Assorted Lathe Rests, Chucks, and Wheel Plates DoAll Model G1 Surface Grinder Brown & Sharpe Model No. 2 1.5 HP Surface Grinder, Longitudinal Travel 18-3/4", Cross Travel 6-3/4", B&S 6-3/8" x 18" Magnetic Chuck, Grinding Wheel 7" approx, 250 v, 20 AMPS, 3 ph DoAll Surface Grinder Craftsman Double Ended Grinder Clausing Engine Lathe Clausing Drill Press Pratt & Whitney Model M-1689 10" x 20" Table Mounted Benchtop Lathe 42
DoAll Model G1 Surface Grinder Brown & Sharpe Model No. 2 1.5 HP Surface Grinder, Longitudinal Travel 18-3/4", Cross Travel 6-3/4", B&S 6-3/8" x 18" Magnetic Chuck, Grinding Wheel 7" approx, 250 v, 20 AMPS, 3 ph DoAll Surface Grinder Craftsman Double Ended Grinder Clausing Engine Lathe Clausing Drill Press Pratt & Whitney Model M-1689 10" x 20" Table Mounted Benchtop Lathe 24" x 24" Steel Surface Plate Sigma Machinery Model SN40B-50B 17" x 82" Engine Lathe, Bore: 2", 3 Jaw Chuck: 12", Steady Rest: 7", Approximate Weight: 5300 lbs, S/N 785
DoAll Model G1 Surface Grinder Brown & Sharpe Model No. 2 1.5 HP Surface Grinder, Longitudinal Travel 18-3/4", Cross Travel 6-3/4", B&S 6-3/8" x 18" Magnetic Chuck, Grinding Wheel 7" approx, 250 v, 20 AMPS, 3 ph DoAll Surface Grinder Craftsman Double Ended Grinder Clausing Engine Lathe Clausing Drill Press Pratt & Whitney Model M-1689 10" x 20" Table Mounted Benchtop Lathe 24" x 24" Steel Surface Plate Sigma Machinery Model SN40B-50B 17" x 82" Engine Lathe, Bore: 2", 3 Jaw Chuck: 12", Steady Rest: 7", Approximate Weight: 5300 lbs, S/N 785
Brown & Sharpe Model No. 2 1.5 HP Surface Grinder, Longitudinal Travel 18-3/4", Cross Travel 6-3/4", B&S 6-3/8" x 18" Magnetic Chuck, Grinding Wheel 7" approx, 250 v, 20 AMPS, 3 ph DoAll Surface Grinder Craftsman Double Ended Grinder Clausing Engine Lathe Clausing Drill Press Pratt & Whitney Model M-1689 10" x 20" Table Mounted Benchtop Lathe 42
Chuck, Grinding Wheel 7" approx, 250 v, 20 AMPS, 3 ph DoAll Surface Grinder Craftsman Double Ended Grinder Clausing Engine Lathe Clausing Drill Press Pratt & Whitney Model M-1689 10" x 20" Table Mounted Benchtop Lathe 24" x 24" Steel Surface Plate 'S' Wood Workbench w/ Table Vise Sigma Machinery Model SN40B-50B 17" x 82" Engine Lathe, Bore: 2", 3 Jaw Chuck: 12", Steady Rest: 7", Approximate Weight: 5300 lbs, S/N 785
40 Craftsman Double Ended Grinder 41 Clausing Engine Lathe 42 Clausing Drill Press 43 Pratt & Whitney Model M-1689 10" x 20" Table Mounted Benchtop Lathe 44 24" x 24" Steel Surface Plate 45 5' Wood Workbench w/ Table Vise 46 Sigma Machinery Model SN40B-50B 17" x 82" Engine Lathe, Bore: 2", 3 Jaw Chuck: 12", Steady Rest: 7", Approximate Weight: 5300 lbs, S/N 785
Clausing Engine Lathe Clausing Drill Press Pratt & Whitney Model M-1689 10" x 20" Table Mounted Benchtop Lathe 24" x 24" Steel Surface Plate 5' Wood Workbench w/ Table Vise Sigma Machinery Model SN40B-50B 17" x 82" Engine Lathe, Bore: 2", 3 Jaw Chuck: 12", Steady Rest: 7", Approximate Weight: 5300 lbs, S/N 785
Clausing Drill Press Pratt & Whitney Model M-1689 10" x 20" Table Mounted Benchtop Lathe 24" x 24" Steel Surface Plate 5' Wood Workbench w/ Table Vise Sigma Machinery Model SN40B-50B 17" x 82" Engine Lathe, Bore: 2", 3 Jaw Chuck: 12", Steady Rest: 7", Approximate Weight: 5300 lbs, S/N 785
Pratt & Whitney Model M-1689 10" x 20" Table Mounted Benchtop Lathe 24" x 24" Steel Surface Plate 5' Wood Workbench w/ Table Vise Sigma Machinery Model SN40B-50B 17" x 82" Engine Lathe, Bore: 2", 3 Jaw Chuck: 12", Steady Rest: 7", Approximate Weight: 5300 lbs, S/N 785
24" x 24" Steel Surface Plate 5' Wood Workbench w/ Table Vise Sigma Machinery Model SN40B-50B 17" x 82" Engine Lathe, Bore: 2", 3 Jaw Chuck: 12", Steady Rest: 7", Approximate Weight: 5300 lbs, S/N 785
5' Wood Workbench w/ Table Vise Sigma Machinery Model SN40B-50B 17" x 82" Engine Lathe, Bore: 2", 3 Jaw Chuck: 12", Steady Rest: 7", Approximate Weight: 5300 lbs, S/N 785
Sigma Machinery Model SN40B-50B 17" x 82" Engine Lathe, Bore: 2", 3 Jaw Chuck: 12", Steady Rest: 7", Approximate Weight: 5300 lbs, S/N 785
1bs, S/N 785
47 5' Wood Workbench w/ Table Vise
48 DoAll Model 1612-1 16" x 20" Vertical Band Saw, 220 v, Band Length Max: 125, S/N 148-62562
49 LOT: of Assorted Metal Storage Bins (Please Note: Empty)
50 Custom Built High Temp Furnace w/ Sentry 2.0 Controls
Clausing Model C17 17" Engine Lathe, Swing Over Bed: 17", Distance Between Centers: 84", Spindles Speeds (16): 20-1600 RPM, Spindle Thru Hole: 3", Inch Threads (38): 2-72 TPI, Metric Threads (40): .4-14 mm, Main Spindle Motor HP: 10, Electrical: 230/460V (Wired 230)/3PH
52 Atlas Model No.4 Compound Mandle Press
53 Rockwell Model 31 700 Belt Disk Sander S/N D02432
54 Approximately 15' x 4' Steel Workbench w/ 4" Table Vise

55	Black & Decker Heavy Duty Industrial Sander 116 v, 13 AMPS, 50 RPM, S/N 9311189
56	LOT: (2) Pneumatic Air Ratchets
57	LOT: (2) Corded Drills
58	LOT: (4) Assorted Calipers
59	LOT: (7) Assorted Micrometers
60	8" Rotary Table
61	8" Rotary Table
62	8" Rotary Table
63	Magnetic Base Drill
64	LOT: of Assorted Metal Number and Letter Stamps
65	LOT: (2) Broach Sets
66	Grinding Wheel Wheel Dresser
67	Tri-Jet Model 6208 Handheld Fogger 120 v, 7 AMPS, 60 Hz
67A	LOT: of Assorted Drill Bits
67B	TRD 250 PSI Pneumatic Air Cylinder
67C	TRD 250 PSI Pneumatic Air Cylinder
67D	LOT: (2) Press Material Feeders
68	Engine Lathe, Approx Machine Size: 72" x 34" x 46"
69	Bliss Model 20 26 Ton OBI Flywheel Press, Bed Size: 28" x 13", Stroke: 4-1/2, Approx Machine Size: 52" x 36" x 101", S/N H25055
70	Bliss Model 20C 26 Ton OBI Flywheel Press, Bed Size: 26" x 18", Stroke: 5-1/2, Approx Machine Size: 59" x 46" x 105", S/N H32740HP15726
70B	Coil Feeder, Approx Machine Size: 49" x 27" x 36"
71	Coil Feeder, Bed Size: 27" x 18", Approx Machine Size: 49" x 27" x 36"
72	Bliss Model 21M 35 Ton OBI Flywheel Press, Bed Size: 28" x 19", Stroke: 5-1/2, Approx Machine Size: 55" x 54" x 117", S/N H20363HP3053
73	35 Ton OBI Flywheel Press, Bed Size: 22" x 13", Stroke: 5-1/2, Approx Machine Size: 43" x 35" x 101", S/N 1085062152
74	Bliss Model 20 26 Ton OBI Flywheel Press, Stroke: 4, Approx Machine Size: 43" x 37" x 95", S/N H11945400HP2513
75	Bliss Model 20 26 Ton OBI Flywheel Press, Bed Size: 22" x 13", Stroke: 2-1/2, Approx Machine Size: 43" x 37" x 97", S/N H1945300HP2513
76	Bliss Model 20 26 Ton OBI Flywheel Press, Bed Size: 22" x 13", Stroke: 2-1/2, Approx Machine Size: 43" x 37" x 95", S/N H2061900HP3221
77	OBI Flywheel Press, Bed Size: 22" x 13", Stroke: 4, Approx Machine Size: 43" x 37" x 95", S/N H120465026576

78	Metal Die Lift Cart, Approx Machine Size: 39" x 29" x 43", w/ Wilton 4" Table Vise
79	Bliss Model 102S Transfer Press, Bed Size: 38" x 20", Stroke: 5-1/2, Approx Machine Size: 48" x 59" x 117", S/N 597355Ord533025
80	Bliss Model 21S 42 Ton OBI Flywheel Press, Bed Size: 30" x 20", Stroke: 5, Approx Machine Size: 56" x 40" x 113", S/N H33880HP17389
81	Bliss Model 21S 42 Ton OBI Flywheel Press, Bed Size: 30" x 20", Stroke: 5, Approx Machine Size: 56" x 40" x 113", S/N H31621HP14273
81B	Coil Feeder, Approx Machine Size: 49" x 27" x 36"
82	Bliss Model 20 26 Ton OBI Flywheel Press, Bed Size: 30" x 20", S/N 905-106313
83	Coil Feeder, Approx Machine Size: 49" x 27" x 36"
84	OBI Flywheel Press, Bed Size: 30" x 20", Stroke: 4-1/2, Approx Machine Size: 50" x 39" x 92"
85	The Vaill Engineering Model 52H Flanging Machine, Approx Machine Size: 48" x 47" x 69", S/N 52H-1
86	Clausing Drill Pressing, Approx Machine Size: 25" x 22" x 73"
87	Rivetter, Approx Machine Size: 30" x 30" x 61"
88	OBI Flywheel Press, Bed Size: 16" x 11", Approx Machine Size: 33" x 31" x 70"
89	DriveAll 18" Tabletop Lathe, Approx Machine Size: 72" x 27" x 52"
90	Coil Feeder, Approx Machine Size: 49" x 27" x 36"
91	Bliss Model 20B 30 Ton OBI Flywheel Press, Bed Size: 26" x 14", Stroke: 5, Approx Machine Size: 57" x 48" x 101", S/N H1875000HP2008
92	Bliss Model C45 45 Ton OBI Flywheel Press, Bed Size: 29" x 18", Stroke: 6, Approx Machine Size: 57" x 53" x 101", S/N H60922HP46690
93	Bliss Model 21 35 Ton OBI Flywheel Press, Bed Size: 26" x 19", Stroke: 5, Approx Machine Size: 52" x 67" x 101", S/N H25062HP5580
94	Bliss Model 202S 60 Ton Transfer Press, Bed Size: 65" x 20", Stroke: 7, Approx Machine Size: 56" x 75" x 137", S/N H51005HP38148
95	CoilMate Pallet Uncoiler, Approx Machine Size: 56" x 39" x 76"
96	Bliss Model 39 22 Ton OBI Flywheel Press, Bed Size: 18" x 10", Stroke: 3, Approx Machine Size: 37" x 32" x 85", S/N H29564HP11768
97	Bliss Model 39C 22 Ton OBI Flywheel Press, Bed Size: 18" x 10", Stroke: 3-1/2, Approx Machine Size: 37" x 32" x 85", S/N H30287HP12485
98	Bliss Model 19C 21 Ton OBI Flywheel Press, Bed Size: 18" x 10", Stroke: 3-1/2, Approx Machine Size: 35" x 32" x 85", H32742HP15730
99	Bliss Model 58 5 Ton Flywheel Press, Bed Size: 18" x 10", Stroke: 5, Approx Machine Size: 35" x 32" x 82", S/N H30287HP12485
100	Bliss Model 58 5 Ton Flywheel Press, Bed Size: 18" x 10", Stroke: 5, Approx Machine Size: 35" x 32" x 82", S/N 115848-OR-3256
101	Bliss Model 19C 18 Ton OBI Flywheel Press, Bed Size: 19" x 12", Stroke: 2, Approx Machine Size: 35" x 32" x 82", S/N H46245HP31822
102	Niagara Model 68-D-5 130 Ton Straight Side Double Crank Stamping Press, Stroke: 6, Approx Machine Size: 50" x 100" x 140", S/N 30846 S2-130-60-36
103	Engine Lathe, Approx Machine Size: 33" x 70" x 54"
104	Coil Unwinder

105	Bliss Model 102-S 45 Ton Transfer Press, Stroke: 5, Approx Machine Size: 47" x 77" x 116", S/N H52396HP40426
106	Bliss Transfer Press, Approx Machine Size: 47" x 69" x 119", S/N 11399-183166
107	Federal 26 Ton OBI Flywheel Press, Bed Size: 26" x 16", Stroke: 3, Approx Machine Size: 36" x 43" x 85", S/N 33-500
108	V&O Model 39 Flywheel Press, Bed Size: 18" x 17", Stroke: 4, Approx Machine Size: 38" x 32" x 85", S/N H23482HP4835
109	Bliss Model 20 26 Ton OBI Flywheel Press, Bed Size: 22" x 18", Stroke: 2-1/2, Approx Machine Size: 45" x 35" x 85", S/N H1829200HP918
110	Bliss Model 20C 26 Ton OBI Flywheel Press, Bed Size: 26" x 18", Stroke: 4, Approx Machine Size: 34" x 34" x 85", S/N H29943HP12268
111	Bliss Model 22 Flywheel Press, Bed Size: 19" x 15", Stroke: 3, Approx Machine Size: 35" x 34" x 85", S/N H123695035007
112	Bliss Model 39 22 Ton Flywheel Press, Bed Size: 24" x 15", Approx Machine Size: 35" x 35" x 85", S/N H25060HP5579
113	Bliss Model 40A Flywheel Press, Bed Size: 26" x 18", Stroke: 4-1/2, Approx Machine Size: 48" x 34" x 106", S/N H30657HP12947
114	Flywheel Press, Bed Size: 17" x 11", Stroke: 3, Approx Machine Size: 29" x 24" x 74", S/N 19616
115	Jet Model HBS-1018W Horizontal Bandsaw, 10" Max Cutting Diameter, Approx Machine Size: 30" x 63" x 42", S/N 11072185
116	Bliss Model 20B OBI Flywheel Press, Bed Size: 25" x 14", Stroke: 3, Approx Machine Size: 35" x 30" x 85", S/N 802-106763
117	EOGRABO Engine Lathe, Approx Machine Size: 77" x 29" x 60"
118	Bliss Model 39B 22 Ton Flywheel Press, Bed Size: 20" x 17", Stroke: 2, Approx Machine Size: 35" x 33" x 95", S/N H1898000HP2188
119	Bliss Model 19 21 Ton OBI Flywheel Press, Bed Size: 18" x 10", Stroke: 4, Approx Machine Size: 32" x 24" x 78", S/N H1732300HP276
120	Bliss Model 22 Flywheel Press, Bed Size: 19" x 18", Stroke: 3, Approx Machine Size: 34" x 34" x 78", S/N H119365025722
121	Bliss Model 39B 22 Ton Flywheel Press, Bed Size: 21" x 19", Stroke: 2-1/2, Approx Machine Size: 39" x 35" x 78", S/N H48704HP35068
122	Bliss Model 22 Flywheel Press, Bed Size: 20" x 15", Stroke: 3, Approx Machine Size: 37" x 37" x 71", S/N H8843HP66481
123	Bliss Model 21S 42 Ton OBI Press, Bed Size: 30" x 20", Stroke: 3, Approx Machine Size: 53" x 46" x 107", S/N H31415HP14058
124	5' Workbench w/ Wilton Table Vise, Approx Size: 48" x 29" x 48"
125	Hydraulic Die Lift Cart, Approx Size: 41" x 23" x 38"
126	Belt & Disk Sander, Approx Machine Size: 30" x 19" x 35"
127	Belt & Disk Sander, Approx Machine Size: 30" x 19" x 35"
128	Beveller & Straightener, Approx Machine Size: 33" x 26" x 53"
129	Torch Cart w/ Torch Set, Approx Size: 18" x 12" x 57" (Please Note: Tank Not Included)
130	Press Material Feeder, Approx Size: 28" x 17" x 14"
131	Coil Unwinder, Approx Machine Size: 38" x 35" x 59"
132	Bliss Transfer Press, Stroke: 7-1/2, Approx Machine Size: 55" x 83" x 138", S/N 1254-106891

Bliss Model W-3-1/2-A 80/54 Ton Toggle Press, Bed Size: 27" x 26", Approx Machine Size: 65" x 42" x 135", S/N 12127124590 Bliss Model 1-1/2 52/35 Ton Toggle Press, Bed Size: 21" x 22", Stroke: 6/10, Approx Machine Size: 52" x 27" x 113", S/N 610799831 Bliss Model 3-1/2A 80/54 Ton Toggle Press, Bed Size: 27" x 27", Approx Machine Size: 34" x 46" x 115", S/N T34233 Bliss OBI Press, Bed Size: 28" x 18", Approx Machine Size: 69" x 30" x 97", S/N H1107050-16795 Minster 150 Ton Flywheel Press, Bed Size: 47" x 35", Stroke: 12, Approx Machine Size: 84" x 74" x 167", S/N 40-6-1/2-1971 OBI Flywheel Press, Bed Size: 24" x 21", Approx Machine Size: 62" x 35" x 110" Bliss Model 40M Flywheel Press, Bed Size: 24" x 21", Stroke: 3, Approx Machine Size: 46" x 40" x 87", S/N H34747HP18545 LOT: (4) Assorted Pedestal Fans and (1) Floor Fan Bliss Model 39 22 Ton Flywheel Press, Bed Size: 20" x 17", Stroke: 3-1/2, Approx Machine Size: 38" x 32" x 85", S/N H42698HP27610 Coil Unwinder Bliss Model 4402 Transfer Press, Bed Size: 40" x 18", Stroke: 7, Approx Machine Size: 53" x 50" x 96", S/N 63748 Bovro Multiple Head Drilling Machine, Approx Machine Size: 45" x 49" x 56"
Bliss Model 3-1/2A 80/54 Ton Toggle Press, Bed Size: 27" x 27", Approx Machine Size: 34" x 46" x 115", S/N T34233 Bliss OBI Press, Bed Size: 28" x 18", Approx Machine Size: 69" x 30" x 97", S/N H1107050-16795 Minster 150 Ton Flywheel Press, Bed Size: 47" x 35", Stroke: 12, Approx Machine Size: 84" x 74" x 167", S/N 40-6-1/2-1971 OBI Flywheel Press, Bed Size: 24" x 21", Approx Machine Size: 62" x 35" x 110" Bliss Model 40M Flywheel Press, Bed Size: 24" x 21", Stroke: 3, Approx Machine Size: 46" x 40" x 87", S/N H34747HP18545 LOT: (4) Assorted Pedestal Fans and (1) Floor Fan Bliss Model 39 22 Ton Flywheel Press, Bed Size: 20" x 17", Stroke: 3-1/2, Approx Machine Size: 38" x 32" x 85", S/N H42698HP27610 Coil Unwinder Bliss Model 4402 Transfer Press, Bed Size: 40" x 18", Stroke: 7, Approx Machine Size: 53" x 50" x 96", S/N 63748
Bliss OBI Press, Bed Size: 28" x 18", Approx Machine Size: 69" x 30" x 97", S/N H1107050-16795 Minster 150 Ton Flywheel Press, Bed Size: 47" x 35", Stroke: 12, Approx Machine Size: 84" x 74" x 167", S/N 40-6-1/2-1971 OBI Flywheel Press, Bed Size: 24" x 21", Approx Machine Size: 62" x 35" x 110" Bliss Model 40M Flywheel Press, Bed Size: 24" x 21", Stroke: 3, Approx Machine Size: 46" x 40" x 87", S/N H34747HP18545 LOT: (4) Assorted Pedestal Fans and (1) Floor Fan Bliss Model 39 22 Ton Flywheel Press, Bed Size: 20" x 17", Stroke: 3-1/2, Approx Machine Size: 38" x 32" x 85", S/N H42698HP27610 Coil Unwinder Bliss Model 4402 Transfer Press, Bed Size: 40" x 18", Stroke: 7, Approx Machine Size: 53" x 50" x 96", S/N 63748
Minster 150 Ton Flywheel Press, Bed Size: 47" x 35", Stroke: 12, Approx Machine Size: 84" x 74" x 167", S/N 40-6-1/2-1971 OBI Flywheel Press, Bed Size: 24" x 21", Approx Machine Size: 62" x 35" x 110" Bliss Model 40M Flywheel Press, Bed Size: 24" x 21", Stroke: 3, Approx Machine Size: 46" x 40" x 87", S/N H34747HP18545 LOT: (4) Assorted Pedestal Fans and (1) Floor Fan Bliss Model 39 22 Ton Flywheel Press, Bed Size: 20" x 17", Stroke: 3-1/2, Approx Machine Size: 38" x 32" x 85", S/N H42698HP27610 Coil Unwinder Bliss Model 4402 Transfer Press, Bed Size: 40" x 18", Stroke: 7, Approx Machine Size: 53" x 50" x 96", S/N 63748
OBI Flywheel Press, Bed Size: 24" x 21", Approx Machine Size: 62" x 35" x 110" Bliss Model 40M Flywheel Press, Bed Size: 24" x 21", Stroke: 3, Approx Machine Size: 46" x 40" x 87", S/N H34747HP18545 LOT: (4) Assorted Pedestal Fans and (1) Floor Fan Bliss Model 39 22 Ton Flywheel Press, Bed Size: 20" x 17", Stroke: 3-1/2, Approx Machine Size: 38" x 32" x 85", S/N H42698HP27610 Coil Unwinder Bliss Model 4402 Transfer Press, Bed Size: 40" x 18", Stroke: 7, Approx Machine Size: 53" x 50" x 96", S/N 63748
Bliss Model 40M Flywheel Press, Bed Size: 24" x 21", Stroke: 3, Approx Machine Size: 46" x 40" x 87", S/N H34747HP18545 LOT: (4) Assorted Pedestal Fans and (1) Floor Fan Bliss Model 39 22 Ton Flywheel Press, Bed Size: 20" x 17", Stroke: 3-1/2, Approx Machine Size: 38" x 32" x 85", S/N H42698HP27610 Coil Unwinder Bliss Model 4402 Transfer Press, Bed Size: 40" x 18", Stroke: 7, Approx Machine Size: 53" x 50" x 96", S/N 63748
LOT: (4) Assorted Pedestal Fans and (1) Floor Fan Bliss Model 39 22 Ton Flywheel Press, Bed Size: 20" x 17", Stroke: 3-1/2, Approx Machine Size: 38" x 32" x 85", S/N H42698HP27610 Coil Unwinder Bliss Model 4402 Transfer Press, Bed Size: 40" x 18", Stroke: 7, Approx Machine Size: 53" x 50" x 96", S/N 63748
Bliss Model 39 22 Ton Flywheel Press, Bed Size: 20" x 17", Stroke: 3-1/2, Approx Machine Size: 38" x 32" x 85", S/N H42698HP27610 Coil Unwinder Bliss Model 4402 Transfer Press, Bed Size: 40" x 18", Stroke: 7, Approx Machine Size: 53" x 50" x 96", S/N 63748
142 Coil Unwinder 143 Bliss Model 4402 Transfer Press, Bed Size: 40" x 18", Stroke: 7, Approx Machine Size: 53" x 50" x 96", S/N 63748
Bliss Model 4402 Transfer Press, Bed Size: 40" x 18", Stroke: 7, Approx Machine Size: 53" x 50" x 96", S/N 63748
Bovro Multiple Head Drilling Machine, Approx Machine Size: 45" x 49" x 56"
Coil Feeder, Approx Machine Size: 49" x 27" x 36"
Spinamatic 4-Station Spindle Drilling Machine, Approx Machine Size: 139" x 98" x 120"
147 Federal Model F60 60 Ton Back Gear Press, Bed Size: 32" x 23", Stroke: 8, Approx Machine Size: 53" x 35" x 110", S/N 60-267
Bliss Model 21-1/2 58 Ton OBI Flywheel Press, Bed Size: 32" x 23", Stroke: 6, Approx Machine Size: 65" x 32" x 118", S/N H37376HP21057
Johnson Model 45-FW-AC 45 Ton OBI Press, Bed Size: 30" x 19", Stroke: 6, Approx Machine Size: 55" x 37" x 98", S/N 66220
150 Bliss OBI Flywheel Press, Bed Size: 28" x 19", Approx Machine Size: 48" x 33" x 105"
Bliss Model 21S 42 Ton OBI Flywheel Press, Bed Size: 30" x 21", Stroke: 6, Approx Machine Size: 53" x 43" x 110", S/N H41516HP26176
152 Bliss Model 21 35 Ton OBI Press, Bed Size: 28" x 19", Stroke: 6, Approx Machine Size: 55" x 42" x 111", S/N H32743HP15732
Bliss Model S2-75-48-30 75 Ton Straight Side Press, Bed Size: 47" x 30", Stroke: 10, Approx Machine Size: 56" x 108" x 135", S/N H49513HP36060
154 Engine Lathe, Approx Machine Size: 65" x 29" x 58"
4-Post Hydraulic Press, Bed Size: 30" x 29", Stroke: 4, Approx Machine Size: 30" x 29" x 79"
156 Coil Feeder
157 Bliss Model 21-B 48 Ton OBI Press, Bed Size: 29" x 20", Approx Machine Size: 72" x 75" x 99", S/N H45250HP30459
Bliss Model 21 35 Ton OBI Flywheel Press, Bed Size: 32" x 22", Approx Machine Size: 54" x 34" x 120"
160 Bliss Model 21B 48 Ton OBI Press, Bed Size: 30" x 20", Stroke: 6, Approx Machine Size: 63" x 36" x 110", S/N H38619HP22555
161 Bliss Model 21-1/2 58 Ton OBI Press, Bed Size: 30" x 22", Stroke: 10, Approx Machine Size: 66" x 38" x 130", S/N H34757HP18564

162	Bliss Model 21S 42 Ton OBI Press, Bed Size: 30" x 20", Stroke: 3, Approx Machine Size: 64" x 39" x 109", S/N H33879HP17389
163	Bliss Model 39 22 Ton Flywheel Press, Bed Size: 18" x 13", Stroke: 4, Approx Machine Size: 37" x 28" x 98", S/N H30658HP12948
164	Bliss Model 20 26 Ton OBI Flywheel Press, Bed Size: 22" x 13", Stroke: 2, Approx Machine Size: 42" x 36" x 98"
165	Bliss Model C-110 110 Ton OBI Press, Bed Size: 42" x 28", Stroke: 6, Approx Machine Size: 94" x 88" x 147", S/N H54658HP43186
166	Bliss Model C35 35 Ton OBI Flywheel Press, Bed Size: 26" x 20", Stroke: 6, Approx Machine Size: 56" x 43" x 90", S/N H55273HP43557
167	Coil Feeder, Approx Machine Size: 56" x 36" x 44"
168	Bliss Model C80 45 Ton OBI Press, Bed Size: 31" x 22", Stroke: 6, Approx Machine Size: 82" x 80" x 100", S/N H55272HP43556
169	Coil Feeder, Approx Machine Size: 56" x 32" x 47"
170	Bliss Model C60 60 Ton OBI Press, Bed Size: 32" x 21", Stroke: 6, Approx Machine Size: 77" x 76" x 100", S/N H59782HP45872
171	Bliss Model 21-1/2 58 Ton OBI Press, Bed Size: 32" x 22", Stroke: 5, Approx Machine Size: 100" x 67" x 116", S/N H29379HP11508
172	Coil Feeder, Approx Machine Size: 50" x 32" x 47"
173	Custom Built 5-Head Drilling Machine, Approx Machine Size: 37" x 37" x 37"
174	Coil Unwinder, Approx Machine Size: 56" x 37" x 53"
175	Coil Feeder, Approx Machine Size: 56" x 32" x 47"
176	Bliss Model 28 93 Ton OBI Press, Bed Size: 37" x 28", Stroke: 8, Approx Machine Size: 80" x 100" x 147", S/N H41167HP25642
177	Coil Unwinder, Approx Machine Size: 55" x 54" x 57"
178	Bliss Model C75 75 Ton OBI Press, Bed Size: 36" x 24", Stroke: 6, Approx Machine Size: 77" x 98" x 125", S/N H60521HP46420
179	Bliss Model 21S 42 Ton OBI Press, Bed Size: 29" x 19", Stroke: 6, Approx Machine Size: 77" x 69" x 107", S/N H44271HP29328
180	Coil Feeder, Approx Machine Size: 27" x 39" x 36"
181	Johnson Model J60 60 Ton OBI Press, Bed Size: 31" x 21", Stroke: 4, Approx Machine Size: 51" x 46" x 97", S/N 67432
182	Verson Model 150 150 Ton OBI Press, Bed Size: 50" x 30", Stroke: 12, Approx Machine Size: 122" x 131" x 181", S/N 25502
183	Verson Model V7-1/2 105 Ton OBI Press, Bed Size: 39" x 30", Stroke: 8, Approx Machine Size: 91" x 88" x 128", S/N 4856
184	3/4 HP 1" Deep Throat Beveling Tool, Approx Machine Size: 40" x 25" x 45"
185	Engine Lathe, Approx Machine Size: 66" x 48" x 64"
186	LOT: 5' Wood Workbench w/ (1) Baldor 3 HP Grinder and (1) Table Vise
187	Coil Feeder, Approx Machine Size: 49" x 27" x 36"
188	Coil Feeder, Approx Machine Size: 56" x 32" x 49"
189	Bliss Model W6-72 72 Ton Transfer Press, Bed Size: 72" x 54", Stroke: 11, Approx Machine Size: 189" x 43" x 194", S/N 11141-122742B

190	Coil Feeder, Approx Machine Size: 49" x 27" x 36"
191	Bliss Model 21B 48 Ton OBI Press, Bed Size: 30" x 20", Stroke: 6, Approx Machine Size: 89" x 58" x 117", S/N H31210HP13746
193	Coil Feeder, Approx Machine Size: 49" x 27" x 36"
194	Bliss Model 21B 48 Ton OBI Press, Bed Size: 30" x 20", Stroke: 6, Approx Machine Size: 89" x 58" x 117", S/N H37378HP21061
195	Pneumatic Drop Hammer, Bed Size: 27" x 26", Approx Machine Size: 34" x 34" x 125"
196	Bliss Model 21S 42 Ton OBI Press, Bed Size: 29" x 21", Stroke: 6, Approx Machine Size: 89" x 58" x 117", S/N H45223HP30421
197	Custom Built Drilling Machine, Approx Machine Size: 55" x 49" x 46"
198	Transfer Press, Bed Size: 68" x 20", Approx Machine Size: 220" x 48" x 132"
199	Coil Feeder, Approx Machine Size: 49" x 27" x 36"
200	Braintree Pneumatic Drop Hammer, Approx Machine Size: 37" x 35" x 153"
201	Peck Metal Sheer, Bed Size: 46" x 15", Approx Machine Size: 60" x 43" x 69"
202	Warco 100 Ton OBI Press, Bed Size: 39" x 30", Stroke: 10, Approx Machine Size: 72" x 69" x 117", S/N 46563
203	Coil Feeder, Approx Machine Size: 56" x 32" x 47"
204	Bliss Model C-45 45 Ton OBI Press, Bed Size: 27" x 19", Stroke: 6, Approx Machine Size: 74" x 41" x 101", S/N H65664HP49554
205	Bliss Model 28 93 Ton OBI Press, Bed Size: 36" x 28", Stroke: 10, Approx Machine Size: 100" x 77" x 145", S/N H20048HP2872
206	Coil Feeder, Approx Machine Size: 56" x 32" x 47"
208	Ingersoll Rand Air Compressor, Approx Machine Size: 59" x 29" x 61"
209	Bliss Model 21-1/2 58 Ton OBI Press, Bed Size: 30" x 23", Stroke: 5, Approx Machine Size: 92" x 50" x 113", S/N H15369 40-7236
210	Howe Model Weightograph 77 Scale Beam, Approx Machine Size: 48" x 12" x 59"
211	Bliss Model 23 74 Ton OBI Press, Bed Size: 33" x 24", Stroke: 6, Approx Machine Size: 92" x 85" x 113", S/N H30278HP12473
212	Coil Feeder, Approx Machine Size: 56" x 32" x 47"
213	Bliss Model 21.5 58 Ton OBI Press, Bed Size: 36" x 35", Stroke: 4, Approx Machine Size: 84" x 81" x 114", S/N H1809800HP781
214	Bliss Model 16 Flywheel Press, Bed Size: 32" x 23", Stroke: 1-1/2, Approx Machine Size: 56" x 32" x 106", S/N 2464-196162
215	Bliss Model 21B 48 Ton OBI Press, Bed Size: 30" x 21", Stroke: 5-1/2, Approx Machine Size: 84" x 60" x 105", S/N H26633HP6660
216	Bliss Model 3-1/2C Toggle Press, Bed Size: 30" x 23", Stroke: 22.5/12-16, Approx Machine Size: 56" x 56" x 144", S/N T34425
217	Engine Lathe , Approx Machine Size: 67" x 24" x 67"
218	200 Ton Straight Side Press, Bed Size: 83" x 48", Stroke: 15-1/2, Approx Machine Size: 120" x 56" x 188", S/N SE2-275-84-48
219	OBI Press, Bed Size: 28" x 37", Approx Machine Size: 50" x 50" x 147"

220	OBI Press, Bed Size: 29" x 21", Approx Machine Size: 50" x 50" x 147"
221	Bliss Model 3-1/2C Toggle Press, Bed Size: 25" x 29", Approx Machine Size: 52" x 50" x 147", S/N 12437711958
222	Bliss Model 21-1/2 35 Ton OBI Press, Bed Size: 32" x 23", Stroke: 7, Approx Machine Size: 72" x 56" x 117", S/N H32418HP15277
223	Bliss Model 28-1/2 93 Ton OBI Press, Bed Size: 47" x 28", Stroke: 6, Approx Machine Size: 88" x 80" x 120", S/N H47925HP34062
224	Bliss Model 23 74 Ton OBI Press, Bed Size: 32" x 25", Stroke: 6, Approx Machine Size: 88" x 80" x 117", S/N H33311HP16571
225	Coil Feeder, Approx Machine Size: 56" x 32" x 44"
226	Coil Feeder, Approx Machine Size: 56" x 32" x 47"
227	Engine Lathe, Approx Machine Size: 62" x 32" x 48"
228	Biggs-Nystrom Flywheel Press, Bed Size: 20" x 8", Approx Machine Size: 30" x 30" x 62"
229	Straightener, Approx Machine Size: 30" x 24" x 48"
230	OBI Flywheel Press, Bed Size: 20" x 13", Approx Machine Size: 33" x 26" x 62"
231	Pneumatic Roll Former, Approx Machine Size: 40" x 32" x 56"
232	OBI Flywheel Press, Bed Size: 19" x 9", Approx Machine Size: 30" x 30" x 62"
233	Pneumatic Roll Former, Approx Machine Size: 40" x 32" x 56"
234	Pneumatic Roll Former, Approx Machine Size: 25" x 11" x 56"
235	Pneumatic Roll Former, Approx Machine Size: 42" x 23" x 56"
236	Drill Press, Approx Machine Size: 27" x 20" x 61"
237	Pneumatic Roll Former, Approx Machine Size: 40" x 32" x 56"
238	Pneumatic Roll Former, Approx Machine Size: 36" x 34" x 55"
239	Famco Model 8 Arbor Press, Approx Machine Size: 25" x 15" x 57"
240	Excelsior Model No.12 Arbor Press, Approx Machine Size: 24" x 16" x 65"
241	Bliss Model 28-1/2 93 Ton OBI Press, Bed Size: 35" x 30", Stroke: 8, Approx Machine Size: 86" x 67" x 120", S/N H41128HP25578
242	Brown Boggs Model 94 200 Ton OBI Press, Bed Size: 58" x 34", Approx Machine Size: 174" x 131" x 202", S/N S24LJ8200003
243	Parts Bin, Approx Machine Size: 75" x 67" x 71"
244	Drive All Engine Lathe, Approx Machine Size: 64" x 21" x 47"
245	Baldor 1/2 HP Double Ended Grinder, Approx Machine Size: 66" x 48" x 64"
246	Bliss Roll Former, Approx Machine Size: 47" x 40" x 55"
247	Engine Lathe, Approx Machine Size: 67" x 29" x 64"

248	Steel Workbench, Approx Size: 112" x 36" x 33", w/ (2) 4" Table Vises
249	Custom Built 3-Station Riveting Station, Approx Machine Size: 53" x 53" x 73"
250	Interlake Model Silverstitcher Box Stapler, Approx Machine Size: 39" x 15" x 68"
251	Interlake Model Silverstitcher Box Stapler, Approx Machine Size: 39" x 15" x 68"
252	Wysong & Miles CO Metal Sheer, Bed Size: 82" x 23", Approx Machine Size: 105" x 82" x 55"
253	LOT: of Assorted Machine Supplies Consisting of: Cabinets, Motors, Clamps, Nuts, Bolts, Fasteners, Double Ended Grinder, and Parts Bins (Please Inspect)
254	LOT: of Assorted Machine Supplies Consisting of: Motors, Belts, and Die Parts (Please Inspect)
255	LOT: of Assorted Machine Supplies Consisting of: Belts, Gears, Pneumatic Cylinders, Electric Boxes, and Flywheels (Please Inspect)
256	Joy Model TA0450EC 50 HP Air Compressor, 125 PSI, Approx Machine Size: 90" x 53" x 60", S/N 218413
257	Sullair Model 24KT Rotary Screw Air Compressor, Approx Machine Size: 104" x 62" x 64"
258	Lift-Rite Pallet Jack
259	Lift-Rite Pallet Jack
260	Lift-Rite Pallet Jack
261	Lift-Rite Pallet Jack
262	Lift-Rite Pallet Jack
263	Lift-Rite Pallet Jack
264	2200 lb Capacity Pallet Jack
265	Pallet Jack
266	Pallet Jack
267	Pallet Jack
268	Pallet Jack
269	Pallet Jack
270	Pallet Jack
271	Lift-Rite Pallet Jack
272	Pallet Jack
273	Pallet Jack
274	Pallet Jack
275	Pallet Jack

276	Lift-Rite Pallet Jack
277	Wesco Pallet Jack
278	LOT: (2) Hand Trucks
279	LOT: (3) Hand Trucks
280	LOT: (2) Hand Trucks
281	Hydraulic Lift Hand Truck
282	Hydraulic Lift Hand Truck
283	LOT: (6) Utility Carts w/ Hand Tools Consisting of: Sockets, Wrenches, Tool Boxes, Handles, Nuts, Bolts, and Screws (Please Inspect)
284	LOT: (3) 55 Gallon Drum Barrel Dollies
285	LOT: (2) Toro Push Lawn Mowers
286	Troy-Bilt 26" Snow Blower
287	LOT: (2) Weed Whackers
288	8-Step Ladder
289	8-Step Ladder
290	8-Step Ladder
291	12-Step Ladder
292	14-Step Ladder
293	20-Step Ladder
294	14-Step Ladder
295	18-Step Ladder
296	Hyster Model 50 5000 lb Capacity Forklift
297	Hyster Model 50 5000 lb Capacity Forklift
298	Hyundai Model 20BRP-9 4000 lb Capacity Stand Up Forklift w/ Charger
299	LOT: of Assorted Corrugated Boxes
300	LOT: of Assorted Steel Coil (Please Inspect)
301	LOT: of Assorted Steel Coil (Please Inspect)
302	LOT: of Assorted Steel Coil (Please Inspect)