







High-Efficiency Transport Refrigeration System with a Space-Saving Design





OVERVIEW

PERFORMANCE SPECIFICATIONS

LITERATURE

Condenser Dimensions:

80.8" x 88.4" x 17.1" (1,680 x 1,150 x 94 mm)

Evaporator Dimensions:

66.1" x 45.3" x 3.99" (1,680 x 1,150 x 100 mm)

Body Opening:

66.9" x 46.0" (1,700 x 1,170 mm)

Approximate Weight:

1,775 lb. (805 kg) including electric standby Battery (not supplied): 50 lb. (23 kg)

Cooling Capacity:

Evaporator Return Air Temp.	Diesel Operation	
	BTU/hr	Watts
35°F (2°C)	55,500	16,250
0°F (-18°C)	35,000	10,250
-20°F (-29°C)	22,000	6,500

Applied system performance: 3,250 cfm (5,550 m3/hr)



PRODUCTS

<u>Trailer</u>

Electrification

Intermodal and

Rail

APX Control Systems

Truck

<u>Direct Drive Truck</u>

<u>Lynx Fleet</u> <u>Telematics</u>

Auxiliary Power Units (APUs)

Performance

Parts

SERVICE & SUPPORT

Aftermarket Support

Installation Instructions

Dealer Locator

Training

INFORMATION FOR

<u>Customers</u> <u>The Media</u>

Job Seekers

TERMS AND CONDITIONS OF SALE

Truck, Trailer and Rail North

Performance Parts

<u>America</u>

CONTACT

Send an inquiry

SHARE

У f +

FOLLOW



Privacy notice | Terms of use | Sitemap

A Carrier Company

©2023 Carrier. All Rights Reserved.

<u>Cookie Preferences</u>